

Licence 2BB-MEA1828 application for amendment

Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca> To: David Frenette <david.frenette@agnicoeagle.com> Cc: Licensing Department < licensing@nwb-oen.ca>

Wed, Nov 13, 2019 at 3:24 PM

Good evening David,

Could you please clarify what the new water source is going to be? Is there hydrological information available confirming that the source is capable of maintaining the requested withdrawal rate?

Thank you,



Assol Kubeisinova- ついてはいるはい

Technical Advisor - Conseiller technique A_4%a.%>c~a%1c Abt%n-Piluagnagtuliginigmun Ikayugti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0

775 TO A SU Day 30,000 100 XOB 1JO Titigaqaqvia 119 Ughiqhing, NU, X0B 1J0

Tel / Téléphone / y?/s]b / Hivayauta: (867) 360-6338 | Fax / Télécopieur / hvJ4f5 / Fax-kut: (867) 360-6369 Toll Free / Sans / <\OP56^\OCO56 / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Africa de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Wed, Nov 13, 2019 at 11:38 AM Richard Dwyer <ri>chard.dwyer@nwb-oen.ca> wrote: Good morning,

The Nunavut Water Board acknowledges receipt. A technical advisor will review the submission and may contact you for additional information.

Regards,

Richard



Manager of Licensing - Responsable des Permis < いっこう ことらしている。 Maniyauyuq Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT Δαρι ΔLCαρι βΩLΡυρ- NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0 775 BE AN payaja, Dapt XOB 1JO Titigaqaqvia 119 Ughiqting, NU, X0B 1J0

Tel / Téléphone / パペトレく / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ぱぱ / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Ameri de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Wed, Nov 13, 2019 at 7:02 AM David Frenette david.frenette@agnicoeagle.com wrote:

Good Morning,

Please find attached documents required to apply for an amendment to the water licence 2BB-MEA1828:

NWB form: 2BB-MEA1828 amendment application 20191113.pdf

NPC conformity determination: 149209 - LUP - Not a Significant Modification - screening not required.pdf

Applicable NIRB decision: 161005-11EN010 Screening Decision Report-OT3E.pdf

List of meetings conducted: Amaruq meetings 2019-10-29.pdf

Spill Contingency Plan: Spill Contingency Plan 2BB-MEA1828 2BE-GOT1924 version 12.pdf

Project description: Main application document Amaruq explo camp.pdf

The \$30 application fee will follow by mail. For the \$30 concerning the water use, could you confirm that this amount is not required since there is no increase of the annual water use (already paid).

Should you need additional information, please contact me,

Regards,



Canada J9P 7G4
agnicoeagle.com