

2009 Annual Report
August

			AU	AV	AW	AX	AY	AZ	BA	BB	BC	BD	BE
	CCME								0.073		0.025-0.015	2.9	
	MMER										0.5		
	SampleID	Sample Date	Magnesium (Mg)-Total (mg/L)	Manganese (Mn)-Dissolved (mg/L)	Manganese (Mn)-Total (mg/L)	Mercury (Hg)-Dissolved (mg/L)	Mercury (Hg)-Total (mg/L)	Molybdenum (Mo)-Dissolved (mg/L)	Molybdenum (Mo)-Total (mg/L)	Nickel (Ni)-Dissolved (mg/L)	Nickel (Ni)-Total (mg/L)	Nitrate (as N) (mg/L)	Nitrate and Nitrite as N (mg/L)
	A13	03-Sep-09	19.2	0.0433	0.0491	<0.00010	<0.00010	<0.020	<0.0050	0.0074	0.0071	<0.050	<0.071
	A15	03-Sep-09	29.4	0.226	0.253	<0.00010	<0.00010	<0.020	<0.0050	0.0189	0.0190	<0.050	<0.071
	A38	03-Sep-09	20.9	0.0026	0.0123	<0.00010	<0.00010	<0.020	<0.0050	0.0046	0.0057	1.43	1.43
	A54	03-Sep-09	22.2	<0.0020	0.0024	<0.00010	<0.00010	<0.020	<0.0050	0.0045	0.0047	5.57	5.57
	A8-7	03-Sep-09	2.91	<0.0020	0.0046	<0.00010	<0.00010	<0.0050	<0.0050	<0.0020	<0.0020	<0.050	<0.071
	A9	03-Sep-09	19.5	<0.0020	0.0126	<0.00010	<0.00010	<0.020	<0.0050	0.0060	0.0063	<0.050	<0.071
	CONTROL		1.03	<0.0020	0.0026	<0.00010	<0.00010	<0.0050	<0.0050	<0.0020	<0.0020	<0.050	<0.071
	MEL1	03-Sep-09	1.07	<0.0020	0.0027	<0.00010	<0.00010	<0.0050	<0.0050	<0.0020	<0.0020	<0.050	<0.071
	MEL1 DUPL	03-Sep-09	1.08	<0.0020	0.0027	<0.00010	<0.00010	<0.0050	<0.0050	<0.0020	<0.0020	<0.050	<0.071
	MEL2	03-Sep-09	3.51	<0.0020	0.0040	<0.00010	<0.00010	<0.0050	<0.0050	<0.0020	<0.0020	<0.050	<0.071
	MEL3	04-Sep-09											
	MEL4	04-Sep-10											
	ML-River	04-Sep-09	1.28	<0.0020	0.0038	<0.00010	<0.00010	<0.0050	<0.0050	<0.0020	<0.0020	<0.050	<0.071
	P1	03-Sep-09	18.9	<0.0020	0.0089	<0.00010	<0.00010	<0.020	<0.0050	0.0071	0.0070	4.08	4.14

2009 Annual Report
August

			BF	BG	BH	BI	BJ	BK	BL	BM	BN	BO	BP
	CCME		0.06			6.5 - 9.0	0.03						
	MMER					6.0 - 9.5							
	SampleID	Sample Date	Nitrite (as N) (mg/L)	Oil and Grease (mg/L)	Orthophosph ate (PO4-P) (mg/L)	pH (pH)	Phosphorus, Total (mg/L)	Phosphorus, Total Diss_ (mg/L)	Potassium (K)- Dissolved (mg/L)	Potassium (K)-Total (mg/L)	Selenium (Se)- Dissolved (mg/L)	Selenium (Se)-Total (mg/L)	Silver (Ag)- Dissolved (mg/L)
	A13	03-Sep-09	<0.050		<0.010	7.72	<0.020	<0.020	5.58	5.22	0.0035	0.0042	<0.020
	A15	03-Sep-09	<0.050		<0.010	7.47	<0.020	<0.020	5.72	5.52	0.0042	0.0029	<0.020
	A38	03-Sep-09	<0.050		<0.010	7.69	<0.020	<0.020	9.04	9.74	<0.0020	0.0026	<0.020
	A54	03-Sep-09	<0.050		<0.010	7.70	<0.020	<0.020	11.6	10.9	0.0032	0.0039	<0.020
	A8-7	03-Sep-09	<0.050		<0.010	7.57	<0.020	<0.020	1.07	1.18	<0.00040	<0.00040	<0.0050
	A9	03-Sep-09	<0.050		<0.010	7.73	<0.020	<0.020	4.98	5.72	0.0041	0.0050	<0.020
	CONTROL		<0.050		<0.010	7.41	<0.020	<0.020	0.91	1.03	<0.00040	<0.00040	<0.0050
	MEL1	03-Sep-09	<0.050		<0.010	7.20	<0.020	<0.020	0.73	0.80	<0.00040	<0.00040	<0.0050
	MEL1 DUPL	03-Sep-09	<0.050		<0.010	7.14	<0.020	<0.020	0.76	0.82	<0.00040	<0.00040	<0.0050
	MEL2	03-Sep-09	<0.050		<0.010	7.56	<0.020	<0.020	1.29	1.40	0.00061	0.00061	<0.0050
	MEL3	04-Sep-09		<1.0		7.76							
	MEL4	04-Sep-10		<1.0		7.20							
	ML-River	04-Sep-09	<0.050		<0.010	7.27	<0.020	<0.020	1.00	1.00	<0.00040	<0.00040	<0.0050
	P1	03-Sep-09	0.060		<0.010	7.99	<0.020	<0.020	10.9	10.9	0.0028	0.0029	<0.020

2009 Annual Report
August

			BQ	BR	BS	BT	BU	BV	BW	BX	BY	BZ	CA
	CCME												
	MMER												
	SampleID	Sample Date	Silver (Ag)- Total (mg/L)	Sodium (Na)- Dissolved (mg/L)	Sodium (Na)- Total (mg/L)	Strontium (Sr)- Dissolved (mg/L)	Sulfate (SO4) (mg/L)	TDS (Calculated) (mg/L)	Thallium (Tl)- Dissolved (mg/L)	Thallium (Tl)- Total (mg/L)	Tin (Sn)- Dissolved (mg/L)	Tin (Sn)- Total (mg/L)	Titanium (Ti)- Dissolved (mg/L)
	A13	03-Sep-09	<0.00040	19.6	19.1	1.22	13.9	614	<0.20	<0.00040	<0.20	<0.050	<0.0040
	A15	03-Sep-09	<0.00040	23.7	23.6	1.26	17.6	793	<0.20	<0.00040	<0.20	<0.050	<0.0040
	A38	03-Sep-09	<0.00040	41.5	44.7	1.00	46.1	527	<0.20	<0.00040	<0.20	<0.050	<0.0040
	A54	03-Sep-09	<0.00040	53.9	51.3	1.20	66.8	657	0.00046	<0.00040	<0.20	<0.050	<0.0040
	A8-7	03-Sep-09	<0.00010	3.9	4.1	0.117	3.26	80.2	<0.050	<0.00010	<0.050	<0.050	<0.0010
	A9	03-Sep-09	<0.00040	19.0	22.3	1.08	10.2	526	<0.20	<0.00040	<0.20	<0.050	<0.0040
	CONTROL		<0.00010	4.3	4.2	0.0277	1.79	40.0	<0.050	<0.00010	<0.050	<0.050	<0.0010
	MEL1	03-Sep-09	<0.00010	4.0	4.0	0.0288	3.08	31.7	<0.050	<0.00010	<0.050	<0.050	<0.0010
	MEL1 DUPL	03-Sep-09	<0.00010	4.0	3.9	0.0285	3.06	32.0	<0.050	<0.00010	<0.050	<0.050	<0.0010
	MEL2	03-Sep-09	<0.00010	4.8	4.9	0.156	3.80	97.8	<0.050	<0.00010	<0.050	<0.050	<0.0010
	MEL3	04-Sep-09											
	MEL4	04-Sep-10											
	ML-River	04-Sep-09	<0.00010	5.7	5.2	0.0398	3.49	43.7	<0.050	<0.00010	<0.050	<0.050	<0.0010
	P1	03-Sep-09	<0.00040	41.1	40.9	1.11	44.0	675	<0.20	<0.00040	<0.20	<0.050	<0.0040

2009 Annual Report
August

			CB	CC	CD	CE	CF	CG	CH	CI	CJ	CK
	CCME				29							0.03
	MMER				15							0.5
	SampleID	Sample Date	Titanium (Ti)- Total (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Total Suspended Solids (mg/L)	Turbidity (NTU)	Uranium (U)- Dissolved (mg/L)	Uranium (U)- Total (mg/L)	Vanadium (V)- Dissolved (mg/L)	Vanadium (V)-Total (mg/L)	Zinc (Zn)- Dissolved (mg/L)	Zinc (Zn)- Total (mg/L)
	A13	03-Sep-09	<0.0024	0.55		2.96	<0.00040	<0.00040	<0.0040	<0.0020	0.0082	<0.016
	A15	03-Sep-09	<0.0024	0.47		2.12	<0.00040	<0.00040	0.0012	<0.0020	0.0078	<0.016
	A38	03-Sep-09	<0.0024	1.00		0.78	<0.00040	0.00042	<0.0040	0.0023	0.0067	<0.016
	A54	03-Sep-09	<0.0024	1.71		0.47	0.00051	0.00050	<0.0040	<0.0020	0.0096	<0.016
	A8-7	03-Sep-09	<0.0010	0.48		0.52	<0.00010	<0.00010	<0.0010	<0.0010	0.0055	<0.0040
	A9	03-Sep-09	<0.0024	0.87		1.75	<0.00040	<0.00040	<0.0040	0.0027	0.0063	<0.016
	CONTROL		<0.0010	0.45		0.67	<0.00010	<0.00010	<0.0010	<0.0010	0.0088	<0.0040
	MEL1	03-Sep-09	<0.0010	0.29		0.50	<0.00010	<0.00010	<0.0010	<0.0010	0.0055	<0.0040
	MEL1 DUPL	03-Sep-09	<0.0010	0.31		0.52	<0.00010	<0.00010	<0.0010	<0.0010	0.0098	<0.0040
	MEL2	03-Sep-09	<0.0010	0.63		0.55	<0.00010	<0.00010	<0.0010	<0.0010	0.0094	<0.0040
	MEL3	04-Sep-09			4.0							
	MEL4	04-Sep-10			<3.0							
	ML-River	04-Sep-09	0.0012	0.26		0.53	<0.00010	<0.00010	<0.0010	<0.0010	0.0041	0.0047
	P1	03-Sep-09	<0.0024	8.91		0.71	0.00129	0.00128	<0.0040	<0.0020	0.0043	<0.016

2009 Annual Report
September

CCME				0.1	0.019		0.005					
MMER							0.5					
SampleID	Sample Date	Sample Time	Alkalinity, Total (as CaCO3) (mg/L)	Aluminum (Al)-Total (mg/L)	Ammonia-N (mg/L)	Antimony (Sb)-Total (mg/L)	Arsenic (As)-Total (mg/L)	Barium (Ba)-Total (mg/L)	Beryllium (Be)-Total (mg/L)	Bicarbonate (HCO3) (mg/L)	Biochemical Oxygen Demand (mg/L)	Boron (B)-Total (mg/L)
MEL1	30-Sep-09	09:35	17.0	<0.010	<0.050	<0.00040	0.00050	0.0074	<0.0010	20.8	<2.0	<0.050
MEL1A (DUP)	30-Sep-09	10:25	16.9	0.015	<0.050	<0.00040	0.00057	0.0076	<0.0010	20.6	<2.0	<0.050
MEL2	30-Sep-09	10:35	40.1	0.039	<0.050	<0.00040	0.00361	0.0224	<0.0010	49.0	<2.0	<0.050
MEL3	30-Sep-09	11:08	198	0.018	0.298	<0.00040	0.00578	0.0369	<0.0010	242	3.2	<0.050
MEL4	30-Sep-09	11:02	16.0	0.053	<0.050	<0.00040	0.00059	0.0072	<0.0010	19.5	<2.0	<0.050
TAP	30-Sep-09	11:25	16.8							20.4		

2009 Annual Report
September

CCME		0.017				0.001			0.002-0.004			
MMER									0.3			
SampleID	Sample Date	Cadmium (Cd)-Total (mg/L)	Calcium (Ca)-Total (mg/L)	Carbonate (CO3) (mg/L)	Chloride (Cl) (mg/L)	Chromium (Cr)-Total (mg/L)	Cobalt (Co)-Total (mg/L)	Conductivity (EC) (uS/cm)	Copper (Cu)-Total (mg/L)	Hardness (as CaCO3) (mg/L)	Hydroxide (OH) (mg/L)	Ion Balance (%)
MEL1	30-Sep-09	<0.000050	7.62	<5.0	8.31	<0.0050	<0.0020	73.9	0.0011	24.2	<5.0	Low EC
MEL1A (DUP)	30-Sep-09	0.000319	7.30	<5.0	8.20	<0.0050	<0.0020	74.2	0.0026	23.3	<5.0	Low EC
MEL2	30-Sep-09	0.000205	27.2	<5.0	40.2	<0.0050	<0.0020	231	0.0023	83.4	<5.0	94.5
MEL3	30-Sep-09	<0.000050	68.1	<5.0	142	<0.0050	0.0023	923	0.0014	196	<5.0	94.2
MEL4	30-Sep-09	0.000060	6.57	<5.0	8.49	<0.0050	<0.0020	72.6	0.0015	21.2	<5.0	Low EC
TAP	30-Sep-09		6.54	<5.0	8.18			72.9		20.9	<5.0	Low EC

2009 Annual Report
September

CCME		0.3	0.001-0.007						0.073	0.025-0.015	2.9	
MMER			0.2							0.5		
SampleID	Sample Date	Iron (Fe)- Total (mg/L)	Lead (Pb)- Total (mg/L)	Lithium (Li)- Total (mg/L)	Magnesium (Mg)-Total (mg/L)	Manganese (Mn)-Total (mg/L)	Mercury (Hg)- Total (mg/L)	MF - Fecal Coliforms (CFU/100mL)	Molybdenum (Mo)-Total (mg/L)	Nickel (Ni)- Total (mg/L)	Nitrate (as N) (mg/L)	Nitrate and Nitrite as N (mg/L)
MEL1	30-Sep-09	0.042	0.00028	<0.0030	1.26	0.0053	<0.00010	<1	<0.0050	<0.0020	<0.050	<0.071
MEL1A (DUP)	30-Sep-09	0.054	0.00177	<0.0030	1.24	0.0049	<0.00010	<1	<0.0050	<0.0020	<0.050	<0.071
MEL2	30-Sep-09	0.249	0.00043	0.0059	3.77	0.0257	<0.00010		<0.0050	<0.0020	<0.050	<0.071
MEL3	30-Sep-09	0.247	0.00160	0.0045	6.34	0.242	<0.00010	11	<0.0050	0.0098	0.086	0.086
MEL4	30-Sep-09	0.142	0.00046	<0.0030	1.16	0.0109	<0.00010	1	<0.0050	<0.0020	<0.050	<0.071
TAP	30-Sep-09				1.12			<1			<0.050	<0.071

2009 Annual Report
September

CCME		0.06			6.5 - 9.0	0.03						
MMER					6.0 - 9.5							
SampleID	Sample Date	Nitrite (as N) (mg/L)	Oil and Grease (mg/L)	Orthophosph ate (PO4-P) (mg/L)	pH (pH)	Phosphorus, Total (mg/L)	Potassium (K)-Total (mg/L)	Selenium (Se)-Total (mg/L)	Silver (Ag)- Total (mg/L)	Sodium (Na)- Total (mg/L)	Sulfate (SO4) (mg/L)	TDS (Calculated) (mg/L)
MEL1	30-Sep-09	<0.050	<1.0	<0.010	7.32	<0.020	0.91	<0.00040	<0.00010	4.5	3.69	36.5
MEL1A (DUP)	30-Sep-09	<0.050	<1.0	<0.010	7.23	<0.020	0.89	<0.00040	<0.00010	4.4	3.57	35.7
MEL2	30-Sep-09	<0.050	1.2	<0.010	7.61	<0.020	1.51	<0.0020	<0.00010	5.4	5.61	108
MEL3	30-Sep-09	<0.050	2.3	1.18	7.98	1.34	5.34	<0.0020	<0.00010	98.7	43.5	483
MEL4	30-Sep-09	<0.050	<1.0	<0.010	7.28	<0.020	0.80	<0.00040	<0.00010	4.4	3.29	34.3
TAP	30-Sep-09	<0.050			7.16		0.85			4.3	3.59	34.7

2009 Annual Report
September

CCME							29			0.03
MMER							15			0.5
SampleID	Sample Date	Thallium (Tl)- Total (mg/L)	Tin (Sn)- Total (mg/L)	Titanium (Ti)- Total (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Total Organic Carbon (mg/L)	Total Suspended Solids (mg/L)	Uranium (U)- Total (mg/L)	Vanadium (V)-Total (mg/L)	Zinc (Zn)- Total (mg/L)
MEL1	30-Sep-09	<0.00010	<0.050	<0.0010	0.27	3.3	<3.0	<0.00010	<0.0010	0.0039
MEL1A (DUP)	30-Sep-09	<0.00010	<0.050	<0.0010	<0.20	3.2	<3.0	<0.00010	<0.0010	0.0148
MEL2	30-Sep-09	<0.00010	<0.050	0.0018	0.55	4.7	7.0	<0.00010	<0.0010	0.0122
MEL3	30-Sep-09	<0.00010	<0.050	0.0044	1.84	23.8	5.0	<0.00010	0.0016	0.0188
MEL4	30-Sep-09	<0.00010	<0.050	0.0046	0.23	3.1	5.0	<0.00010	<0.0010	0.0061
TAP	30-Sep-09						<3.0			

APPENDIX C

WATER BALANCE FOR LAKE A54 WATER BASIN

(FROM AMEC 2000)

**WMC INTERNATIONAL LTD.
MELIADINE WEST GOLD PROJECT
WATER BALANCE STUDY
2000 DATA REPORT**

Submitted to:

WMC International Ltd.
Nepean, Ontario

Submitted by:

AMEC Earth & Environmental Limited
Calgary, Alberta

December 2000

CW1525.2

4.0 MONITORING IN THE LAKE A37 SUB-BASIN

4.1 Introduction

The probable area in which initial development of a mine is proposed is in the Tiriganiaq Zone, which is located in the sub-basin draining largely through Lake A37 into Lake A8 (Pump Lake), as shown on Figure 4.1. Mine development may interrupt the natural drainage pattern, requiring water diversion and other water management facilities. It was therefore decided to obtain further data on the hydrologic characteristics of the Lake A37 sub-basin. Monitoring was conducted in the Lake A37 sub-basin for both snowpack water equivalent (snow depth and density), and the snowmelt runoff.

4.2 Snowpack Monitoring


Snow surveys to determine the spring snowpack snow water equivalents (SWE) in the Lake A37 sub-basin were conducted on 13 May 2000. Four transects were located and surveyed, as shown on Figure 4.1.

The measured snow depths and densities and the topography traversed by each transect are shown graphically on Figures 4.2 through 4.5. A complete tabulation of the snow survey data are provided on Tables C.1.1 through C.1.4 in Appendix C.1. The tables include the GPS coordinates for the transect end points as observed in the field.


The Lake A37 sub-basin was analysed using GIS methods and ten terrain units were classified, as described in the AGRA 1998 Data Report. The definition of the terrain units is given in Appendix C.2. The definitions developed in 1998 were retained except that the definition for the “crest” terrain unit (no. 3) was revised slightly to reduce its overall area. The distribution of the terrain units within the Lake A37 sub-basin is shown in Figure 4.6.

The characteristic snow water equivalent (SWE) for each terrain unit was obtained by manually examining the data shown in Figures 4.2 through 4.5 and dividing transects into terrain unit segments. The data points within each terrain unit were then averaged to obtain the characteristic SWE. The results are summarized in Table 4.1.


The snow survey did not provide sufficient data points to characterize SWE values for terrain units 9 and 10, which together account for only 2.2 percent of the Lake A37 sub-basin area. The SWE values for terrain units 9 and 10 were therefore estimated by applying the ratio of the 2000 to 1998 SWE values for unit 4 (equal to 1.7) to the 1998 SWE values for units 9 and 10.




Snow Survey 2000 Transect 1 Topography, Snow Depth and Density




Snow Survey 2000 Transect 2 Topography, Snow Depth and Density



Snow Survey 2000 Transect 3 Topography, Snow Depth and Density



Snow Survey 2000 Transect 4 Topography, Snow Depth and Density







TABLE 4.1
2000 Snow Survey Results
Terrain Units and Characteristic Snow Water Equivalent (SWE)

Terrain Unit		Snow Course Transect	Start Station	End Station	SWE (mm)	
No.	Description				Mean	SD ²
1	Lake	1	500	560	85.8	45.1
		4	590	700	137.3	48.7
		Combined	170 ¹		118.3	52.7
2	Lake Edges	1	570	630	211.1	71.4
		3	850	1020	154.8	36.2
		4	710	740	265.5	201.0
		Combined	260 ¹		183.6	60.1
3	Crest	1	760	790	70.7	40.6
		3	180	290	85.1	19.1
		3	1060	1080	58.9	57.3
		Combined	160 ¹		77.9	31.1
4	Low Slopes (<3%)	1	200	490	160.7	84.5
		2	0	640	161.7	79.2
		3	370	840	150.0	68.0
		4	0	480	129.7	71.8
		4	750	810	123.3	43.7
		Combined	1940 ¹		149.5	75.3
5	NE Slopes (3-8.5%)	1	0	190	140.2	68.1
		2	650	870	125.8	86.3
		3	0	130	87.3	49.5
		3	300	360	260.4	85.0
		Combined	600 ¹		136.6	86.5
6	NE Slopes (>8.5%)	2	880	910	202.5	145.1
7	SW Slopes (3-8.5%)	1	640	750	287.3	165.3
		4	490	580	207.3	42.3
		Combined	230 ¹		250.9	129.4
8	SW Slopes (>8.5%)	3	140	170	335.0	91.4
		3	1030	1050	560.9	172.3
		Combined	50 ¹		431.8	169.3
9	NW Slopes (>3%)	estimated			554.0	-
10	SE Slopes (>3%)	estimated			699.0	-

Notes: 1. Total length of transects used to obtain characteristic snow values.
2. SD = standard deviation of sample data.

The characteristic SWE values listed in Table 4.1 were checked by comparing the observed total SWE value for all the transect data points with the total SWE value obtained by applying the characteristic SWE values to the transect terrain units. The results agreed to within 98 percent. No adjustments were therefore made to the characteristic SWE values obtained from the transect data.

The characteristic SWE values were applied to the Lake A37 sub-basin according to the distribution of the terrain units, and a snow water volume obtained of 203.36 dam³, which equals a depth of 163.7 mm over the drainage area of 1.2425 km². To obtain the snow water depth for the June 14 start of snow melt runoff, the total precipitation amount of 3.3 mm recorded at Rankin Inlet over the period May 14 to June 14 was added to the above, giving 167.0 mm.

The above procedure was also applied to the other monitored basins, as the GIS and terrain unit data were available from the updated 1998 model. The resulting values are summarized in Table 4.2, along with a comparison to the 1998 results.

Table 4.2
Lake A37 and Peninsula Basins 2000 Snow Water Equivalents (SWE)

Basin	Area km ²	Snow Survey SWE		Post Survey SWE mm	2000 Total SWE mm	1998 Total SWE mm	Ratio of 2000/1998 SWE
		dam ³	mm				
Lake A37	1.2425	203.36	163.7	3.3	167.0	N/A	N/A
Lake A1	9.3913	1673.9	178.2	3.3	181.5	135.6	1.34
Lake B7	2.393	410.25	171.4	3.3	174.7	130.6	1.34
Lake B2	22.3178	4056.43	181.8	3.3	185.1	134.5	1.38

The SWE value obtained for the Lake A37 sub-basin is compared to the snowmelt runoff in the following section. The SWE values obtained for the Lake A1, B7 and B2 basins are discussed further in Section 5.6.

4.3 Snowmelt Runoff Monitoring

Snowmelt runoff was monitored during the snowmelt period in June. Monitoring consisted of spot measurements of the outflow discharged from the sub-basin, over the period 15 June – 20 June. Water level datalogger monitoring stations were not set up.

Outflow from the sub-basin to Lake A8 was observed to occur via the outlets from Lakes A9, A37 and A35, as shown on Figure 4.1. Lake A37 discharged from two outlets: a west outlet which joined the Lake A9 outlet, and an east outlet. The discharge measurement data are summarized in Table 4.3.

TABLE 4.3

Lake A37 Sub-Basin Snowmelt Runoff Monitoring Data

Date	Discharge in m ³ /s					
	A9	A37 West	A37 East	A35	A37+A35	Total Sub-Basin
15-Jun	0.101	0.011	0.051	0.133	0.195	0.296
16-Jun	0.072					
17-Jun	0.070	0.004	0.018	0.063	0.085	0.155
20-Jun	0.029	0.001	0.004	0.023	0.028	0.057

Observations of the sub-basin during the 21 – 24 July 2000 monitoring showed that outflow was not occurring from any of the outlets of Lakes A9, A35, and A37. This zero outflow condition was also observed on 18 September 2000. It is concluded that the runoff was essentially zero from the Lake A37 sub-basin after completion of snowmelt runoff, i.e., rainfall over the summer (July - September) produced no runoff. It was estimated that snowmelt runoff ceased on 30 June 2000.

The discharge hydrograph for the Lake A37 sub-basin was estimated by interpolation between measured discharges (Table 4.3) and the observed zero outflow conditions, using the discharge hydrograph for Lake B7 as a guide. Lake B7 data were used as Lake B7 is the most comparable lake for which data are available (those data are reported in Section 5.5). The results are shown on Figure 4.7. It was estimated that the last day of zero discharge was 13 June, that discharge started on 14 June, and that the peak occurred on 16 June.

The total snowmelt runoff is estimated from Figure 4.7 to equal 119 dam³, which corresponds to a yield of 96 mm over the sub-basin drainage area of 1.24 km². The estimated runoff amount represents 57 percent of the snow water equivalent available. The peak discharge from the sub-basin was estimated to equal 0.40 m³/s.

Lake A37 Sub-Basin Discharge 2000

