



From: Stephane Robert
Sent: April-07-14 1:11 PM
To: 'Karén Kharatyan'
Cc: Phyllis Beaulieu; Megan Porter
Subject: RE: 140402 2BB-MEL0914 Ready for PTR

Hi Karen

We are working on the renewal and we will send the renewal before April 11. AEM is agree to process the renewal and the amendment together.

Thanks

Stephane Robert
Manager Regulatory Affairs

stephane.robert@agnicoeagle.com

T: 819.759.3700 x5188
M: 819.763.0229

Agnico Eagle Mines Limited
10 200, route de Preissac
Rouyn-Noranda, QC, Canada
J0Y 1C0

agnicoeagle.com



From: Karén Kharatyan [<mailto:karen.kharatyan@nwb-oen.ca>]
Sent: April-04-14 4:01 PM
To: Stephane Robert
Cc: Phyllis Beaulieu; Megan Porter
Subject: Re: 140402 2BB-MEL0914 Ready for PTR

Hi Stéphane,

As the Licence 2BB-MEM0914 expires on July 31, 2014 it may happen that by the time the NWB send this application for comments and receive the comments for the final processing we may have your renewal application submitted?

I was wondering maybe it would be better for both the AEM and NWB to have the renewal application and this amendment application processed together if you are able to submit the renewal application as soon as possible.

Could you please advise?

Regards,



Karén Kharatyan, Ph. D- ԵՒԸ ԵՏՈՆԸ

Azizur Rahman, Ph.D., CPE
Technical Advisor- Conseiller Technique
Azizur Rahman - Piliuagatuginiqumun Ikavuti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓂᓪ ᐱᓕᓂᓪᓴᓪ ᐅᐱᓴᓪᓴᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P O Box 110

CP 110

በጥናቱ ላይ 110

Tithecarnvia 110

Gjoa Haven, NU, X0B 1J0	Gjoa Haven (Nunavut), X0B 1J0	ᑭᓂᓐ ᓇᓕᓄᓐ, ᑭᓂᓐ X0B 1J0	Uqhuqtuuq, NU, X0B 1J0
-------------------------	-------------------------------	-----------------------	------------------------

Tel / Téléphone / ᐅᓕᓇᓂᓄᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᓕᓇᓂᓄᑦ / Fax-kut: (867) 360-6369
Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(s) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Wed, Apr 2, 2014 at 9:10 AM, Megan Porter <megan.porter@nwb-oen.ca> wrote:

Hi Karen,

The file 2BB-MEL0914 Amendment Application is pending admin and water use fees, other than that it seems to be administratively complete and is ready for PTR.

Thanks



Megan Porter- LALU >4C

Licence Administrator Assistant- Administratrice des Permis

СДҲСН⁵⁶Ј^С ДБ⁵⁶Н- Laisaliginiqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓲᓪ ᐃᐱᓕᓂᓲᓪ ᓐᓂᐱᓲᓲ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

በበኤግሊ 119
ፊግጋጋ, ጤጋግ X0B 1J0

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0


Tel / Téléphone / ᐱᓕᓕᓐᓂᓐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᓕᓕᓐᓂᓐ / Fax-kut: (867) 360-6369
Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

6 attachments



2BB-MEL0914 area.jpg
708K



NWB_renewal_2BB-MEL0914.pdf
821K



non-technical summary renewal request_2BB-MEL0914_final.pdf
185K

Inuk-non-technical summary renewal request 2BB-MEL0914_final.pdf



187K



2BB-MEL0914-NPC-Conformity-IMLE.pdf
251K



100505-10EA018-Screening Decision Report-OT1E.pdf

4/30/2014

Nunavut Water Board Mail - Fwd: 140402 2BB-MEL0914 Ready for PTR

 187K