



[Licensing] Re: 2BB-MEL0914 Renewal/Amendmewnt Licence

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>
To: David Frenette <david.frenette@agnicoeagle.com>
Cc: Licensing Department <licensing@nwb-oen.ca>

Fri, Jul 18, 2014 at 4:34 PM

Hi David,

I have a couple of small questions, please, before finalizing the draft renewal:

- From my understanding currently the grey water is also treated in the Biodisk prior to release? So do you want that the renewal licence still includes a term regarding the greywater contained in a sump or there is no need for this?

- And if the answer to 1 question is no, and no sump will be used for the grey water treatment that means keeping the Monitoring stations MEL-3a (downstream of old grey water sump), MEL-3b (downstream of upgraded sump) and MEL-4 (upstream of the discharge from wetland area) is not really necessary.

Thanks in advance, and have a good weekend!



Karén Kharatyan, Ph. D- ԵՌԱՅԻՆ ԲՏՈՒՆՆԵՐ

Technical Advisor- Conseiller Technique

᠕ᠠᠳᠦᠭ᠋ᠡ ᠰᠪᠴᠢᠯᠤᠰᠦᠵᠥ ᠳᠦᠨ-ᠶᠣᠯᠠᠭᠠᠻᠠᠲᠤᠯᠢᠭᠢᠨᠢᠬᠤᠮᠤᠨ ᠶᠠᠷᠢᠭᠦᠳᠤ

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
 ᓄᓇᓂ ᐱᓚᓕᓂᓪᓂᓪ ᑲᓚᓚᓪᓂᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
 ၁၁၆၆, ၁၁၆၆ X0B 1J0

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Wed, Jul 2, 2014 at 11:08 AM, David Frenette <david.frenette@agnicoeagle.com> wrote:

Thank you for the information.

I wrote the answers in red your text.

Regards,

David Frenette
Coordonnateur environnement

david.frenette@agnicoeagle.com

T: 819.874.5980 x3622

Agnico Eagle Mines Limited
765, chemin de la mine Goldex
Val-d'Or, QC, Canada
J9P 4N9

agnicoeagle.com



AGNICO EAGLE



De : Karén Kharatyan [mailto:karen.kharatyan@nwb-oen.ca]

Envoyé : July-02-14 12:47 PM

À : David Frenette

Cc : David Hohnstein; Licensing Department

Objet : 2BB-MEL0914 Renewal/Amendmewnt Licence

Hi David,

Just to update with the 2BB-MEL0914 Licence Renewal/Amendment application status: we are currently a waiting for the NIRB decision to finalize the application for the Board's consideration.

And a couple of small questions:

Amendment 2 to the Licence authorized the Licensee to conduct geotechnical drilling within 31 m of the high water mark along the proposed all-weather road. I may think you don't any more need this condition to be included in the renewal Licence? **Exactly, the bridges are constructed so this condition can be removed.**

Amendment 4 was for the authorization to establish a Non-hazardous landfill. However, based on the AEM reporting and AANDC inspection the landfill has not been built yet. Am I right? **Exact, the landfill is not established yet, so this condition should be included in the renewed licence.**

Regards,



Karén Kharatyan, Ph. D- ԵՄՀ ԲԱՆԻՍՏ

Technical Advisor- Conseiller Technique

ᐱᓗᑦᑐᕐᑦ ᐱᓗᑦᑐᕐᑦ ᐱᓗᑦᑐᕐᑦ ᐱᓗᑦᑐᕐᑦ - Piliuqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᑦ ᐃᒐᓕᓂᓐᑦ ᓂᑎᒐᓐᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

ՈՐԴԵՑՆԵՐ 119

▷(19)9, 999 X0B 1J0

Titigaqavua 119

Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᐅᑦᓴᓴᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᑦᓴᓴᑦ / Fax-kut: (867) 360-6369

Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(s) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email