

Richard Dwyer

From: David Hohnstein [dts@nunavutwaterboard.org]
Sent: Monday, March 31, 2008 4:48 PM
To: Mark Balog
Cc: Sandy Barham; Ben Hubert; Dwyer, Richard
Subject: Re: Comaplex Mel West Water Containment

Thanks Mark,
 yes, I had this information and I forwarded it onto Phyllis for including in the Public Registry files.

When I was talking with Ben this morning, I'd mentioned that I could not locate any correspondence from the KIA as to their concerns with respect to the second containment and the extra footprint/materials use to put this contingency into play. In my draft approval letter that I'd finalized a couple weeks ago, I was wanting to include those concerns as part of the decision making but could not locate it. When Ben had called, I was asking whether this was submitted in writing, or if it was done verbally over the phone or meetings that may not have been passed onto the NWB through correspondence.

In any case, I had indicated to Ben that the approval letter, which I thought would have gone to the Board for approval during my absence (13th-24th MAR) will be put on the agenda for the Board meeting on Wednesday, April 2, 2008. The letter should follow, given approval of the Board, shortly thereafter.

Hope this helps clarify this file.

Regards,

Dave

----- Original Message -----

From: [Mark Balog](#)
To: dts@nunavutwaterboard.org
Cc: [Sandy Barham](#) ; [Ben Hubert](#)
Sent: Monday, March 31, 2008 9:50 AM
Subject: FW: Comaplex Mel West Water Containment

Dave, here is the original material that I forwarded to you. The letter in the previous email replaces the one in this email.

[mark](#)

From: Mark Balog
Sent: Friday, December 14, 2007 11:14 AM
To: 'dts@nunavutwaterboard.org'
Cc: 'benhubert@shaw.ca'; Sandy Barham
Subject: Comaplex Mel West Water Containment

Hi Dave,

Please see the attached information concerning the site water containment plan for the decline work at the Meliadine West property.

mark balog