

KIA Water Sampling

Parameter	Label	Lat	Long	UTM_N	UTM_E	Date	Al	Sb	As	Ba	Be	Cd	Ce	Cr	Co
Units							µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
CCME Prot Aq							100		5	1000	-	0.017	-	1	-
MMER									500						
DL							30	0.1	1	0.1	0.1	0.1	0.1	0.3	0.1
PL-Site1	A6	63.0025	-92.1627	6986147	542407	27-Jul-04	30	0.4	1	8.4	0.1	0.1	0.1	0.9	0.1
PL-Site1	A6	63.0025	-92.1627	6986147	542407	7-Jul-05	30	0.1	2.5	9.8	0.1	0.1	0.1	0.3	0.1
PL-Site1	A6	63.0025	-92.1627	6986147	542407	4-Jul-06	30	0.9	1.2	12.7	0.1	0.1	0.1	11.8	0.1
PL-Site1	A6	63.0025	-92.1627	6986147	542407	10-Sep-04	30	0.5	2	12.2	0.1	0.1	0.1	0.3	0.1
PL-Site1	A6	63.0025	-92.1627	6986147	542407	6-Sep-05	30	0.1	2.3	12.3	0.1	0.1	0.1	0.3	0.1
PL-Site1	A6	63.0025	-92.1627	6986147	542407	1-Sep-06	3.1	0.1	1.9	10.2	0.1	0.005	0.1	0.2	0.1
PL-Site 2	A6	63.0025	-92.1627	6986147	542407	10-Sep-04	30	0.1	1	10.7	0.1	0.1	0.1	0.3	0.1
CL-Site3	CL3	63.0453	-92.2423	6990857	538320	27-Jul-04	30	0.4	2	10.2	0.1	0.1	0.1	0.3	0.1
CL-Site3	CL3	63.0453	-92.2423	6990857	538320	7-Jul-05	<30	<0.1	1.1	11.4	<0.1	<0.1	<0.1	<0.3	<0.1
CL-Site3	CL3	63.0453	-92.2423	6990857	538320	4-Jul-06	30	0.5	0.6	12.9	0.1	0.1	0.1	6.4	0.1
CL-Site3	CL3	63.0453	-92.2423	6990857	538320	10-Sep-04	30	0.2	2	12.6	0.1	0.1	0.1	1.9	0.1
CL-Site3	CL3	63.0453	-92.2423	6990857	538320	6-Sep-05	30	0.1	1.6	12.6	0.1	0.1	0.1	0.3	0.1
CL-Site3	CL3	63.0453	-92.2423	6990857	538320	1-Sep-06	8.5	0.1	0.8	11.5	0.1	0.05	0.1	0.1	0.1
CL-Site6	CL6	63.1029	-92.4984	6997149	525318	27-Jul-04	33	1.1	3	24.3	0.1	0.1	0.1	0.3	0.1
CL-Site6	CL6	63.1029	-92.4984	6997149	525318	7-Jul-05	50	<0.1	0	17.5	<0.1	<0.1	<0.1	0.4	<0.1
CL-Site6	CL6	63.1029	-92.4984	6997149	525318	4-Jul-06	30	1.6	1.2	22.3	0.1	0.1	0.1	21.7	0.1
CL-Site6	CL6	63.1029	-92.4984	6997149	525318	10-Sep-04	34	0.2	3	32.1	0.1	0.1	0.1	1.2	0.1
CL-Site6	CL6	63.1029	-92.4984	6997149	525318	6-Sep-05	18.1	0.1	1.3	26.0	0.1	0.05	0.1	0.3	0.1
CL-Site6	CL6	63.1029	-92.4984	6997149	525318	1-Sep-06	46	0.1	2.2	28.3	0.1	0.1	0.1	0.5	0.1
Camp-Raw	MEL1	63.0297	-92.1713	6989171	541932	27-Jul-04	30	0.5	1	6.1	0.1	0.1	0.1	0.3	0.1
Camp-Raw	MEL1	63.0297	-92.1713	6989171	541932	7-Jul-05	30	0.1	0.5	6.6	0.1	0.1	0.1	0.3	0.1
Camp-Raw	MEL1	63.0297	-92.1713	6989171	541932	4-Jul-06	30	0.2	0.2	6.9	0.1	0.1	0.1	2.1	0.1
Camp-Raw	MEL1	63.0297	-92.1713	6989171	541932	10-Sep-04	30	0.1	1	7.2	0.1	0.1	0.1	0.3	0.1
Camp-Raw	MEL1	63.0297	-92.1713	6989171	541932	6-Sep-05	30	0.1	1.0	5.8	0.1	0.1	0.1	0.3	0.1
Camp-Raw	MEL1	63.0297	-92.1713	6989171	541932	1-Sep-06	4.7	0.1	0.3	5.6	0.1	0.05	0.1	0.1	0.1
Camp-Grey	MEL3	63.0283	-92.1681	6989018	542094	27-Jul-04	30	0.5	1	6.2	0.1	0.1	0.1	0.3	0.1
Camp-Grey	MEL3	63.0283	-92.1681	6989018	542094	7-Jul-05	86	<0.1	0.9	8.4	<0.1	<0.1	<0.1	0.5	0.2
Camp-Grey	MEL3	63.0283	-92.1681	6989018	542094	4-Jul-06	4.4	0.6	0.3	7.5	0.1	0.05	0.1	5.9	0.1
Camp-Grey	MEL3	63.0283	-92.1681	6989018	542094	10-Sep-04	30	0.2	1	6.3	0.1	0.1	0.1	0.3	0.1
Camp-Grey	MEL3	63.0283	-92.1681	6989018	542094	6-Sep-05	30	0.1	1.0	5.8	0.1	0.1	0.1	0.3	0.1
Camp-Grey	MEL3	63.0283	-92.1681	6989018	542094	1-Sep-06	30	0.1	0.5	6	0.1	0.1	0.1	0.3	0.1
Mell-Out5	ML-MR	63.0344	-92.3944	6989565	530637	27-Jul-04	30	0.4	1	6.2	0.1	0.1	0.1	0.3	0.1
Mell-Out5	ML-MR	63.0344	-92.3944	6989565	530637	7-Jul-05	1.7	<0.1	0.2	7.1	<0.1	<0.05	<0.1	0.1	<0.1
Mell-Out5	ML-MR	63.0344	-92.3944	6989565	530637	4-Jul-06	30	2.2	0.2	13.9	0.1	0.1	0.1	34.6	0.1
Mell-Out5	ML-MR	63.0344	-92.3944	6989565	530637	10-Sep-04	30	0.2	1	6.8	0.1	0.1	0.1	2.1	0.1
Mell-Out5	ML-MR	63.0344	-92.3944	6989565	530637	6-Sep-05	2.4	0.1	0.3	5.9	0.1	0.05	0.1	0.1	0.1
Mell-Out5	ML-MR	63.0344	-92.3944	6989565	530637	1-Sep-06	2.9	0.1	0.2	6.1	0.1	0.05	0.1	0.1	0.1
Mell-River4	ML-R4	63.1364	-92.5284	7000879	523775	27-Jul-04	30	0.6	1	6.5	0.1	0.1	0.1	0.3	0.1
Mell-River4	ML-R4	63.1364	-92.5284	7000879	523775	7-Jul-05	0.9	<0.1	0.3	6.7	<0.1	<0.05	<0.1	0.1	<0.1
Mell-River4	ML-R4	63.1364	-92.5284	7000879	523775	4-Jul-06	30	0.2	0.2	7.1	0.1	0.1	0.1	2.4	0.1
Mell-River4	ML-R4	63.1364	-92.5284	7000879	523775	10-Sep-04	30	0.2	1	6.7	0.1	0.1	0.1	1.7	0.1
Mell-River4	ML-R4	63.1364	-92.5284	7000879	523775	6-Sep-05	2.5	0.1	0.5	6.1	0.1	0.05	0.1	0.1	0.1
Mell-River4	ML-R4	63.1364	-92.5284	7000879	523775	1-Sep-06	7.2	0.1	0.3	6.7	0.1	0.05	0.1	0.1	0.1

KIA Water Sampli

Parameter	Label	Cu	Fe	Pb	Li	Mn	Hg	Mo	Ni	Rb	Se	Ag	Sr	Th	Ti	U	V	Zn	Ca
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L
CCME Prot Aq		2	300	1-7	-	<50	0.1	73	25-150	-	1	0.1	-	0.8	-	100	-	30	-
MMER		3000		20				500										500	
DL		0.3	50	0.1	0.3	0.1	0.02	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	0.1	10	0.1
PL-Site1	A6	1.0	77	0.1	0.7	9.3	0.02	0.1	0.6	0.8	1	0.1	43.0	0.1	0.1	0.1	0.2	10	
PL-Site1	A6	1.0	235	0.1	1.0	37.1	NA	0.1	0.6	0.7	1	0.3	35.5	0.1	0.5	0.1	0.2	10	
PL-Site1	A6	0.8	125	37.2	1.2	14.8	NA	1.5	0.6	0.9	1	0.1	38.2	0.1	0.5	0.1	0.1	10	
PL-Site1	A6	2.0	193	0.4	1.0	34.5	0.02	0.2	1.1	1.1	1	0.2	59.6	0.1	0.4	0.1	0.1	10	14.5
PL-Site1	A6	0.9	158	0.1	0.7	60.3	NA	0.1	0.7	0.8	1	0.1	40.9	0.1	0.4	0.1	0.2	10	12.9
PL-Site1	A6	0.9	146	0.1	1.1	38.5	NA	0.2	0.7	1	0.3	0.1	46.6	0.1	0.2	0.1	0.1	0.4	10.6
PL-Site 2	A6	1.0	170	0.1	0.9	31.4	0.02	0.1	0.6	0.9	1	0.1	52.0	0.1	0.3	0.1	0.1	10	14.6
CL-Site3	CL3	1.2	142	0.1	0.4	5.6	0.02	0.1	0.5	1.0	1	0.1	34.7	0.1	0.4	0.1	0.1	10	
CL-Site3	CL3	2.4	207	0.1	0.7	6.3	NA	<0.1	0.5	0.9	<1	<0.1	30.3	<0.1	0.3	<0.1	<0.1	<10	
CL-Site3	CL3	0.9	127	19.8	0.6	3.1	NA	0.9	0.5	0.9	1	0.1	32.1	0.1	0.2	0.1	0.2	10	
CL-Site3	CL3	1.3	89	0.1	0.5	4.9	0.02	0.1	0.5	1.2	1	0.1	45.7	0.1	0.2	0.1	0.1	10	9.7
CL-Site3	CL3	1.1	119	0.1	0.4	6.5	NA	0.1	0.6	1.1	1	0.1	36.6	0.1	0.6	0.1	0.2	10	8.3
CL-Site3	CL3	1	85	0.1	0.5	3.9	NA	0.1	0.4	1.1	0.3	0.1	37	0.1	0.1	0.1	0.1	0.4	7.2
CL-Site6	CL6	3.0	264	0.1	0.9	20.4	0.02	0.1	2.2	1.0	1	0.1	51.7	0.1	0.7	0.1	0.5	10	
CL-Site6	CL6	2.5	288	<0.1	0.9	12.4	NA	0.2	1.7	0.9	<1	0.7	36.2	<0.1	0.9	<0.1	0.5	<10	
CL-Site6	CL6	2.0	170	68.1	1.1	11.7	NA	2.7	2.6	1.0	1	0.1	44.7	0.1	0.6	0.1	0.4	10	
CL-Site6	CL6	2.8	354	0.1	1.3	21.5	0.02	0.3	2.2	1.5	1	0.1	75.3	0.1	1.2	0.1	0.3	10	30.0
CL-Site6	CL6	2.1	186	0.1	0.9	13.8	NA	0.2	2.2	1.3	0.3	0.1	64.7	0.1	0.4	0.1	0.5	0.5	26.5
CL-Site6	CL6	2.6	372	0.1	1.6	9.9	NA	0.4	2.3	1.4	1	0.2	69.1	0.1	0.7	0.1	0.6	10	24.4
Camp-Raw	MEL1	1.3	50	0.1	0.4	6.7	0.02	0.1	0.5	1.1	1	0.1	24.7	0.1	0.4	0.1	0.1	10	
Camp-Raw	MEL1	1.2	105	0.2	0.7	28.2	NA	0.1	0.7	1.1	1	0.1	23.8	0.1	0.3	0.1	0.1	10	
Camp-Raw	MEL1	1.0	50	5.4	0.6	3.5	NA	0.3	0.6	1.1	1	0.1	23.3	0.1	0.2	0.1	0.1	10	
Camp-Raw	MEL1	1.2	63	0.1	0.4	5.7	0.02	0.1	0.6	1.1	1	0.1	25.9	0.1	0.8	0.1	0.1	10	6.6
Camp-Raw	MEL1	1.1	115	0.1	0.3	8.1	NA	0.1	0.6	1.0	1	0.1	21.4	0.1	1.5	0.1	0.1	10	5.8
Camp-Raw	MEL1	0.9	50	0.1	0.4	2.2	NA	0.1	0.4	1.1	0.3	0.1	23.6	0.1	0.2	0.1	0.1	0.4	6.4
Camp-Grey	MEL3	1.5	50	0.1	0.4	8.8	0.02	0.1	0.5	1.0	1	0.1	24.1	0.1	0.3	0.1	0.1	10	
Camp-Grey	MEL3	2.3	290	0.3	0.8	33.4	NA	<0.1	1.1	1.2	<1	<0.1	26.6	<0.1	5.3	<0.1	0.4	<10	
Camp-Grey	MEL3	1.0	50	23.2	0.4	4.0	NA	1.0	0.6	1.0	0.3	0.1	24.1	0.1	0.2	0.1	0.1	2.5	
Camp-Grey	MEL3	1.3	51	0.1	0.4	3.7	0.02	0.1	0.6	1.1	1	0.1	25.9	0.1	0.1	0.1	0.1	10	6.7
Camp-Grey	MEL3	1.1	115	0.1	0.3	8.1	NA	0.1	0.6	1.0	1	0.1	21.4	0.1	1.5	0.1	0.1	10	6.7
Camp-Grey	MEL3	1	75	0.1	0.7	4.7	NA	0.1	0.5	1.1	1	0.3	25.1	0.1	1	0.1	0.1	10	6.3
Mell-Out5	ML-MR	1.4	50	0.1	0.4	3.9	0.02	0.1	0.3	1.1	1	0.1	23.0	0.1	0.1	0.1	0.1	10	
Mell-Out5	ML-MR	1.1	<50	<0.1	0.5	9.6	NA	<0.1	0.4	1.2	<0.3	<0.1	25.6	<0.1	<0.1	<0.1	0.1	5.3	
Mell-Out5	ML-MR	1.2	50	118	0.7	2.3	NA	4.3	0.5	1.4	1	0.1	26.4	0.1	0.2	0.1	0.1	22	
Mell-Out5	ML-MR	1.5	50	0.2	0.5	2.9	0.02	0.1	0.4	1.2	1	0.1	26.1	0.1	0.1	0.1	0.1	10	6.5
Mell-Out5	ML-MR	0.7	50	0.1	0.2	2.3	NA	0.1	0.3	1.1	0.3	0.1	23.3	0.1	0.1	0.1	0.1	0.4	7.1
Mell-Out5	ML-MR	1.1	50	0.1	0.5	1.7	NA	0.1	0.3	1.1	0.3	0.1	24.4	0.1	0.1	0.1	0.1	0.4	5.8
Mell-River4	ML-R4	1.7	50	0.1	0.4	3.6	0.02	0.1	0.5	1.0	1	0.1	24.1	0.1	0.1	0.1	0.1	10	
Mell-River4	ML-R4	0.8	<50	<0.1	0.5	9.7	NA	<0.1	0.3	1	<0.3	0.2	22.9	<0.1	<0.1	<0.1	<0.1	1.7	
Mell-River4	ML-R4	0.8	50	6.2	0.7	3.0	NA	0.3	0.7	1.0	1	0.1	24.7	0.1	0.1	0.1	0.1	10	
Mell-River4	ML-R4	1.6	50	0.3	0.4	2.9	0.02	0.1	0.4	1.2	1	0.1	25.6	0.1	0.1	0.1	0.1	10	7.0
Mell-River4	ML-R4	0.9	50	0.1	0.3	2.7	NA	0.1	0.3	1.0	0.3	0.1	23.3	0.1	0.1	0.1	0.1	0.4	7.7
Mell-River4	ML-R4	0.9	50	0.1	0.5	2.7	NA	0.1	0.4	1.1	0.3	0.1	26.2	0.1	0.2	0.1	0.1	0.8	6.8

KIA Water Sampli

Parameter	Label	Cl_	Hard	Mg	Nitrite_N	K	Si_Re	Na	SO4_	Ammon_N	Nitra_Nitri_N	Alk	Colour	TDS
Units		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	color units	mg/L
CCME Prot Aq		-	-	-	-	-	-	-	-	1.4-2.2	0.06	-	<15	-
MMER														
DL		0.5	0.9	0.1	0.01	0.1	0.025	0.1	0.2	0.005	0.2	0.3	5	10
PL-Site1	A6	7.8	36.6				0.714		3.0	0.005	0.2	31.7	5	48
PL-Site1	A6	4	26.7				0.37		2	0.009	0.01	22.7	10	40
PL-Site1	A6	5.2	33.7				0.204		2	0.006	0.01	23.9	14	54
PL-Site1	A6	6.9	64.3	1.8	0.01	0.8	0.581	2.6	3	0.005	0.01	34.3	5	42
PL-Site1	A6	5.8	38.4	1.5	NA	0.6	0.435	1.9	3	0.005	<0.01	31.2	5	54
PL-Site1	A6	6.3	31.3	1.2	0.01	0.7	0.374	2.1	2	0.005	NA	NA	19	68
PL-Site 2	A6	6.9	64.6	1.8	0.01	0.8	0.580	2.7	3	0.005	0.01	34.3	5	52
CL-Site3	CL3	2.4	21.9				0.326		1.2	0.005	0.2	22.4	5	28
CL-Site3	CL3	NA	17.7				0.161		<1	0.019	<0.01	16.7	10	28
CL-Site3	CL3	2.1	22				0.075		1	0.005	0.01	18.2	14	48
CL-Site3	CL3	2.8	42.7	1.0	0.01	0.8	0.518	1.8	1	0.005	0.01	25.7	5	26
CL-Site3	CL3	2.5	23.8	0.7	NA	0.6	0.491	1.3	1	<0.005	0.02	22.9	10	32
CL-Site3	CL3	2.4	21	0.7	0.01	0.7	0.204	1.4	1	0.005	0.01	NA	17	40
CL-Site6	CL6	7.7	62.2				0.775		10.1	0.034	0.2	47.8	50	82
CL-Site6	CL6	3.6	37.9				0.317		7	0.034	<0.01	30.1	30	58
CL-Site6	CL6	5.3	54.2				0.26		7	0.013	0	41.5	42	88
CL-Site6	CL6	7.6	129	2.0	0.01	1.8	0.572	4.1	11	0.005	0.01	63.9	30	114
CL-Site6	CL6	8	71.9	1.4	NA	1.5	1.82	3.5	14	<0.005	<0.01	58.8	30	120
CL-Site6	CL6	7.8	67.2	1.5	0.01	1.9	0.348	3.8	10	0.007	0.01	0	52	130
Camp-Raw	MEL1	7.8	18.6				0.431		3.2	0.005	0.2	15.3	5	26
Camp-Raw	MEL1	6.1	18.9				0.547		3	0.015	<0.01	13.4	10	36
Camp-Raw	MEL1	6.2	20.5				0.401		3	0.005	0.02	13.9	13	54
Camp-Raw	MEL1	7.3	30.1	1.1	0.01	0.8	0.466	4.0	3	0.009	0.01	15.3	5	32
Camp-Raw	MEL1	6.4	18.4	0.9	NA	0.6	0.439	3.1	3	<0.005	<0.01	13.7	5	36
Camp-Raw	MEL1	6.4	20.1	1	0.01	0.6	0.389	3.2	3	0.005	NA	0	7	60
Camp-Grey	MEL3	7.5	18.7				0.428		3.2	0.005	0.2	15.4	5	32
Camp-Grey	MEL3	7	20				0.545		3	0.018	<0.01	NA	10	34
Camp-Grey	MEL3	6.5	22.4				0.457		3	0.005	0.01	13.6	10	50
Camp-Grey	MEL3	7.4	30.3	1.1	0.01	0.8	0.456	4.0	3	0.005	0.01	15.5	5	30
Camp-Grey	MEL3	6.8	20.8	1	NA	0.5	0.431	3.1	3	<0.005	<0.01	NA	5	30
Camp-Grey	MEL3	6.5	19.9	1	0.01	0.6	0.376	3.3	3	0.005	0.01	NA	8	36
Mell-Out5	ML-MR	6.7	16.9				0.242		2.6	0.005	0.2	15.6	5	30
Mell-Out5	ML-MR	NA	19.1				0.279		3	0.01	<0.01	15.5	5	34
Mell-Out5	ML-MR	6.1	22.7				0.238		3	0.005	0.01	15.3	6	54
Mell-Out5	ML-MR	5.6	29.0	1.0	0.01	0.8	0.277	3.3	2	0.005	0.01	15.2	5	26
Mell-Out5	ML-MR	6	21.6	1	NA	0.6	0.248	2.8	3	<0.005	<0.01	15.1	5	32
Mell-Out5	ML-MR	6	18.2	0.9	0.01	0.7	0.191	3.1	3	0.005	0.01	0.01	5	40
Mell-River4	ML-R4	6.4	19.4				0.290		2.6	0.005	0.2	17.5	5	26
Mell-River4	ML-R4	NA	18.9				0.263		2	0.009	<0.01	15.5	10	30
Mell-River4	ML-R4	5.9	22.7				0.219		3	0.005	0.01	16.5	6	32
Mell-River4	ML-R4	5.9	31.3	1.0	0.01	0.8	0.270	3.4	2	0.005	0.01	16.6	5	20
Mell-River4	ML-R4	6.1	23.1	1	NA	0.5	0.256	2.9	3	<0.005	<0.01	16.7	5	30
Mell-River4	ML-R4	6.1	20.9	1	0.01	0.7	0.225	3.1	3	0.005	0.01	NA	5	54

KIA Water Sampli

Parameter	Label	TSS	Turb	Cyan_T	OrgC_Diss	P_tot
Units		mg/L	NTU	mg/L	mg/L	mg/L
CCME Prot Aq			0-20	5	-	-
MMER		15				
DL		3	0.05	0.001	0.5	0.01
PL-Site1	A6	3	0.81	0.150	3.6	0.01
PL-Site1	A6	3	3.28	NA	NA	0.01
PL-Site1	A6	3	1	0.001	NA	0.01
PL-Site1	A6	4	1.93	0.130	3.2	0.05
PL-Site1	A6	4	1.36	NA	NA	0.01
PL-Site1	A6	3	0.72	0.001	NA	0.01
PL-Site 2	A6	4	2.08	0.130	3.6	0.05
CL-Site3	CL3	3	0.87	0.150	4.1	0.01
CL-Site3	CL3	4	2.86	NA	NA	0.01
CL-Site3	CL3	3	1.08	0.001	NA	0.01
CL-Site3	CL3	6	2.09	0.130	3.6	0.05
CL-Site3	CL3	<3	1.23	NA	NA	<0.01
CL-Site3	CL3	3	0.84	0.001	0	0.01
CL-Site6	CL6	3	3.68	0.140	15.8	0.02
CL-Site6	CL6	<3	0.86	NA	NA	<0.01
CL-Site6	CL6	3	1.42	0.01	NA	0.01
CL-Site6	CL6	8	3.95	0.130	13.4	0.05
CL-Site6	CL6	<3	1.97	NA	NA	0.01
CL-Site6	CL6	3	1.32	0.001	0	0.02
Camp-Raw	MEL1	3	0.53	0.145	2.8	0.01
Camp-Raw	MEL1	3	1.5	NA	NA	0.01
Camp-Raw	MEL1	3	0.6	0.001	NA	0.01
Camp-Raw	MEL1	16	1.22	0.140	2.6	0.05
Camp-Raw	MEL1	4	1.93	0	NA	0.01
Camp-Raw	MEL1	3	0.76	0.001	NA	0.01
Camp-Grey	MEL3	3	0.66	0.135	2.5	0.01
Camp-Grey	MEL3	10	0.78	NA	NA	0.02
Camp-Grey	MEL3	3	0.39	0.001	NA	0.01
Camp-Grey	MEL3	3	0.50	0.130	2.4	0.05
Camp-Grey	MEL3	<3	0.7	NA	NA	<0.01
Camp-Grey	MEL3	3	0.74	0.001	NA	0.01
MeLL-Out5	ML-MR	3	0.65	0.145	2.1	0.01
MeLL-Out5	ML-MR	<3	0.99	NA	NA	<0.01
MeLL-Out5	ML-MR	3	0.34	0.001	NA	0.01
MeLL-Out5	ML-MR	3	0.53	0.130	2.4	0.05
MeLL-Out5	ML-MR	<3	0.6	NA	NA	<0.01
MeLL-Out5	ML-MR	3	0.23	0.001	NA	0.01
MeLL-River4	ML-R4	3	0.51	0.130	2.5	0.01
MeLL-River4	ML-R4	4	0.7	NA	NA	<0.01
MeLL-River4	ML-R4	3	0.28	0.001	NA	0.01
MeLL-River4	ML-R4	3	0.52	0.130	2.0	0.05
MeLL-River4	ML-R4	<3	0.62	0	NA	<0.01
MeLL-River4	ML-R4	3	0.24	0.001	NA	0.01