

Fwd: Meliadine Gold Project - 2BB-MEL1424 - MEL-7

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>
To: Licensing Department <licensing@nwb-oen.ca>

Wed, Jan 18, 2017 at 9:31 AM

Hi Robin,
Please save this under Spill Contingency.
Thanks,



Karén Kharatyan, Ph. D- ՆԱԿԱՅԻՆ

Technical Advisor- Conseiller Technique

Aᐅᑦᓂᕈᕋᒃ ᑐᔫᕆᓄᑦ ᐱᖁᓪᓴᕇ - Piluaqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓴᑦ ᐃᐱᓕᓂᓴᑦ ᓂᓴᐱᓴᓴᓴ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
 ၂၀၁၆ ခုနှစ် ၁၁၉

Titigaqavua 119
Uqhuqhuq, NU, X013 110

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans Free / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(s) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courriel électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Christine Wilson** <Christine.Wilson@aadnc-aandc.gc.ca>

Date: Wed, Jan 18, 2017 at 9:24 AM

Subject: Re: Meliadine Gold Project - 2BB-MEL1424 - MEL-7

To: Manon Turmel <manon.turmel@agnicoeagle.com>, karen.kharatyan@nwb-oen.ca

Cc: Erik.Allain@aandc-aadnc.gc.ca, Jamie Quesnel <jamie.quesnel@agnicoeagle.com>, Jeffrey Pratt <jeffrey.pratt@agnicoeagle.com>, curtis.didham@canada.ca

Hi Manon,

I have received this information you have provided regarding the inconsistency with the sewage treatment plant at the Meliadine project.

Instances like this should be reported through the spill line. This type of release to the environment would not only effect freshwater (Nunavut Waters Act) but also fish bearing waters (Fishery Act) as well as a release of a contaminate into the environment (Environmental Protection Act). That makes it important for all three regulatory bodies to be informed (GN.ECCC.INAC).

Using the spill reporting forms also will fill the gaps in information like possible volume, and dates that your notice is missing.

I will forward you an email immediately following this message, that was produced by ECCC, please review this email. This is the time to discuss with regulators any questions or difference in understanding between expectations and your internal policies regarding spill reporting.

Regard,

Christine

Christine Wilson

Water Resource Officer | Agent des ressources hydriques
Indigenous and Northern Affairs | Affaires autochtones et du Nord Canada Kivalliq Regional
Office | Bureau régional du Kivalliq
Ikingutigiit Center Suite 1 | Centre de Ikingutigiit 1 Suite , PO Box 129 | CP 129
Rankin Inlet, NU X0C 0G0

Phone | Tél. : [867-645-2830](tel:867-645-2830)
Fax | Téléc. : [867-645-2592](tel:867-645-2592)
Christine.Wilson@aandc-aadnc.gc.ca

This communication, including any or all attachments, is intended only for the use of the person or entity to which it is addressed and may contain confidential and/or privileged material. If you are not the intended recipient of this communication, any use, review, retransmission, distribution, dissemination, copying, printing, or other use of, or taking of any action in reliance upon this communication, is strictly prohibited. If you have received this communication in error, please contact the sender and delete the original and any copy of this communication and any printout thereof, immediately.

Christine Wilson

Water Resource Officer | Agent des ressources hydriques
Indigenous and Northern Affairs | Affaires autochtones et du Nord Canada Kivalliq Regional Office | Bureau
régional du Kivalliq
Ikingutigiit Center Suite 1 | Centre de Ikingutigiit 1 Suite , PO Box 129 | CP 129
Rankin Inlet, NU X0C 0G0

Phone | Tél. : [867-645-2830](tel:867-645-2830)
Fax | Téléc. : [867-645-2592](tel:867-645-2592)
Christine.Wilson@aandc-aadnc.gc.ca

This communication, including any or all attachments, is intended only for the use of the person or entity to which it is addressed and may contain confidential and/or privileged material. If you are not the intended recipient of this communication, any use, review, retransmission, distribution, dissemination, copying, printing, or other use of, or taking of any action in reliance upon this communication, is strictly prohibited. If you have received this communication in error, please contact the sender and delete the original and any copy of this communication and any printout thereof, immediately.

>>> Manon Turmel <manon.turmel@agnicoeagle.com> 12/21/2016 4:00 PM >>>

Hello,

On December 5, 2016, Agnico Eagle sampled station MEL-7 (STP Final) approved under water license 2BB-MEL1424. Upon reception of results on December 20, 2016, it was noticed that Oil & Grease was exceeding the Effluent Quality Limit (Part D Item 11). The result is 75 mg/L and the permissible limit is 5 mg/L. Agnico Eagle is sampling station MEL-7 weekly and, as such, requested immediately results for samples collected on December 12, 2016. The preliminary result is 0.9 mg/L (Duplicate: 1.3 mg/L) which is below the permissible limit. Please find attached relevant COAs. Agnico Eagle is investigating the causes of this exceedance and to ensure faster response, the lab has also been requested to provide a quicker turnaround time for MEL-7 sample analysis. A follow up will be provided with the December 2016 Monthly Monitoring Summary Report.

Should you have any issue regarding this submission, do not hesitate to contact me.

Best regards,

Manon Turmel
Environmental Compliance Counselor

manon.turmel@agnicoeagle.com

T: [819.759.3555](tel:819.759.3555) x 8025

Agnico Eagle Mines Limited
Meliadine Division
Rankin Inlet, Nunavut, Canada
X0C 0G0

agnicoeagle.com



AGNICO EAGLE

