



Environmental Division

PRELIMINARY RESULTS

COMAPLEX MINERALS

ATTN: S. BARHAM

901, 1015 - 4th STREET SW

CALGARY AB T2R 1J4

Reported On: 09-JUL-08 05:50 PM

Lab Work Order #: **L650400**

Date Received: **03-JUL-08**

Project P.O. #: 3.393

Job Reference: 3.393

Legal Site Desc:

CofC Numbers:

Other Information:

Comments:

DRAFT

SHANNON LUCHKA
Account Manager

THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN AUTHORITY OF THE LABORATORY.
ALL SAMPLES WILL BE DISPOSED OF AFTER 30 DAYS FOLLOWING ANALYSIS. PLEASE CONTACT THE LAB IF YOU
REQUIRE ADDITIONAL SAMPLE STORAGE TIME.

ALS Canada Ltd. (formerly ETL Chemspec Analytical Ltd.)
Part of the **ALS Laboratory Group**

9936-67 Avenue, Edmonton, AB T6E 0P5
Phone: +1 780 413 5227 Fax: +1 780 437 2311 www.alsglobal.com
A Campbell Brothers Limited Company

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-1 MEL1									
Sampled By: NOT PROVIDED on 30-JUN-08 @ 13:00									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Silver (Ag)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Aluminum (Al)		<0.01		0.01	mg/L		06-JUL-08	SYF	R690517
Arsenic (As)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Boron (B)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Barium (Ba)		0.007		0.003	mg/L		06-JUL-08	SYF	R690517
Beryllium (Be)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Cadmium (Cd)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Cobalt (Co)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Chromium (Cr)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Copper (Cu)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Lithium (Li)		<0.003		0.003	mg/L		06-JUL-08	SYF	R690517
Molybdenum (Mo)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Nickel (Ni)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Lead (Pb)		0.0002		0.0001	mg/L		06-JUL-08	SYF	R690517
Antimony (Sb)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Selenium (Se)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Tin (Sn)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Titanium (Ti)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Thallium (Tl)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Uranium (U)		0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Vanadium (V)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Zinc (Zn)		0.033		0.002	mg/L		06-JUL-08	SYF	R690517
Iron (Fe)-Dissolved		0.017		0.005	mg/L		07-JUL-08	BOC	R690520
Manganese (Mn)-Dissolved		0.003		0.001	mg/L		07-JUL-08	BOC	R690520
Mercury (Hg) - Dissolved									
Mercury (Hg)-Dissolved		<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512
Biochemical Oxygen Demand		<2		2	mg/L		03-JUL-08	EKC	R690815
MF - Fecal Coliforms		<1		1	CFU/100mL		04-JUL-08	PB	R690701
Oil and Grease		<1		1	mg/L		04-JUL-08	FOD	R689441
Orthophosphate (PO4-P)		<0.01		0.01	mg/L		03-JUL-08	KFA	R688851
Phosphorus, Total Diss.		<0.02		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
Total Carbon		6		1	mg/L		04-JUL-08	ZOW	R688660
Total Inorganic Carbon		3		1	mg/L		04-JUL-08	ZOW	R688478
Routine Water Analysis									
Chloride (Cl)									
Chloride (Cl)		7		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water									
Calcium (Ca)		5.6		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)		0.8		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)		1.0		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		5		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		3.0		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		Low EC			%		04-JUL-08		
TDS (Calculated)		31			mg/L		04-JUL-08		
Hardness (as CaCO3)		18			mg/L		04-JUL-08		
Nitrate+Nitrite-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N		<0.05		0.05	mg/L		03-JUL-08	JXD	R689031

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-1 MEL1 Sampled By: NOT PROVIDED on 30-JUN-08 @ 13:00 Matrix: WATER Routine Water Analysis pH, Conductivity and Total Alkalinity									
pH		7.4		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)		61.4		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)		17		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Alkalinity, Total (as CaCO3)		14		5	mg/L		04-JUL-08	CLTT	R689226
L650400-2 MEL2 Sampled By: NOT PROVIDED on 30-JUN-08 @ 14:30 Matrix: WATER Dissolved Metals - CCME Dissolved Trace Metals									
Silver (Ag)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Aluminum (Al)		<0.01		0.01	mg/L		06-JUL-08	SYF	R690517
Arsenic (As)		0.0013		0.0004	mg/L		06-JUL-08	SYF	R690517
Boron (B)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Barium (Ba)		0.013		0.003	mg/L		06-JUL-08	SYF	R690517
Beryllium (Be)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Cadmium (Cd)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Cobalt (Co)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Chromium (Cr)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Copper (Cu)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Lithium (Li)		0.004		0.003	mg/L		06-JUL-08	SYF	R690517
Molybdenum (Mo)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Nickel (Ni)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Lead (Pb)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Antimony (Sb)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Selenium (Se)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Tin (Sn)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Titanium (Ti)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Thallium (Tl)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Uranium (U)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Vanadium (V)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Zinc (Zn)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Iron (Fe)-Dissolved		0.072		0.005	mg/L		07-JUL-08	BOC	R690520
Manganese (Mn)-Dissolved		0.005		0.001	mg/L		07-JUL-08	BOC	R690520
Mercury (Hg) - Dissolved									
Mercury (Hg)-Dissolved		<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512
Biochemical Oxygen Demand		<2		2	mg/L		03-JUL-08	EKC	R690815
Oil and Grease		<1		1	mg/L		04-JUL-08	FOD	R689441
Orthophosphate (PO4-P)		<0.01		0.01	mg/L		03-JUL-08	KFA	R688851
Phosphorus, Total Diss.		<0.02		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
Total Carbon		9		1	mg/L		04-JUL-08	ZOW	R688660
Total Inorganic Carbon		6		1	mg/L		04-JUL-08	ZOW	R688478
Routine Water Analysis									
Chloride (Cl)									
Chloride (Cl)		17		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water									
Calcium (Ca)		13.6		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)		0.7		0.5	mg/L		03-JUL-08	JWU	R688786

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-2 MEL2									
Sampled By: NOT PROVIDED on 30-JUN-08 @ 14:30									
Matrix: WATER									
Routine Water Analysis									
ICP metals and SO4 for routine water									
Magnesium (Mg)		1.8		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		3		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		2.5		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		95.3			%		04-JUL-08		
TDS (Calculated)		53			mg/L		04-JUL-08		
Hardness (as CaCO3)		41			mg/L		04-JUL-08		
Nitrate+Nitrite-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N		<0.05		0.05	mg/L		03-JUL-08	JXD	R689031
pH, Conductivity and Total Alkalinity									
pH		7.6		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)		113		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)		30		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Alkalinity, Total (as CaCO3)		24		5	mg/L		04-JUL-08	CLTT	R689226
L650400-3 MEL3									
Sampled By: NOT PROVIDED on 30-JUN-08 @ 11:10									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Silver (Ag)		<0.0001		0.0001	mg/L		08-JUL-08	SYF	R691491
Aluminum (Al)		0.05		0.01	mg/L		08-JUL-08	SYF	R691491
Arsenic (As)		0.0055		0.0004	mg/L		08-JUL-08	SYF	R691491
Boron (B)		<0.05		0.05	mg/L		08-JUL-08	SYF	R691491
Barium (Ba)		0.028		0.003	mg/L		08-JUL-08	SYF	R691491
Beryllium (Be)		<0.001		0.001	mg/L		08-JUL-08	SYF	R691491
Cadmium (Cd)		<0.0001		0.0001	mg/L		08-JUL-08	SYF	R691491
Cobalt (Co)		0.011		0.002	mg/L		08-JUL-08	SYF	R691491
Chromium (Cr)		<0.005		0.005	mg/L		08-JUL-08	SYF	R691491
Copper (Cu)		0.007		0.001	mg/L		08-JUL-08	SYF	R691491
Lithium (Li)		0.005		0.003	mg/L		08-JUL-08	SYF	R691491
Molybdenum (Mo)		<0.005		0.005	mg/L		08-JUL-08	SYF	R691491
Nickel (Ni)		0.034		0.002	mg/L		08-JUL-08	SYF	R691491
Lead (Pb)		0.0385		0.0001	mg/L		08-JUL-08	SYF	R691491
Antimony (Sb)		0.0006		0.0004	mg/L		08-JUL-08	SYF	R691491
Selenium (Se)		<0.0004		0.0004	mg/L		08-JUL-08	SYF	R691491
Tin (Sn)		<0.05		0.05	mg/L		08-JUL-08	SYF	R691491
Titanium (Ti)		0.012		0.001	mg/L		08-JUL-08	SYF	R691491
Thallium (Tl)		<0.0001		0.0001	mg/L		08-JUL-08	SYF	R691491
Uranium (U)		<0.0001		0.0001	mg/L		08-JUL-08	SYF	R691491
Vanadium (V)		<0.001		0.001	mg/L		08-JUL-08	SYF	R691491
Zinc (Zn)		0.077		0.002	mg/L		08-JUL-08	SYF	R691491
Iron (Fe)-Dissolved		0.798		0.005	mg/L		08-JUL-08	BOC	R691031
Manganese (Mn)-Dissolved		0.490		0.001	mg/L		08-JUL-08	BOC	R691031
Mercury (Hg) - Dissolved									
Mercury (Hg)-Dissolved		<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512
Biochemical Oxygen Demand		32		2	mg/L		03-JUL-08	EKC	R690815

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-3	MEL3								
Sampled By: NOT PROVIDED on 30-JUN-08 @ 11:10									
Matrix: WATER									
	MF - Fecal Coliforms	5000		1	CFU/100mL		04-JUL-08	PB	R690701
	Oil and Grease	7		1	mg/L		04-JUL-08	FOD	R689441
	Orthophosphate (PO4-P)	3.59		0.01	mg/L		03-JUL-08	KFA	R688851
	Phosphorus, Total Diss.	4.19		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
	Total Carbon	112		1	mg/L		04-JUL-08	ZOW	R688660
	Total Inorganic Carbon	63		1	mg/L		04-JUL-08	ZOW	R688478
Routine Water Analysis									
Chloride (Cl)									
	Chloride (Cl)	41		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water									
	Calcium (Ca)	35.6		0.5	mg/L		03-JUL-08	JWU	R688786
	Potassium (K)	5.4		0.5	mg/L		03-JUL-08	JWU	R688786
	Magnesium (Mg)	2.9		0.1	mg/L		03-JUL-08	JWU	R688786
	Sodium (Na)	114		1	mg/L		03-JUL-08	JWU	R688786
	Sulfate (SO4)	26.9		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
	Ion Balance	103			%		04-JUL-08		
	TDS (Calculated)	381			mg/L		04-JUL-08		
	Hardness (as CaCO3)	101			mg/L		04-JUL-08		
	Nitrate+Nitrite-N	<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
	Nitrate-N	<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
	Nitrite-N	<0.05		0.05	mg/L		03-JUL-08	JXD	R689031
pH, Conductivity and Total Alkalinity									
	pH	7.7		0.1	pH		04-JUL-08	CLTT	R689226
	Conductivity (EC)	668		0.2	uS/cm		04-JUL-08	CLTT	R689226
	Bicarbonate (HCO3)	316		5	mg/L		04-JUL-08	CLTT	R689226
	Carbonate (CO3)	<5		5	mg/L		04-JUL-08	CLTT	R689226
	Hydroxide (OH)	<5		5	mg/L		04-JUL-08	CLTT	R689226
	Alkalinity, Total (as CaCO3)	259		5	mg/L		04-JUL-08	CLTT	R689226
L650400-4	MEL4								
Sampled By: NOT PROVIDED on 30-JUN-08 @ 11:01									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
	Silver (Ag)	<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
	Aluminum (Al)	<0.01		0.01	mg/L		06-JUL-08	SYF	R690517
	Arsenic (As)	<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
	Boron (B)	<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
	Barium (Ba)	0.007		0.003	mg/L		06-JUL-08	SYF	R690517
	Beryllium (Be)	<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
	Cadmium (Cd)	<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
	Cobalt (Co)	<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
	Chromium (Cr)	<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
	Copper (Cu)	<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
	Lithium (Li)	<0.003		0.003	mg/L		06-JUL-08	SYF	R690517
	Molybdenum (Mo)	<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
	Nickel (Ni)	<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
	Lead (Pb)	<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
	Antimony (Sb)	<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
	Selenium (Se)	<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-4 MEL4 Sampled By: NOT PROVIDED on 30-JUN-08 @ 11:01 Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Tin (Sn)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Titanium (Ti)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Thallium (Tl)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Uranium (U)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Vanadium (V)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Zinc (Zn)		0.026		0.002	mg/L		06-JUL-08	SYF	R690517
Iron (Fe)-Dissolved		0.029		0.005	mg/L		07-JUL-08	BOC	R690520
Manganese (Mn)-Dissolved		0.004		0.001	mg/L		07-JUL-08	BOC	R690520
Mercury (Hg) - Dissolved									
Mercury (Hg)-Dissolved		<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512
Biochemical Oxygen Demand		<2		2	mg/L		03-JUL-08	EKC	R690815
MF - Fecal Coliforms		<1		1	CFU/100mL		04-JUL-08	PB	R690701
Oil and Grease		<1		1	mg/L		04-JUL-08	FOD	R689441
Orthophosphate (PO4-P)		0.01		0.01	mg/L		03-JUL-08	KFA	R688851
Phosphorus, Total Diss.		0.02		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
Total Carbon		8		1	mg/L		04-JUL-08	ZOW	R688660
Total Inorganic Carbon		4		1	mg/L		04-JUL-08	ZOW	R688478
Routine Water Analysis									
Chloride (Cl)									
Chloride (Cl)		8		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water									
Calcium (Ca)		6.3		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)		<0.5		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)		1.0		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		5		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		3.5		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		Low EC			%		04-JUL-08		
TDS (Calculated)		33			mg/L		04-JUL-08		
Hardness (as CaCO3)		20			mg/L		04-JUL-08		
Nitrate+Nitrite-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N		<0.05		0.05	mg/L		03-JUL-08	JXD	R689031
pH, Conductivity and Total Alkalinity									
pH		7.4		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)		66.7		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)		19		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Alkalinity, Total (as CaCO3)		15		5	mg/L		04-JUL-08	CLTT	R689226
L650400-5 TAP Sampled By: NOT PROVIDED on 30-JUN-08 @ 12:40 Matrix: WATER									
MF - Fecal Coliforms		<1		1	CFU/100mL		04-JUL-08	PB	R690701
Routine Potable Water									
Chloride (Cl)									
Chloride (Cl)		6		1	mg/L		03-JUL-08	KFA	R688870

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-5 TAP									
Sampled By: NOT PROVIDED on 30-JUN-08 @ 12:40									
Matrix: WATER									
Routine Potable Water									
Fluoride (F)									
Fluoride (F)		<0.05		0.05	mg/L		04-JUL-08	CLTT	R689226
ICP metals and SO4 for routine water									
Calcium (Ca)		5.6		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)		<0.5		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)		1.0		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		4		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		1.9		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		Low EC			%		04-JUL-08		
TDS (Calculated)		27			mg/L		04-JUL-08		
Hardness (as CaCO3)		18			mg/L		04-JUL-08		
Iron (Fe)-Extractable		<0.05		0.05	mg/L		03-JUL-08	JWU	R689137
Manganese (Mn)-Extractable		<0.01		0.01	mg/L		03-JUL-08	JWU	R689137
Nitrate+Nitrite-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N		<0.05		0.05	mg/L		03-JUL-08	JXD	R689031
Turbidity		0.30		0.1	NTU		03-JUL-08	BRK	R688979
pH, Conductivity and Total Alkalinity									
pH		7.5		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)		58.0		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)		17		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Alkalinity, Total (as CaCO3)		14		5	mg/L		04-JUL-08	CLTT	R689226
L650400-6 P1									
Sampled By: NOT PROVIDED on 30-JUN-08 @ 16:15									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Silver (Ag)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Aluminum (Al)		0.02		0.01	mg/L		06-JUL-08	SYF	R690517
Arsenic (As)		0.0117		0.0004	mg/L		06-JUL-08	SYF	R690517
Boron (B)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Barium (Ba)		0.059		0.003	mg/L		06-JUL-08	SYF	R690517
Beryllium (Be)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Cadmium (Cd)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Cobalt (Co)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Chromium (Cr)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Copper (Cu)		0.002		0.001	mg/L		06-JUL-08	SYF	R690517
Lithium (Li)		0.016		0.003	mg/L		06-JUL-08	SYF	R690517
Molybdenum (Mo)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Nickel (Ni)		0.005		0.002	mg/L		06-JUL-08	SYF	R690517
Lead (Pb)		0.0003		0.0001	mg/L		06-JUL-08	SYF	R690517
Antimony (Sb)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Selenium (Se)		0.0008		0.0004	mg/L		06-JUL-08	SYF	R690517
Tin (Sn)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Titanium (Ti)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Thallium (Tl)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Uranium (U)		0.0003		0.0001	mg/L		06-JUL-08	SYF	R690517
Vanadium (V)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-6 P1									
Sampled By: NOT PROVIDED on 30-JUN-08 @ 16:15									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Zinc (Zn)		0.029		0.002	mg/L		06-JUL-08	SYF	R690517
Iron (Fe)-Dissolved		0.062		0.005	mg/L		07-JUL-08	BOC	R690520
Manganese (Mn)-Dissolved		0.044		0.001	mg/L		07-JUL-08	BOC	R690520
Mercury (Hg) - Dissolved									
Mercury (Hg)-Dissolved		<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512
Oil and Grease		<1		1	mg/L		04-JUL-08	FOD	R689441
Phosphorus, Total Diss.		<0.02		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
Routine Water Analysis									
Chloride (Cl)									
Chloride (Cl)		114		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water									
Calcium (Ca)		94.9		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)		6.5		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)		9.8		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		16		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		13.4		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		102			%		07-JUL-08		
TDS (Calculated)		344			mg/L		07-JUL-08		
Hardness (as CaCO3)		277			mg/L		07-JUL-08		
Nitrate+Nitrite-N		2.8		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N		2.6		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N		0.21		0.05	mg/L		03-JUL-08	JXD	R689031
pH, Conductivity and Total Alkalinity									
pH		8.1		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)		702		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)		157		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Alkalinity, Total (as CaCO3)		129		5	mg/L		04-JUL-08	CLTT	R689226
L650400-7 A9									
Sampled By: NOT PROVIDED on 30-JUN-08 @ 14:45									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Silver (Ag)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Aluminum (Al)		<0.01		0.01	mg/L		06-JUL-08	SYF	R690517
Arsenic (As)		0.0036		0.0004	mg/L		06-JUL-08	SYF	R690517
Boron (B)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Barium (Ba)		0.092		0.003	mg/L		06-JUL-08	SYF	R690517
Beryllium (Be)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Cadmium (Cd)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Cobalt (Co)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Chromium (Cr)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Copper (Cu)		0.002		0.001	mg/L		06-JUL-08	SYF	R690517
Lithium (Li)		0.038		0.003	mg/L		06-JUL-08	SYF	R690517
Molybdenum (Mo)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Nickel (Ni)		0.004		0.002	mg/L		06-JUL-08	SYF	R690517
Lead (Pb)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-7	A9								
Sampled By: NOT PROVIDED on 30-JUN-08 @ 14:45									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Antimony (Sb)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Selenium (Se)		0.0012		0.0004	mg/L		06-JUL-08	SYF	R690517
Tin (Sn)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Titanium (Ti)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Thallium (Tl)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Uranium (U)		0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Vanadium (V)		0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Zinc (Zn)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Iron (Fe)-Dissolved		0.151		0.005	mg/L		07-JUL-08	BOC	R690520
Manganese (Mn)-Dissolved		0.010		0.001	mg/L		07-JUL-08	BOC	R690520
Mercury (Hg) - Dissolved									
Mercury (Hg)-Dissolved		<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512
Phosphorus, Total Diss.		<0.02		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
Routine Water Analysis									
Chloride (Cl)									
Chloride (Cl)		186		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water									
Calcium (Ca)		98.7		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)		4.3		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)		12.7		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		16		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		15.7		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		102			%		07-JUL-08		
TDS (Calculated)		366			mg/L		07-JUL-08		
Hardness (as CaCO3)		299			mg/L		07-JUL-08		
Nitrate+Nitrite-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N		<0.05		0.05	mg/L		03-JUL-08	JXD	R689031
pH, Conductivity and Total Alkalinity									
pH		7.9		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)		772		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)		66		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Alkalinity, Total (as CaCO3)		54		5	mg/L		04-JUL-08	CLTT	R689226
L650400-8	A13								
Sampled By: NOT PROVIDED on 30-JUN-08 @ 16:50									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Silver (Ag)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Aluminum (Al)		0.03		0.01	mg/L		06-JUL-08	SYF	R690517
Arsenic (As)		0.0036		0.0004	mg/L		06-JUL-08	SYF	R690517
Boron (B)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Barium (Ba)		0.081		0.003	mg/L		06-JUL-08	SYF	R690517
Beryllium (Be)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Cadmium (Cd)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Cobalt (Co)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-8 A13									
Sampled By: NOT PROVIDED on 30-JUN-08 @ 16:50									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Chromium (Cr)		0.006		0.005	mg/L		06-JUL-08	SYF	R690517
Copper (Cu)		0.002		0.001	mg/L		06-JUL-08	SYF	R690517
Lithium (Li)		0.040		0.003	mg/L		06-JUL-08	SYF	R690517
Molybdenum (Mo)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Nickel (Ni)		0.005		0.002	mg/L		06-JUL-08	SYF	R690517
Lead (Pb)		0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Antimony (Sb)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Selenium (Se)		0.0013		0.0004	mg/L		06-JUL-08	SYF	R690517
Tin (Sn)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Titanium (Ti)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Thallium (Tl)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Uranium (U)		0.0004		0.0001	mg/L		06-JUL-08	SYF	R690517
Vanadium (V)		0.002		0.001	mg/L		06-JUL-08	SYF	R690517
Zinc (Zn)		0.029		0.002	mg/L		06-JUL-08	SYF	R690517
Iron (Fe)-Dissolved		0.303		0.005	mg/L		07-JUL-08	BOC	R690520
Manganese (Mn)-Dissolved		0.012		0.001	mg/L		07-JUL-08	BOC	R690520
Mercury (Hg) - Dissolved									
Mercury (Hg)-Dissolved		<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512
Phosphorus, Total Diss.		<0.02		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
Routine Water Analysis									
Chloride (Cl)									
Chloride (Cl)		191		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water									
Calcium (Ca)		89.8		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)		4.3		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)		14.6		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		27		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		22.2		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		101			%		07-JUL-08		
TDS (Calculated)		380			mg/L		07-JUL-08		
Hardness (as CaCO3)		284			mg/L		07-JUL-08		
Nitrate+Nitrite-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N		<0.05		0.05	mg/L		03-JUL-08	JXD	R689031
pH, Conductivity and Total Alkalinity									
pH		7.9		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)		793		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)		62		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Alkalinity, Total (as CaCO3)		51		5	mg/L		04-JUL-08	CLTT	R689226
L650400-9 A15									
Sampled By: NOT PROVIDED on 30-JUN-08 @ 17:04									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Silver (Ag)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Aluminum (Al)		<0.01		0.01	mg/L		06-JUL-08	SYF	R690517

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-9 A15									
Sampled By: NOT PROVIDED on 30-JUN-08 @ 17:04									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Arsenic (As)		0.0012		0.0004	mg/L		06-JUL-08	SYF	R690517
Boron (B)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Barium (Ba)		0.051		0.003	mg/L		06-JUL-08	SYF	R690517
Beryllium (Be)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Cadmium (Cd)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Cobalt (Co)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Chromium (Cr)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Copper (Cu)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Lithium (Li)		0.023		0.003	mg/L		06-JUL-08	SYF	R690517
Molybdenum (Mo)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Nickel (Ni)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Lead (Pb)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Antimony (Sb)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Selenium (Se)		0.0009		0.0004	mg/L		06-JUL-08	SYF	R690517
Tin (Sn)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Titanium (Ti)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Thallium (Tl)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Uranium (U)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Vanadium (V)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Zinc (Zn)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Iron (Fe)-Dissolved		0.216		0.005	mg/L		07-JUL-08	BOC	R690520
Manganese (Mn)-Dissolved		0.005		0.001	mg/L		07-JUL-08	BOC	R690520
Mercury (Hg) - Dissolved									
Mercury (Hg)-Dissolved		<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512
Phosphorus, Total Diss.		<0.02		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
Routine Water Analysis									
Chloride (Cl)									
Chloride (Cl)		98		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water									
Calcium (Ca)		51.9		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)		1.4		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)		5.7		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		5		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		3.4		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		102			%		07-JUL-08		
TDS (Calculated)		179			mg/L		07-JUL-08		
Hardness (as CaCO3)		153			mg/L		07-JUL-08		
Nitrate+Nitrite-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N		<0.05		0.05	mg/L		03-JUL-08	JXD	R689031
pH, Conductivity and Total Alkalinity									
pH		7.5		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)		398		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)		26		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Alkalinity, Total (as CaCO3)		22		5	mg/L		04-JUL-08	CLTT	R689226

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-10 A38								
Sampled By: NOT PROVIDED on 30-JUN-08 @ 15:03								
Matrix: WATER								
Dissolved Metals - CCME								
Dissolved Trace Metals								
Silver (Ag)	<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Aluminum (Al)	0.01		0.01	mg/L		06-JUL-08	SYF	R690517
Arsenic (As)	0.0028		0.0004	mg/L		06-JUL-08	SYF	R690517
Boron (B)	<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Barium (Ba)	0.061		0.003	mg/L		06-JUL-08	SYF	R690517
Beryllium (Be)	<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Cadmium (Cd)	<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Cobalt (Co)	<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Chromium (Cr)	<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Copper (Cu)	0.002		0.001	mg/L		06-JUL-08	SYF	R690517
Lithium (Li)	0.033		0.003	mg/L		06-JUL-08	SYF	R690517
Molybdenum (Mo)	<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Nickel (Ni)	0.004		0.002	mg/L		06-JUL-08	SYF	R690517
Lead (Pb)	<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Antimony (Sb)	<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Selenium (Se)	0.0008		0.0004	mg/L		06-JUL-08	SYF	R690517
Tin (Sn)	<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Titanium (Ti)	<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Thallium (Tl)	<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Uranium (U)	0.0003		0.0001	mg/L		06-JUL-08	SYF	R690517
Vanadium (V)	0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Zinc (Zn)	0.032		0.002	mg/L		06-JUL-08	SYF	R690517
Iron (Fe)-Dissolved	0.083		0.005	mg/L		07-JUL-08	BOC	R690520
Manganese (Mn)-Dissolved	0.008		0.001	mg/L		07-JUL-08	BOC	R690520
Mercury (Hg) - Dissolved								
Mercury (Hg)-Dissolved	<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512
Phosphorus, Total Diss.	<0.02		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
Routine Water Analysis								
Chloride (Cl)								
Chloride (Cl)	165		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water								
Calcium (Ca)	95.3		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)	5.7		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)	12.8		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)	23		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)	29.4		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation								
Ion Balance	103			%		07-JUL-08		
TDS (Calculated)	386			mg/L		07-JUL-08		
Hardness (as CaCO3)	291			mg/L		07-JUL-08		
Nitrate+Nitrite-N	4.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N	4.0		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N	0.07		0.05	mg/L		03-JUL-08	JXD	R689031
pH, Conductivity and Total Alkalinity								
pH	8.0		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)	792		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)	74		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)	<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)	<5		5	mg/L		04-JUL-08	CLTT	R689226

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-10	A38								
Sampled By: NOT PROVIDED on 30-JUN-08 @ 15:03									
Matrix: WATER									
Routine Water Analysis									
pH, Conductivity and Total Alkalinity									
Alkalinity, Total (as CaCO3)		61		5	mg/L		04-JUL-08	CLTT	R689226
L650400-11	A54								
Sampled By: NOT PROVIDED on 30-JUN-08 @ 16:03									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Silver (Ag)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Aluminum (Al)		<0.01		0.01	mg/L		06-JUL-08	SYF	R690517
Arsenic (As)		0.0026		0.0004	mg/L		06-JUL-08	SYF	R690517
Boron (B)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Barium (Ba)		0.059		0.003	mg/L		06-JUL-08	SYF	R690517
Beryllium (Be)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Cadmium (Cd)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Cobalt (Co)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Chromium (Cr)		0.006		0.005	mg/L		06-JUL-08	SYF	R690517
Copper (Cu)		0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Lithium (Li)		0.035		0.003	mg/L		06-JUL-08	SYF	R690517
Molybdenum (Mo)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Nickel (Ni)		0.004		0.002	mg/L		06-JUL-08	SYF	R690517
Lead (Pb)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Antimony (Sb)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Selenium (Se)		0.0009		0.0004	mg/L		06-JUL-08	SYF	R690517
Tin (Sn)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Titanium (Ti)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Thallium (Tl)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Uranium (U)		0.0004		0.0001	mg/L		06-JUL-08	SYF	R690517
Vanadium (V)		0.002		0.001	mg/L		06-JUL-08	SYF	R690517
Zinc (Zn)		0.031		0.002	mg/L		06-JUL-08	SYF	R690517
Iron (Fe)-Dissolved		0.028		0.005	mg/L		07-JUL-08	BOC	R690520
Manganese (Mn)-Dissolved		0.003		0.001	mg/L		07-JUL-08	BOC	R690520
Mercury (Hg) - Dissolved									
Mercury (Hg)-Dissolved		<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512
Phosphorus, Total Diss.		<0.02		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
Routine Water Analysis									
Chloride (Cl)									
Chloride (Cl)		191		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water									
Calcium (Ca)		100		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)		7.1		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)		14.5		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		29		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		34.8		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		98.7			%		07-JUL-08		
TDS (Calculated)		439			mg/L		07-JUL-08		
Hardness (as CaCO3)		309			mg/L		07-JUL-08		
Nitrate+Nitrite-N		6.3		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N		6.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N		0.17		0.05	mg/L		03-JUL-08	JXD	R689031

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-11 A54 Sampled By: NOT PROVIDED on 30-JUN-08 @ 16:03 Matrix: WATER Routine Water Analysis pH, Conductivity and Total Alkalinity									
pH		7.9		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)		876		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)		71		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Alkalinity, Total (as CaCO3)		58		5	mg/L		04-JUL-08	CLTT	R689226
L650400-12 A8-7 Sampled By: NOT PROVIDED on 01-JUL-08 @ 14:05 Matrix: WATER Dissolved Metals - CCME Dissolved Trace Metals									
Silver (Ag)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Aluminum (Al)		<0.01		0.01	mg/L		06-JUL-08	SYF	R690517
Arsenic (As)		0.0014		0.0004	mg/L		06-JUL-08	SYF	R690517
Boron (B)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Barium (Ba)		0.013		0.003	mg/L		06-JUL-08	SYF	R690517
Beryllium (Be)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Cadmium (Cd)		0.0002		0.0001	mg/L		06-JUL-08	SYF	R690517
Cobalt (Co)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Chromium (Cr)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Copper (Cu)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Lithium (Li)		0.003		0.003	mg/L		06-JUL-08	SYF	R690517
Molybdenum (Mo)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Nickel (Ni)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Lead (Pb)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Antimony (Sb)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Selenium (Se)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Tin (Sn)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Titanium (Ti)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Thallium (Tl)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Uranium (U)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Vanadium (V)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Zinc (Zn)		0.029		0.002	mg/L		06-JUL-08	SYF	R690517
Iron (Fe)-Dissolved		0.080		0.005	mg/L		07-JUL-08	BOC	R690520
Manganese (Mn)-Dissolved		0.006		0.001	mg/L		07-JUL-08	BOC	R690520
Mercury (Hg) - Dissolved									
Mercury (Hg)-Dissolved		<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512
Phosphorus, Total Diss.		<0.02		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
Routine Water Analysis Chloride (Cl)									
Chloride (Cl)		16		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water									
Calcium (Ca)		15.0		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)		0.8		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)		2.0		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		3		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		2.7		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		106			%		07-JUL-08		

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-12 A8-7 Sampled By: NOT PROVIDED on 01-JUL-08 @ 14:05 Matrix: WATER Routine Water Analysis Ion Balance Calculation TDS (Calculated) 54 mg/L 07-JUL-08 Hardness (as CaCO3) 46 mg/L 07-JUL-08 Nitrate+Nitrite-N <0.1 0.1 mg/L 03-JUL-08 JXD R689031 Nitrate-N <0.1 0.1 mg/L 03-JUL-08 JXD R689031 Nitrite-N <0.05 0.05 mg/L 03-JUL-08 JXD R689031 pH, Conductivity and Total Alkalinity pH 7.7 0.1 pH 04-JUL-08 CLTT R689226 Conductivity (EC) 111 0.2 uS/cm 04-JUL-08 CLTT R689226 Bicarbonate (HCO3) 30 5 mg/L 04-JUL-08 CLTT R689226 Carbonate (CO3) <5 5 mg/L 04-JUL-08 CLTT R689226 Hydroxide (OH) <5 5 mg/L 04-JUL-08 CLTT R689226 Alkalinity, Total (as CaCO3) 24 5 mg/L 04-JUL-08 CLTT R689226								
L650400-13 ML-R Sampled By: NOT PROVIDED on 01-JUL-08 @ 13:15 Matrix: WATER Dissolved Metals - CCME Dissolved Trace Metals Silver (Ag) <0.0001 0.0001 mg/L 08-JUL-08 SYF R691491 Aluminum (Al) 0.12 0.01 mg/L 08-JUL-08 SYF R691491 Arsenic (As) 0.0004 0.0004 mg/L 08-JUL-08 SYF R691491 Boron (B) <0.05 0.05 mg/L 08-JUL-08 SYF R691491 Barium (Ba) 0.011 0.003 mg/L 08-JUL-08 SYF R691491 Beryllium (Be) <0.001 0.001 mg/L 08-JUL-08 SYF R691491 Cadmium (Cd) <0.0001 0.0001 mg/L 08-JUL-08 SYF R691491 Cobalt (Co) <0.002 0.002 mg/L 08-JUL-08 SYF R691491 Chromium (Cr) <0.005 0.005 mg/L 08-JUL-08 SYF R691491 Copper (Cu) 0.001 0.001 mg/L 08-JUL-08 SYF R691491 Lithium (Li) <0.003 0.003 mg/L 08-JUL-08 SYF R691491 Molybdenum (Mo) <0.005 0.005 mg/L 08-JUL-08 SYF R691491 Nickel (Ni) <0.002 0.002 mg/L 08-JUL-08 SYF R691491 Lead (Pb) 0.0002 0.0001 mg/L 08-JUL-08 SYF R691491 Antimony (Sb) <0.0004 0.0004 mg/L 08-JUL-08 SYF R691491 Selenium (Se) <0.0004 0.0004 mg/L 08-JUL-08 SYF R691491 Tin (Sn) <0.05 0.05 mg/L 08-JUL-08 SYF R691491 Titanium (Ti) 0.011 0.001 mg/L 08-JUL-08 SYF R691491 Thallium (Tl) <0.0001 0.0001 mg/L 08-JUL-08 SYF R691491 Uranium (U) <0.0001 0.0001 mg/L 08-JUL-08 SYF R691491 Vanadium (V) <0.001 0.001 mg/L 08-JUL-08 SYF R691491 Zinc (Zn) 0.035 0.002 mg/L 08-JUL-08 SYF R691491 Iron (Fe)-Dissolved 0.260 0.005 mg/L 08-JUL-08 BOC R691031 Manganese (Mn)-Dissolved 0.007 0.001 mg/L 08-JUL-08 BOC R691031 Mercury (Hg) - Dissolved Mercury (Hg)-Dissolved <0.00010 0.00010 mg/L 09-JUL-08 DEO R691512 Phosphorus, Total Diss. <0.02 0.02 mg/L 04-JUL-08 AYX R689648 Routine Water Analysis Chloride (Cl) Chloride (Cl) 10 1 mg/L 03-JUL-08 KFA R688870 ICP metals and SO4 for routine water Calcium (Ca) 8.1 0.5 mg/L 03-JUL-08 JWU R688786								

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-13	ML-R								
Sampled By: NOT PROVIDED on 01-JUL-08 @ 13:15									
Matrix: WATER									
Routine Water Analysis									
ICP metals and SO4 for routine water									
Potassium (K)		1.0		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)		1.3		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		5		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		4.0		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		Low EC			%		07-JUL-08		
TDS (Calculated)		43			mg/L		07-JUL-08		
Hardness (as CaCO3)		26			mg/L		07-JUL-08		
Nitrate+Nitrite-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N		<0.05		0.05	mg/L		03-JUL-08	JXD	R689031
pH, Conductivity and Total Alkalinity									
pH		7.6		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)		85.2		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)		27		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Alkalinity, Total (as CaCO3)		22		5	mg/L		04-JUL-08	CLTT	R689226
L650400-14	CONTROL								
Sampled By: NOT PROVIDED on 01-JUL-08 @ 13:55									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Silver (Ag)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Aluminum (Al)		<0.01		0.01	mg/L		06-JUL-08	SYF	R690517
Arsenic (As)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Boron (B)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Barium (Ba)		0.007		0.003	mg/L		06-JUL-08	SYF	R690517
Beryllium (Be)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Cadmium (Cd)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Cobalt (Co)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Chromium (Cr)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Copper (Cu)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Lithium (Li)		<0.003		0.003	mg/L		06-JUL-08	SYF	R690517
Molybdenum (Mo)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Nickel (Ni)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Lead (Pb)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Antimony (Sb)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Selenium (Se)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Tin (Sn)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Titanium (Ti)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Thallium (Tl)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Uranium (U)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Vanadium (V)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Zinc (Zn)		0.030		0.002	mg/L		06-JUL-08	SYF	R690517
Iron (Fe)-Dissolved		0.017		0.005	mg/L		07-JUL-08	BOC	R690520
Manganese (Mn)-Dissolved		0.002		0.001	mg/L		07-JUL-08	BOC	R690520
Mercury (Hg) - Dissolved									
Mercury (Hg)-Dissolved		<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-14 CONTROL									
Sampled By: NOT PROVIDED on 01-JUL-08 @ 13:55									
Matrix: WATER									
Phosphorus, Total Diss.		<0.02		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
Routine Water Analysis									
Chloride (Cl)									
Chloride (Cl)		6		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water									
Calcium (Ca)		7.2		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)		0.7		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)		0.8		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		4		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		1.9		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		Low EC			%		07-JUL-08		
TDS (Calculated)		30			mg/L		07-JUL-08		
Hardness (as CaCO3)		21			mg/L		07-JUL-08		
Nitrate+Nitrite-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N		<0.05		0.05	mg/L		03-JUL-08	JXD	R689031
pH, Conductivity and Total Alkalinity									
pH		7.6		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)		63.0		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)		20		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Alkalinity, Total (as CaCO3)		16		5	mg/L		04-JUL-08	CLTT	R689226
L650400-15 X8-7									
Sampled By: NOT PROVIDED on 30-JUN-08 @ 14:15									
Matrix: WATER									
Dissolved Metals - CCME									
Dissolved Trace Metals									
Silver (Ag)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Aluminum (Al)		<0.01		0.01	mg/L		06-JUL-08	SYF	R690517
Arsenic (As)		0.0014		0.0004	mg/L		06-JUL-08	SYF	R690517
Boron (B)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Barium (Ba)		0.013		0.003	mg/L		06-JUL-08	SYF	R690517
Beryllium (Be)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Cadmium (Cd)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Cobalt (Co)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Chromium (Cr)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Copper (Cu)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Lithium (Li)		0.003		0.003	mg/L		06-JUL-08	SYF	R690517
Molybdenum (Mo)		<0.005		0.005	mg/L		06-JUL-08	SYF	R690517
Nickel (Ni)		<0.002		0.002	mg/L		06-JUL-08	SYF	R690517
Lead (Pb)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Antimony (Sb)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Selenium (Se)		<0.0004		0.0004	mg/L		06-JUL-08	SYF	R690517
Tin (Sn)		<0.05		0.05	mg/L		06-JUL-08	SYF	R690517
Titanium (Ti)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Thallium (Tl)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Uranium (U)		<0.0001		0.0001	mg/L		06-JUL-08	SYF	R690517
Vanadium (V)		<0.001		0.001	mg/L		06-JUL-08	SYF	R690517
Zinc (Zn)		0.029		0.002	mg/L		06-JUL-08	SYF	R690517

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	By	Batch
L650400-15	X8-7								
Sampled By: NOT PROVIDED on 30-JUN-08 @ 14:15									
Matrix: WATER									
Dissolved Metals - CCME									
Iron (Fe)-Dissolved		0.073		0.005	mg/L		07-JUL-08	BOC	R690520
Manganese (Mn)-Dissolved		0.005		0.001	mg/L		07-JUL-08	BOC	R690520
Mercury (Hg) - Dissolved									
Mercury (Hg)-Dissolved		<0.00010		0.00010	mg/L		09-JUL-08	DEO	R691512
Phosphorus, Total Diss.		<0.02		0.02	mg/L	04-JUL-08	04-JUL-08	AYX	R689648
Routine Water Analysis									
Chloride (Cl)									
Chloride (Cl)		16		1	mg/L		03-JUL-08	KFA	R688870
ICP metals and SO4 for routine water									
Calcium (Ca)		14.6		0.5	mg/L		03-JUL-08	JWU	R688786
Potassium (K)		0.8		0.5	mg/L		03-JUL-08	JWU	R688786
Magnesium (Mg)		1.9		0.1	mg/L		03-JUL-08	JWU	R688786
Sodium (Na)		3		1	mg/L		03-JUL-08	JWU	R688786
Sulfate (SO4)		2.6		0.5	mg/L		03-JUL-08	JWU	R688786
Ion Balance Calculation									
Ion Balance		104			%		07-JUL-08		
TDS (Calculated)		54			mg/L		07-JUL-08		
Hardness (as CaCO3)		44			mg/L		07-JUL-08		
Nitrate+Nitrite-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrate-N		<0.1		0.1	mg/L		03-JUL-08	JXD	R689031
Nitrite-N		<0.05		0.05	mg/L		03-JUL-08	JXD	R689031
pH, Conductivity and Total Alkalinity									
pH		7.7		0.1	pH		04-JUL-08	CLTT	R689226
Conductivity (EC)		111		0.2	uS/cm		04-JUL-08	CLTT	R689226
Bicarbonate (HCO3)		30		5	mg/L		04-JUL-08	CLTT	R689226
Carbonate (CO3)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Hydroxide (OH)		<5		5	mg/L		04-JUL-08	CLTT	R689226
Alkalinity, Total (as CaCO3)		25		5	mg/L		04-JUL-08	CLTT	R689226
* Refer to Referenced Information for Qualifiers (if any) and Methodology.									

Reference Information

Qualifiers for Individual Samples Listed:

Sample Number	Client ID	Qualifier	Description
L650400-13	ML-R	PDM	For Dissolve Metals - Particulate was observed in preserved Dissolved Metals sample. Associated results may be biased low.
L650400-3	MEL3	PDM	For Dissolve Metals - Particulate was observed in preserved Dissolved Metals sample. Associated results may be biased low.

Methods Listed (if applicable):

ALS Test Code	Matrix	Test Description	Preparation Method Reference(Based On)	Analytical Method Reference(Based On)
BOD-ED	Water	Biochemical Oxygen Demand (BOD)		APHA 5210 B-5 day Incub.-O2 electrode
C-TOT-ED	Water	Total Carbon		APHA 5310 B-Instrumental
C-TOT-INORG-ED	Water	Total Inorganic Carbon		APHA 5310 B-Instrumental
CL-ED	Water	Chloride (Cl)		APHA 4500 Cl E-Colorimetry
ETL-ROUTINE-ICP-ED	Water	ICP metals and SO4 for routine water		APHA 3120 B-ICP-OES
F-ED	Water	Fluoride (F)		APHA 4500 F-C-Electrode
FCC-MF-PB	Water	Fecal Coliform Count-MF		APHA 9222D MF
FE-DIS-ED	Water	Iron (Fe)-Dissolved		EPA 200.7
FE-EXT-ROU-ED	Water	Iron (Fe)-Extractable		APHA 3120 B-ICP-OES
HG-D-CVAA-ED	Water	Mercury (Hg) - Dissolved		EPA 245.7 / EPA 245.1
IONBALANCE-ED	Water	Ion Balance Calculation		APHA 1030E
MET1-DIS-CCME-ED	Water	Dissolved Trace Metals		EPA 6020
MN-DIS-ED	Water	Manganese (Mn)-Dissolved		EPA 200.7
MN-EXT-ROU-ED	Water	Manganese (Mn)-Extractable		APHA 3120 B-ICP-OES
N2N3-ED	Water	Nitrate+Nitrite-N		APHA 4500 NO3-H - COLORIMETRY
NO2-ED	Water	Nitrite-N		APHA 4500 NO2B-Colorimetry
NO3-ED	Water	Nitrate-N		APHA 4500 NO3H-Colorimetry
OGG-ED	Water	Oil and Grease-Gravimetric		APHA 5520 G HEXANE MTBE EXT. GRAVIME
P-TOTALDIS-ED	Water	Phosphorus, Total Dissolved		APHA 4500 P B,E-Auto-Colorimetry
PH/EC/ALK-ED	Water	pH, Conductivity and Total Alkalinity		APHA 4500-H, 2510, 2320
PO4-ED	Water	Orthophosphate (PO4-P)		APHA 4500 P B,E-Auto-Colorimetry
TURBIDITY-ED	Water	Turbidity		APHA 2130 B-Nephelometer

** Laboratory Methods employed follow in-house procedures, which are generally based on nationally or internationally accepted methodologies.

Chain of Custody numbers:

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location	Laboratory Definition Code	Laboratory Location
ED	ALS LABORATORY GROUP - EDMONTON, ALBERTA, CANADA	PB	PBR LABORATORIES

Reference Information

GLOSSARY OF REPORT TERMS

Surr - A surrogate is an organic compound that is similar to the target analyte(s) in chemical composition and behavior but not normally detected in environmental samples. Prior to sample processing, samples are fortified with one or more surrogate compounds.

The reported surrogate recovery value provides a measure of method efficiency. The Laboratory control limits are determined under column heading *D.L.*

mg/kg (units) - unit of concentration based on mass, parts per million.

mg/L (units) - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

UNLESS OTHERWISE STATED, SAMPLES ARE NOT CORRECTED FOR CLIENT FIELD BLANKS.

Although test results are generated under strict QA/QC protocols, any unsigned test reports, faxes, or emails are considered preliminary.

ALS Laboratory Group has an extensive QA/QC program where all analytical data reported is analyzed using approved referenced procedures followed by checks and reviews by senior managers and quality assurance personnel. However, since the results are obtained from chemical measurements and thus cannot be guaranteed, ALS Laboratory Group assumes no liability for the use or interpretation of the results.

DRAFT



P|B|R
Laboratories Inc.

Page 1

CONFIDENTIAL

ANALYSIS REPORT

REPORT #: 080707-03**WO #:** 08-AXB**PO #:** L650400

CLIENT: ALS Laboratory Group - Edmonton
9936-67 Avenue
Edmonton, AB
T6E 0P5

ATTENTION: ALS-ED Reporting
Tel: (780) 413-5227
Fax: (780) 437-2311

SAMPLE DESCRIPTION: Water Samples**DATE AND TIME OF SAMPLE COLLECTION:** June 30, 2008**DATE AND TIME OF SAMPLE RECEIPT:** July 04, 2008/08:15**TEST PERFORMED:** Fecal coliforms**TEST START DATE:** July 04, 2008**DATE COMPLETED:** July 05, 2008**RESULTS:** Page 2

PBR has accreditation from Standards Council of Canada (SCC) under the International Standard ISO/IEC 17025 (CAN-P-4D) for the registered tests.

9960 - 67 Avenue NW, Edmonton, Alberta, Canada T6E 0P5 • Telephone (780) 450-3957 • Fax (780) 450-3960
E-mail: pbr@pbr.ca Web Site: www.pbr.ca Toll free: 1-866-450-3957

Certificate of Analysis

PBR ID	Sample #	Client ID	Lot #	Test	Protocol	Result	Units	Comments
08-AXB-1	L650400-1	MEL1		Fecal coliforms	APHA-9222D	<1	CFU/100ml	1
08-AXB-2	L650400-3	MEL3		Fecal coliforms	APHA-9222D	5.0 X 10 ³	CFU/100ml	
08-AXB-3	L650400-4	MEL4		Fecal coliforms	APHA-9222D	<1	CFU/100ml	1
08-AXB-4	L650400-5	TAP		Fecal coliforms	APHA-9222D	<1	CFU/100ml	1

Comments

1 CFU = Colony Forming Unit.

<1 = No counts were detected based on the lowest dilution analyzed.

Parul

Parul Srivastava (Analyst)
Date: Jul 07 2008

Approved By:

AK
Atayan Bakharev, Ph.D.
Date: Jul 07 2008

PBR



Environmental Division

REPORT TO:						REPORT FORMAT / DISTRIBUTION						SERVICE REQUESTED					
COMPANY: Comarac Minerals						STANDARD OTHER COMPLEX						REGULAR SERVICE (DEFAULT)					
CONTACT: S. Brehm						PDF EXCEL CUSTOM FAX						RUSH SERVICE (2-3 DAYS)					
ADDRESS: 901-1015 4TH ST SW						EMAIL 1: sburham@comarac.com						PRIORITY SERVICE (1 DAY or ASAP)					
MELAR AB T2 R 174						EMAIL 2: ddumke@comarac.com						EMERGENCY SERVICE (<1 DAY / WEEKEND) - CONTACT ALS					
PHONE: 265-2846 FAX: 232-1421																	
INVOICE TO: SAME AS REPORT? YES NO						INDICATE BOTTLES FILTERED / PRESERVED (F/P)						ANALYSIS REQUEST					
COMPANY:						CLIENT / PROJECT INFORMATION:											
CONTACT:						JOB #: 3393.											
ADDRESS:						PO / AFE:											
Legal Site Description:																	
QUOTE #:																	
Lab Work Order # L650400						SAMPLER (Initials):											
Sample #		SAMPLE IDENTIFICATION (This description will appear on the report)				DATE		TIME		SAMPLE TYPE							
MEL1						JUNE 30/08		1:00pm		WATER							
MEL2						11		2:30pm									
MEL3						11		11:10am									
MEL4						11		11:01pm									
TAP						11		12:40pm									
PI						11		4:15pm									
GUIDELINES / REGULATIONS						SPECIAL INSTRUCTIONS / HAZARDOUS DETAILS											
CCEME						- LAB FILTER NUTRIENTS & METALS											
Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.																	
By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the reverse page of the white report copy.																	
RELINQUISHED BY: S. Brehm						RECEIVED BY: [Signature]						DATE & TIME: 3 July 08					
RELINQUISHED BY:						RECEIVED BY:						DATE & TIME: 10:15am					
TEMPERATURE						SAMPLE CONDITION (lab use only)						SAMPLES RECEIVED IN GOOD CONDITION ? YES / NO (If no provide details)					

