



Material Safety Data Sheet

CALCIUM CHLORIDE, FLAKE

A. GENERAL INFORMATION

TRADE NAME (COMMON NAME): FLAKE CALCIUM CHLORIDE		CAS NUMBER: 10043-52-4 (anhydrous)	
CHEMICAL NAME AND/OR SYNONYM: Calcium Chloride, Dihydrate			
FORMULA: CaCl ₂ - 2H ₂ O		MOLECULAR WEIGHT: 147.02	
MANUFACTURER/ADDRESS: GENERAL CHEMICAL INDUSTRIAL PRODUCTS 90 East Halsey Road Parsippany, NJ 07054			
CONTACT: Manager, Product Safety	PHONE NUMBER: (973) 515-1840	LAST ISSUE DATE: September, 1994	CURRENT ISSUE DATE: March, 2004

B. FIRST AID MEASURES

		EMERGENCY PHONE NUMBER: (800) 631-8050
EYES:	Flush promptly with plenty of water, continuing for at least 15 minutes. Get medical attention.	
SKIN:	Wash with plenty of water.	
INHALATION:	Remove to fresh air.	
INGESTION:	If conscious, immediately give 2 to 4 glasses of water, and induce vomiting by touching finger to back of throat. Get medical attention for irritation, ingestion, or discomfort from inhalation.	

C. HAZARDS INFORMATION

INHALATION: Dust or mist inhalation may irritate nose, throat, and lungs.	
INGESTION: Low in toxicity. LD ₅₀ (rat): 1.4 g/kg.* - Reference (e) May irritate gastrointestinal tract. *anhydrous basis.	
SKIN: May cause skin irritation. Under conditions of prolonged contact or when moisture is present, superficial burns may result. Contact with abraded skin or cuts can cause severe necrosis.	
EYES: May irritate or burn eyes.	
PERMISSIBLE CONCENTRATION: AIR (SEE SECTION J) Also, no TLV established by ACGIH.	BIOLOGICAL None
UNUSUAL CHRONIC TOXICITY: None.	

C. HAZARDS (Cont.)

FLASH POINT: Not flammable	AUTO IGNITION TEMPERATURE NA	FLAMMABLE LIMITS IN AIR (% BY VOL.) LOWER - NA UPPER - NA
OPEN CUP ☐ CLOSED CUP ☐		
UNUSUAL FIRE AND EXPLOSION HAZARDS See hazard of contact with zinc as in galvanized iron: Section G.		

D. PRECAUTIONS/PROCEDURES

FIRE EXTINGUISHING AGENTS RECOMMENDED: NA	
FIRE EXTINGUISHING AGENTS TO AVOID: NA	
SPECIAL FIREFIGHTING PRECAUTIONS: None.	
VENTILATION: Local exhaust: In packaging and uploading areas, over open processing equipment, and any other places where dusty or misty condition prevails. Natural ventilation: Adequate for other areas.	
NORMAL HANDLING: Avoid contact with eyes, skin or clothing. Avoid breathing mist. Use good personal hygiene and housekeeping.	
STORAGE: Store in a cool, dry area. Prolonged storage may cause product to cake and become wet from atmospheric moisture.	
SPILL OR LEAK (ALWAYS WEAR PERSONAL PROTECTIVE QUIPMENT – SECTION E) Shovel up dry chemical and place in metal drum with a cover. Cautiously spray residue with plenty of water.	
SPECIAL: PRECAUTIONS/PROCEDURES/LABEL INSTRUCTIONS:	SIGNAL WORD WARNING!

E. PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: For dusty or misty condition, wear NIOSH-approved mist respirator.
EYES AND FACE: For dusty or misty condition, or when handling solution where there is reasonable probability of eye contact, wear chemical safety goggles and hat. Under these conditions, do not wear contact lenses.
HANDS, ARMS, AND BODY: As a minimum, wear long-sleeve shirt and trousers, boots, and gloves for routine product use. Cotton gloves permitted for dry product, impervious gloves when using solutions.
OTHER CLOTHING AND EQUIPMENT: Eye-wash facility.

F. PHYSICAL DATA

MATERIAL IS AT NORMAL CONDITIONS: LIQUID ☐ SOLID ☒ GAS ☐ ☐ _____		APPEARANCE AND COLOR: Small white flakes; odorless.	
BOILING POINT: Unknown °C	SPECIFIC GRAVITY: (H ₂ O = 1) 0.835 - Reference (b)	VAPOR DENSITY: (AIR =1) NA: water vapor only.	
MELTING POINT: 176 °C			
SOLUBILITY IN WATER: (% BY WEIGHT) 42 (anhydrous) @ 20°C	pH: Neutral or slightly alkaline - Reference (c).	VAPOR PRESSURE: (mm Hg @ 20°C) ☐ (PSIG) ☐ NA	
EVAPORATION RATE: (Butyl acetate=1) ☐ (Ether = 1.0) ☐ NA	% VOLATILES BY VOLUME: (AT 20°C) NA		

G. REACTIVITY DATA

STABILITY: UNSTABLE ☐ STABLE ☒	CONDITIONS TO AVOID: NA
INCOMPATIBILITY (MATERIALS TO AVOID): Sulfuric acid: yields hydrogen chloride gas, which is corrosive, irritating, and reactive. Water-reactive materials, such as sodium: cause an exothermic reaction. Methyl vinyl ether: starts runaway polymerization reaction – Reference (d). Zinc as in galvanized iron: yields hydrogen gas with solutions, which may explode under these conditions. – Reference (d).	
HAZARDOUS DECOMPOSITION PRODUCTS: None.	
HAZARDOUS POLYMERIZATION: MAY OCCUR ☐ WILL NOT OCCUR ☒	CONDITIONS TO AVOID: NA

H. HAZARDOUS INGREDIENTS (MIXTURES ONLY)

MATERIAL OR COMPONENT/C.A.S. #	WT.%	HAZARD DATA (See Sect. J)
NA		

I. ENVIRONMENTAL

DEGRADABILITY/AQUATIC TOXICITY:		OCTANOL/WATER PARTITION COEFFICIENT NA
Aquatic Toxicity: TLm96: over 1000 ppm (anhydrous) – Reference (a).		
EPA HAZARDOUS SUBSTANCE? (CLEAN WATER ACT SECT. 311) YES ☐ NO ☒ IF SO, REPORTABLE QUANTITY:		40 CFR 116-117
WASTE DISPOSAL METHODS (DISPOSER MUST COMPLY WITH FEDERAL, STATE AND LOCAL DISPOSAL OR DISCHARGE LAWS): Treatment or disposal of waste generated by use of this product should be reviewed in terms of applicable federal, state and local laws and regulations. Users are advised to consult with appropriate regulatory agencies before discharge, treatment or disposal.		
RCRA STATUS OF <u>UNUSED</u> MATERIAL IF DISCARDED: Not a "hazardous waste".	HAZARDOUS WASTE NUMBER: (IF APPLICABLE) --	40 CFR 261

J. REFERENCES

PERMISSIBLE CONCENTRATIONS REFERENCES: None.		
REGULATORY STANDARDS	DOT CLASSIFICATION: Not regulated	49 CFR 173
None.		
GENERAL: (a) NIOSH, Registry of Toxic Effects of Chemical Substances, 1979, Accession No. EV 98 00 000. (b) Weast, R.C. editor, CRC Handbook of Chemistry and Physics, 60 th Edition, 1979-80, CRC Press, Inc., Boca Raton 33431. (c) Hawley, G.N., editor, Condensed Chemical Dictionary, 9 th Edition, 1977, Van Nostrand Reinhold, NYC. (d) Brethwick, L., Handbook of Reactive Chemical Hazards, 2 nd Edition, 1979, Butterworths, Boston. (e) General Chemical Industrial Products tests, unpublished. (A solution of 25 g/100 ml water was used).		

K. ADDITIONAL INFORMATION

None.

GC-1002

THIS MATERIAL SAFETY DATA SHEET IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION AND INVESTIGATION.

GENERAL CHEMICAL INDUSTRIAL PRODUCTS PROVIDES NO WARRANTIES, EITHER EXPRESS OR IMPLIED, AND ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE DATA CONTAINED HEREIN.