





- ᐃᑭᑦᑭᑦ
- LEGEND:**
- ᐃᑭᑦ WATER
 - ᐃᑭᑦ/ᐃᑭᑦᐃᑦᐃᑦᐃᑦ RIVER/STREAM/DRAINAGE
 - ᐃᑭᑦᐃᑦᐃᑦᐃᑦᐃᑦ PROPOSED RAIL ALIGNMENT
 - ᐃᑭᑦᐃᑦᐃᑦᐃᑦᐃᑦ EXISTING CAMP (CAMP NOT OCCUPIED DURING 2012)

- NOTES:**
- TOPOGRAPHY PROVIDED BY EAGLE MAPPING (2005).
ᐃᑭᑦᐃᑦᐃᑦᐃᑦᐃᑦ EAGLE MAPPING (2005)
 - COORDINATE GRID IS SHOWN IN UTM (NAD83) ZONE 17 AND IS IN METRES.
ᐃᑭᑦᐃᑦᐃᑦᐃᑦᐃᑦ UTM (NAD83) ZONE 17
 - CONTOUR INTERVAL IS IN METRES. CONTOUR INTERVAL IS 2.5 METRES.
ᐃᑭᑦᐃᑦᐃᑦᐃᑦᐃᑦ 2.5 ᑭᑦ
 - PROPOSED RAIL ALIGNMENT PROVIDED BY CAINARAIL CONSULTANTS INC.
ᐃᑭᑦᐃᑦᐃᑦᐃᑦᐃᑦ CAINARAIL CONSULTANTS INC



ᐃᑭᑦᐃᑦᐃᑦᐃᑦᐃᑦ MARY RIVER PROJECT

ᐃᑭᑦᐃᑦᐃᑦᐃᑦᐃᑦᐃᑦᐃᑦ EXISTING SITE LAYOUT AT MID RAIL CAMP

Knight Piésold CONSULTING	P/A NO. NB102-181/33	REF NO. NB13-00093
	ᐃᑭᑦᐃᑦᐃᑦᐃᑦᐃᑦ FIGURE 1.6	REV 0

SAVED: I:\1020018133\ANG (S)\Fig3B04_10.mxd, Mar 27, 2013 10:26 AM;

0	26MAR'13	ISSUED WITH NWB ANNUAL REPORT	JM	AS	TM	JM
REV	DATE	DESCRIPTION	DESIGNED	DRAWN	CHK'D	APP'D

