# MATERIAL SAFETY DATA SHEET



102-17910 55 Ave., Surrey, BC, Canada V3S 6C8 • Toll Free **1-866-535-6699** Tel: **604-575-6660** Fax: 604-575-5494 *e-mail: extreme.ron@telus.net* 

## EXTREME LINSEED LUBE

# **EMERGENCY PHONE NO. (604) 575-6660**

PAGE 1 OF 4

## **WHMIS HAZARD INDEX:**

## DEGREE OF HAZARD: HAZARD RATING:

**HEALTH** 1 0 **LEAST** FIRE 1 1 **SLIGHT** REACTIVITY 2 0 **MODERATE** B (GLASSES & GLOVES) 3 OTHER: HIGH **EXTREME** 

## SECTION 1 PRODUCT IDENTIFICATION

PRODUCT NAME: EXTREME LINSEED LUBE

CHEMICAL IDENTIFICATION: Linseed Soap

MATERIAL USE: Lubricating Compound

WHMIS CLASSIFICATION: N/A WORK PLACE HAZARD: N/A

## TRANSPORTATION OF DANGEROUS GOODS (TDGR)

CLASSIFICATION: Not Dangerous Goods

PACKAGE GROUP: N/A
CAS NUMBER: N/A
MSDS CODE: N/A

# SECTION 2 HAZARDOUS INGREDIENTS

INGREDIENT: Linseed Soap

PERCENTAGE: 100%
CAS NUMBER: Mixture

LD (50): LC (50):

### **EXTREME LINSEED LUBE**

## MATERIAL SAFETY DATA SHEET

SECTION 3 PHYSICAL DATA

APPEARANCE AND ODOUR: Brown Colour, Semi-Solid Grease, Slight

Hydrocarbon Odour.

DENSITY (SPECIFIC GRAVITY): 1.0
BOILING POINT: 100°C

MELTING POINT:

SOLUBILITY:

Not Available
Soluble

EVAPORATION RATE: (EE=1):

VAPOUR PRESSURE: (MM HG):

VAPOUR DENSITY: (AIR = 1):

Not Available

Not Available

SECTION 4 FIRE AND EXPLOSION

FLASHPOINT: 222°C

FLAMMABLE LIMIT: Not Available

AUTO IGNITION TEMP: 343°C

EXTINGUISHING MEDIA: Dry Chemical, Foam, Water Fog, CO<sub>2</sub>

SPECIAL FIRE FIGHTING PROCEDURES: No special requirements. Caution, Spilled Material

is slippery.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None currently known.

SECTION 5 REACTIVITY DATA

STABILITY (THERMAL, LIGHT, ETC.):

INCOMPATIBILITY (CONDITIONS TO AVOID):

HAZARDOUS POLYMERIZATION:

HAZARDOUS DECOMPOSITION PRODUCTS:

No Data

## **EXTREME LINSEED LUBE**

# MATERIAL SAFETY DATA SHEET

SECTION 6 HEALTH HAZARDS

**ROUTE OF ENTRY:** 

(X) SKIN (X) EYE CONTACT (X) INHALATION (X) INGESTION

SKIN CONTACT: Prolonged and repeated contact may cause drying

of skin resulting in irritation and dermatitis.

EYE CONTACT: May cause eye irritation.

INHALATION: Oil mist or vapours from hot grease may cause

irritation of upper respiratory tract.

INGESTION: Harmful if swallowed.

SECTION 7 PREVENTATIVE MEASURES

SKIN PROTECTION: Impervious gloves and protective clothing as

required.

EYE PROTECTION:

VENTILATION:

No special requirements under normal conditions.

No special requirements under normal conditions.

RESPIRATORY PROTECTION:

None required under normal use. Otherwise use

self-contained respirator if conditions of oil mist

exist.

LEAK & SPILL PROCEDURE: Contain and gather up with use of absorbent

material.

WASTE DISPOSAL: Dispose of in compliance with local and

government regulations.

STORAGE REQUIREMENTS: Store in a cool, dry area. Keep containers closed

when not in use.

### **EXTREME LINSEED LUBE**

## MATERIAL SAFETY DATA SHEET

SECTION 8 FIRST AID MEASURES

SKIN: Wipe excess from skin. Wash with mild soap and

water. Remove contaminated clothing.

EYE: Flush with water for at least 15 minutes.

INHALATION: Not ordinarily required under normal conditions.

Remove victim from further exposure.

INGESTION: Do not induce vomiting. Obtain medical attention

immediately.

SECTION 9 PREPARATION DATE

DATE ISSUED: AUGUST 20, 1996
DATE REVISED: JANUARY 01, 2012

BY: PRODUCT SAFETY COMMITTEE

THE DATA REPRESENTED HEREIN IS BELIEVED ACCURATE AND REFLECTS OUR BEST PROFESSIONAL JUDGMENT. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF SUCH DATA, THE RESULTS TO BE OBTAINED FROM THE USE THEREOF, OR THAT ANY SUCH USE DOES NOT INFRINGE ANY PATENT. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS OF USE BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, WE DO NOT ASSUME ANY RESPONSIBILITY FOR THE RESULTS OF SUCH APPLICATION. THIS INFORMATION IS FURNISHED UPON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS OWN DETERMINATION OF THE SUITABILITY OF THE MATERIAL FOR HIS PARTICULAR PURPOSE.