

NWB Annual Report

Year being reported: 2007 ▼

License No: 2BE-AME0712 Issued Date: July 26, 2007
Expiry Date: June 1, 2012

Project Name: Amer Lake

Licensee: Uranium North Resources Ltd.

Mailing Address: # 510, 510 Burrard Street,
Vancouver, B.C.
V6C 3A8

Name of Company filing Annual Report (if different from Name of Licensee please clarify relationship between the two entities, if applicable):

General Background Information on the Project (*optional):

Minerals exploration

Licence Requirements: the licensee must provide the following information in accordance with

Part B ▼ Item 2 ▼

A summary report of water use and waste disposal activities, including, but not limited to: methods of obtaining water; sewage and greywater management; drill waste management; solid and hazardous waste management.

Water Source(s):	Amer Lake	
Water Quantity:	20	Quantity Allowable Domestic (cu.m)
	5	Actual Quantity Used Domestic (cu.m)
	60	Quantity Allowable Drilling (cu.m)
	0	Total Quantity Used Drilling (cu.m)

Waste Management and/or Disposal

- ☒ Solid Waste Disposal
☒ Sewage
☐ Drill Waste
☒ Greywater
☒ Hazardous
☐ Other:

Additional Details:

Latrine pits using bacterial reducing agent or chloride of lime were used. All pits were over 30 m from water and backfilled when finished.
Kitchen and dry greywater was gravity fed to a properly constructed sump.

A list of unauthorized discharges and a summary of follow-up actions taken.

Spill No.: (as reported to the Spill Hot-line)
 Date of Spill:
 Date of Notification to an Inspector:
 Additional Details: (impacts to water, mitigation measures, short/long term monitoring, etc)

N.A.

Revisions to the Spill Contingency Plan

SCP addendum attached for Board consideration ▼

Additional Details:

Changes to contact telephone numbers have been updated to the approved plan. See attached pdf file.

Revisions to the Abandonment and Restoration Plan

AR plan submitted and approved - no revision required or proposed ▼

Additional Details:

N.A.

Progressive Reclamation Work Undertaken

Additional Details (i.e., work completed and future works proposed)

Sewage disposal buried. Greywater sumps were backfilled. No drilling occurred in 2007.

Results of the Monitoring Program including:

The GPS Co-ordinates (in degrees, minutes and seconds of latitude and longitude) of each location where sources of water are utilized;

Details described below ▼

Additional Details:

Domestic water drawn from Amer Lake at 65 degrees 29' 36" N, 96 degrees, 46' 42" W. No drilling occurred herefore no water was required.

The GPS Co-ordinates (in degrees, minutes and seconds of latitude and longitude) of each location where wastes associated with the licence are deposited;

Details described below ▼

Additional Details:

Latrine located at 96° 46' 44" W, 65°, 65°29' 26" N
WGS 84

Results of any additional sampling and/or analysis that was requested by an Inspector

No additional sampling requested by an Inspector or the Board ▼

Additional Details: (date of request, analysis of results, data attached, etc)

N.A.

Any other details on water use or waste disposal requested by the Board by November 1 of the year being reported.

No additional sampling requested by an Inspector or the Board ▼

Additional Details: (Attached or provided below)

N.A.

Any responses or follow-up actions on inspection/compliance reports

No inspection and/or compliance report issued by INAC ▼

Additional Details: (Dates of Report, Follow-up by the Licensee)

N.A.

Any additional comments or information for the Board to consider

None.

Date Submitted:

March 28, 2008

Submitted/Prepared by:

G. Gill

Contact Information:

Tel: 604 689 2010

Fax: 604-484-7143

email: g.gill@diamondsnorth.com