



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Closure of Licence 2BE-ARN0507

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Fri, Feb 20, 2015 at 4:12 PM

To: Susan Ball <susan.ball@kennecott.com>, susan.ball@riotinto.com

Good day Susan;

Can you please confirm that the mailing address for Kennecott is still 354-200 Granville Street, Vancouver, BC V6C 1S4. I am preparing a letter to send to you closing this file as there are no outstanding obligations to be met.

Regards,



Phyllis Beaulieu- ᐱᕐᕐᕐ ᕐᕐᕐ

Manager of Licensing- Responsable des Permis

ᐱᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ - Maniayuyuk Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᕐᕐᕐᕐᕐᕐ 119
ᕐᕐᕐᕐᕐᕐ, ᕐᕐᕐ X0B 1J0

Titigaqvia 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᕐᕐᕐᕐᕐ / Hivayaula: (867) 360-6338 | Fax / Télécopieur / ᕐᕐᕐᕐᕐ / Fax-kut: (867) 360-6369

Toll Free / Sans Frais / ᕐᕐᕐᕐᕐᕐᕐ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email