



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓚᓕᓴᓂᓪ ᑲᑎᓚᓂᓪ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

File No: 2BE-AUR----

April 11, 2011

Graham Gill, Consulting Geologist
Uranium North Resources Corp.
1100-1111 Melville St.
Vancouver, BC V6E 3V6
E-mail: g.gill@diamondsnorth.com

Subject: Uranium North Resources Corp. – Aura Project – New – Type “B”

Dear Mr. Gill:

The Nunavut Water Board (“NWB”) acknowledges receipt, on March 13, 2011, of a new application for a Type “B” water license for water use and waste disposal associated with activities in the Kivalliq region of Nunavut. The application consists of the following documents:

- Cover Letter
- Water Licence Application Form
- Remote Camp Questionnaire
- Inuktitut & English Summary
- AR Plan
- Spill Plan
- Spill Kit Contents
- Spill Report Form
- MSDS Sheets
- Certificate in Incorporation
- Claim Location
- Aura Claim Lists
- Proposed Camp Location
- Cat Train Route Maps
- Equipment Photos
- Equipment Specs
- Hazardous Waste Management
- Instructions on completing spill report form

The application can be obtained from our ftp site under PRUC with Username: **public**, Password: **registry**.

The NWB undertook a preliminary review of your application and concluded that it meets the requirements of section 48(1) of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* (“Act”). However, the NWB retains the right to request additional information and studies pursuant to sections 48(2) of the Act or to issue guidelines for the provision of information pursuant to section 48(3) of the Act. A NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

By copy of this letter to the Nunavut Impact Review Board (“NIRB”), the NWB requests that if the project proposal requires screening, the NIRB provide the NWB with a determination pursuant to Section 13.5.1 of the NLCA. If the project is exempt from screening pursuant to Schedule 12-1 of the NLCA, the NWB requests written confirmation from the NIRB that the project proposal is in fact exempt from screening.

To ensure this application is dealt with in a timely fashion, the NWB forwards notice of all documentation to regulators and council of the municipality(ies) most affected by the project, inviting interested parties to make representation directly to the NWB **within 30 days from the date of this letter.** The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Subject to Sections 12.10.2 and 13.5.5 of the NLCA, where a review is required pursuant to Article 12, the NWB shall not approve any water application that forms part of that review until Article 12 has been complied with.

Sincerely,

Original Signed By:

Richard Dwyer
Licensing Administrator

Enclosure: Notice of Application

Cc: NPC Conformity
NIRB
Distribution List – Kivalliq