### MATERIAL SAFETY DATA SHEET

DD 2000

**SECTION I – Product Identification** 

MANUFACTURER'S NAME: Control Chemical (1989) Corporation

MANUFACTURER'S ADDRESS: 7016, 30<sup>th</sup> Street S.E.

Calgary, Alberta, Canada

T2C 1N9

EMERGENCY PHONE NUMBER: (403) 720-7044

SUPPLIER IDENTIFIER: SUPPLIER'S ADDRESS:

SUPPLIER'S EMERGENCY PHONE NUMBER:

PRODUCT IDENTIFIER: DD 2000

PRODUCT USE: Drilling mud – Co-polymer of Acrylamide and Sodium Acrylate

**SECTION II – Hazardous Ingredients of Materials** 

Chemical Identity Concentration CAS#/NA#/UN# LD (50) LC (50)

No regulated components.

This is not a WHMIS controlled product.

**SECTION III – Physical Data for Product** 

PHYSICAL STATE: Solid

ODOUR AND APPEARANCE: Granular white solid. Faint odour

ODOUR THRESHOLD: Not available

SPECIFIC GRAVITY:

VAPOR PRESSURE:

Vapor Density (Air = 1):

EVAPORATION RATE:

POILING POINT:

PREEZING POINT:

PH:

0.80

Very low

Not available

Not available

Not available

Not available

DENSITY (g/ml): 0.80

COEFFICIENT OF WATER / OIL

DISTRIBUTION: Not available

SECTION IV – Fire and Explosion Hazard of Product

CONDITIONS OF FLAMMABILITY: Requires a source of ignition, the presence of air, and a

temperature greater than the flash point.

MEANS OF EXTINCTION: Use dry chemical, foam, or carbon dioxide. Water may cause

excessive slipperiness

FLASHPOINT AND METHOD OF

DETERMINATION:

UPPER EXPLOSION LIMIT (% by Vol):

LOWER EXPLOSION LIMIT (% by Vol):

Not available

Not available

AUTO-IGNITION TEMPERATURE: Not available

FLAMMABILITY CLASSIFICATION: Not available. Not a controlled product.

HAZARDOUS COMBUSTION PRODUCTS: Not available EXPLOSION DATA: Not available SENSITIVITY TO STATIC DISCHARGE: Not available

#### MATERIAL SAFETY DATA SHEET

DD 2000

## **SECTION V – Reactivity Data**

CHEMICAL STABILITY: Stable under normal conditions. Hazardous polymerization will

not occur

INCOMPATIBLE MATERIALS: Avoid strong oxidizing and reducing agents.

CONDITIONS OF REACTIVITY: Avoid contamination with reactive substances

HAZARDOUS DECOMPOSITION PRODUCTS: Not available

# **SECTION VI – Toxicological Properties of Product**

**ROUTES OF ENTRY:** 

SKIN CONTACT: No effects of exposure expected due to contact.

Prolonged contact may cause skin irritation or dermatitis in some

individuals.

SKIN ABSORBTION: No known hazard due to skin absorption

EYE: No effects of exposure expected with the exception of possible

irritation

INHALATION: May cause sneezing, slight irritation of nose and throat

**INGESTION:** 

ACUTE OVER EXPOSURE EFFECTS:

CHRONIC OVER EXPOSURE EFFECTS: Skin irritation or dermatitis may occur upon frequent or prolonged

contact.

EXPOSURE LIMITS: TWAEV =  $0.03 \text{ mg/m}^3 \text{ (skin)}$  (Ont. Reg. 654/86).

IRRITANCY OF PRODUCT: Eye: mild irritant.

SENSITIZATION TO MATERIAL: Repeated or prolonged contact may cause sensitization in some

individuals

CARCINOGENICITY, REPRODUCTIVE

**EFFECTS**:

TERATOGENICITY, MUTAGENICITY: Not available

TOXICOLOGICALLY SYNERGISTIC

PRODUCTS: Not available

#### MATERIAL SAFETY DATA SHEET

DD 2000

## **SECTION VII – Preventive Measures**

PERSONAL PROTECTIVE EQUIPMENT: Chemical goggles, impervious gloves, and protective clothing as

required to prevent contact. Use a mechanical-filter respirator as

required to prevent exposure.

SPECIFIC ENGINEERING CONTROLS: General ventilation with a good source of make-up air

recommended for all indoor situations

LEAK AND SPILL PROCEDURES: Ventilate area. Wear rubber boots, gloves, and a self -contained

breathing apparatus if ventilation is not adequate. Collect into waste container. Avoid raising dust. Wash spill site after material

pickup. Water solutions are very slippery. May constitute a

hazard following a spill

WASTE DISPOSAL: Dispose of waste according to Federal, Provincial, and Municipal

regulations.

HANDLING PROCEDURES AND EQUIPMENT: Avoid prolonged or frequent contact when handling material. Do

not inhale dust or breathe vapor. Wear a NIOSH approved mechanical-filter respirator, if adequate ventilation cannot be

provided. Avoid skin or eye contact.

STORAGE REQUIREMENTS: Keep container closed when not in use. Store in cool and dry

location away from oxidizing and reducing agents.

SPECIAL SHIPPING INFORMATION: None

### **SECTION VIII – First Aid Measures**

SPECIFIC FIRST AID PROCEDURES: Skin contact: wash exposed area with soap and water. If irritation

or abnormalities persist, call a physician.

Eye contact: Immediately flush eyes with water for 15 minutes and

call a physician.

Inhalation: remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult,

give oxygen. Call a physician.

Ingestion: do not induce vomiting. If conscious, dilute by giving

two glasses of water. Call a physician immediately.

## SECTION X - Preparation Date of Material Safety Data Sheet

PREPARED BY: Safety Committee PHONE NUMBER OF PREPARER: (403) 720-7044 DATE PREPARED: January 02, 2005

The information contained herein is based on data believed to be reliable, but is presented without guarantee or warranty and Control Chemical (1989) Corporation disclaims any liability incurred from the use thereof.