

505 – 8th Avenue SW, Suite 310 Calgary, Alberta Canada T2P 1G2

Telephone (403) 263-9055 Fax (403) 263-9061 Email: <u>tanqueray@shaw.ca</u>

Date:

May 16, 2006

TO:

Phyliss Beaulieu

FROM:

Linda Falkenberg

FAX:

1 867 360-6369

RE:

Spill Contingency Plan and Nunavut Translation

Hi Phyliss:

Further to our telephone conversation, attached please find a copy of the Spill Contingency Plan for the Baker Lake Drilling Program together with the Nunavut Translation. I will courier same to you today.

Thank you for your assistance.

Linda Falkenberg

Linda

Nunavut Water Board

MAY 1 6 2006

Public Registry

Spill Contingency Plan For Baker Lake Drilling Program

Nunavut Water Board May 1 6 2006 Public Registry

Tanqueray Resources Ltd. #310, 505 8th ave SW Calgary, Alberta, T2G 1P2

Table of Contents:

1. Introduction	
2. Response Organization	
3. Initial Action	
4. Reporting Procedures	
5. Action Plans	
6. Environmental Mapping	
7. Resource Inventory	
8. Training and Excercises	
9. Conclusion	

4. Reporting Procedure:

The drill team will notify the Company and fill out a spill report. A representative of the company will report to the Pollution Control Division in Yellowknife.

Important contact information:

• Department of Renewable Resources

Government of the Northwest Territories

Box 1320 Yellowknife, NWT, X1A 2L9

tel: (867) 873-7240 fax: (867) 873-0279

Web: www.gov.nt.ca/

Pollution Control Division:

Hazardous waste disposal and recycling;

Energy management, Energy conservation.

• Water Resources Section, Department of Environment

Government of Yukon

Box 2703, Whitehorse, Yukon, Canada Y1A 2C6

Phone: (867) 667-3171

Toll free (in Yukon): (1-800) 661-0408, local 3171

Fax: (867) 667-3195

E-mail: jessica.garstin@gov.yk.ca

5. Action Plan:

The most likely kind of spill would be a fuel spill. At any one time there would most likely be no more than one barrel of fuel spilled as only one barrel of fuel is used at a time. The spill crew (the drill team) would immediately do what they could to stop the flow, by plugging the hole or righting the fuel drum, and then apply a spill kit to the affected area. The contaminated soil and spill kit would then be transported back to the town of Baker Lake to be properly disposed of.

5