



Water Resources Division
Nunavut Regional Office
Iqaluit, NU
X0A 0H0

NWB File: 2BE-BLU0812
CIDMS #: 633529

Feb 11, 2013

**Re: 2BE-BLU0812 – Cancellation Application - Type B Water License –
Blue Caribou Project – Skybridge Development Corporation**

Please be advised that Aboriginal Affairs and Northern Development Canada (AANDC) have completed a review of the cancellation application for water license # 2BE-BLU0812 submitted by Skybridge Development Corporation. The NWB circulated the cancellation application for comments on Jan 11, 2013. All documents related to the application posted on the NWB ftp site under 2BE-BLU0812 were included in my review (See attached Technical Review Memo).

Should you have any questions or comments, please do not hesitate to contact me at (867) 975-4282 or by email at Ian.Parsons@aandc.gc.ca.

Sincerely,

Original signed by

Ian Parsons
Regional Coordinator

Cc. Murray Ball, Manager of Water Resources – AANDC, Nunavut Regional Office
Erik Allain, Manager of Field Operations – AANDC, Nunavut Regional Office



Technical Review Memorandum

To: Phyllis Beaulieu – Manager of Licensing, Nunavut Water Board

From: Ian Parsons – Regional Coordinator, Indian & Northern Affairs Canada.

**Re: 2BE-BLU0812 – Cancellation Application - Type B Water License –
Blue Caribou Project – Skybridge Development Corporation**

Background

The Blue Caribou Project was located in the Kitikmeot Region of Nunavut 440 km South of Cambridge Bay and 490 km northeast of Yellowknife.

The camp site, at Blue Caribou, consisted of 5 structures. These included tents for sleeping (5), kitchen tent (1), office tent (1) and a dry tent (1) as well as an emergency shelter close to the drill rigs. There was also a fuel cache on site.

Site location coordinates are as follows: 65°13'57"N, 106°37'06"W.

All structures associated with this site have been removed.

Recommendations/Comments

The Department of Aboriginal Affairs and Northern Development Canada, Water Resources Division finds the cancellation application complete and recommends that the above referenced license not be cancelled/ closed until a Water Resource Officer completes a final inspection of the site and provides confirmation that no compliance issues are outstanding with the project.

AANDC could find no record of cancellation fee being paid. AANDC recommends that the Nunavut Water Board verify that the cancellation fee has been received.

Cc. Murray Ball, Manager of Water Resources – AANDC, Nunavut Regional Office
Erik Allain, Manager of Field Operations – AANDC, Nunavut Regional Office