



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓴᓐ ᐃᓚᓕᓴᓐᓐ ᑲᑎᓚᓐᓴᓐ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

NWB File No: 2BE-BRO0607/GA

January 4, 2008

Anne Bordeleau
Field Operations Manager
Diamondex Resources Ltd.
PO Box 11584, 1410-650 W Georgia Street
Vancouver BC Canada V6B 4N8
E-mail: iskwew.tech@gmail.com

Re: Renewal and Amendment to 2BE-BRO0607 – Request to Resubmit Documents

Dear Ms. Bordeleau:

The Nunavut Water Board acknowledges receipt on December 12, 2007 of your application for a renewal/amendment of the above project. The application has undergone a preliminary technical review which has determined the following:

The A&R plan is for a previous company and previous license and needs to be updated accordingly. In addition to the update, the following issues should be addressed in the A&R Plan:

- Include a Table of Contents
- GPS coordinates for previous and proposed camps
- The full Brodeur Peninsula Project boundaries
- Update the time frame for carrying out the decommissioning
- The A&R indicates wooden structures will be incinerated, while the Supplementary Questionnaire states an incinerator has not been purchased yet. Please clarify on how wooden structures will be disposed.
- Final Blackwater Sump A&R should be updated to ensure requirements stated in Part D, Item 5 of the current license are met.

The Spill Contingency Plan should also be updated:

- Include topographic and site maps for the proposed location
- Contact Info for the On-Site Coordinator
- Update contact numbers on pg. 6:
 - o EC 24-hour Emergency Pager Number is 867-766-3737
 - o Contact for INAC is Peter Kusugak at 867-975-4295
- MSDS should be current within 3 years

Please note that the Nunavut Water Board can provide a Water License for a term longer than one year. You may want to re-evaluate the application and extend the term to more than one year but that is entirely up to you.

Once our office has received these documents and they are acceptable, your file will go out for the regular 30 day review.

Sincerely

Original signed by:

Phyllis Beaulieu
Manager of Licensing