Google Groups

140115 2BE-CAN0608 2013 Site Inspection follow up for Canoe Lake Property

me <megan.porter@nwb-oen.ca>

Jan 15, 2014 10:08 AM

Posted in group: Licensing Department

The Nunavut Water Board acknowledges receipt on December 6, 2013 of a 2013 Site Inspection follow up for Canoe Lake Property. Anyone wishing to view the report it can be found on our ftp site at the following

link; ftp://nunavutwaterboard.org/1%20PRUC/2%20MINING%20MILLING/2B/2BE%20-%20Exploration/2BE-

CAN0608%20Strongbow/3%20TECH/0%20SCOPE%20ENFORCE/1%20INSPECTION/ Username: public Password: registry

Regards,



Megan Porter- L△L° >

Licence Administrator Assistant- Administratrice des permis C∆5CCo⁵⁶J^C ∆b₹⁵⁶∩- Laisaliginiqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0

C.P. 119 Gjoa Haven (Nunavut), X0B 1J0

በበናቴቴል 119 ک'د'ه'ک, مدی X0B 1J0

Titigaqaqvia 119 Ughugtung, NU, X0B 1J0

Toll Free / Sans Frais /

¬CO

¬Akiittug: 1 -855 – 521 - 3745

Tel / Téléphone / アペトレウ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / として / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Ameri de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email