File No.: 2BE-CBP1722

July 08, 2019

Fabio Capponi, President 5530 Nunavut Inc. 2205 – 1211 Melville Street Vancouver, BC V6E-0A7 Tara Gunson, Geologist APEX Geoscience Ltd. #110 – 8429 24 Street NW Edmonton, AB T2P 1L3

Email: <u>fcapponi72@gmail.com</u> Email: <u>tgunson@apexgeoscience.com</u>

RE: NWB Technical Review of 2018 Annual Report for the Committee Bay Property;

Water Licence No. 2BE-CBP1722

Dear Mr. Capponi and Ms. Gunson:

The Nunavut Water Board (NWB or Board) has completed a technical review of the 2018 Annual Report provided to the NWB on March 29, 2019. On April 02, 2019, the NWB acknowledged receipt of the 2018 Annual Report and provided it to the Kivalliq and Kitikmeot distribution lists for information. No comments have been received to date.

The Annual Report indicates that no field program was completed during 2018 and accordingly no Water use or Waste deposit occurred in 2018 under Water Licence No. 2BE-CBP1722 (Licence). The technical review of the Annual Report found that the information generally addresses the requirements of the Licence

The NWB notes that the Licensee's letter of January 17, 2019 indicates that updated Spill Management Plan and Closure and Restoration Plan will be submitted to the Board 30 days prior to initiating field activities on the property. The NWB would like to advise that although this approach is not fully aligned with Part H, Item 2 and Part I, Item 2 of the Licence, however this could be acceptable as no any field activities occurred to date on the project area.

Should you have any questions, please feel free to contact the undersigned at (867) 360-6338 (extension 33) or ali.shaikh@nwb-oen.ca, at your earliest convenience.

Sincerely,

Mohammad Ali Shaikh Nunavut Water Board, Technical Advisor

Cc: Distribution List – Kitikmeot and Kivalliq