



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

140908 2BE-CHI1218 Acknowledge Amendment-OMLE

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Mon, Sep 8, 2014 at 8:44 AM

To: David Willis <dave@pdiam.com>

Cc: Karen Kharatyan <karen.kharatyan@nwb-oen.ca>

The Nunavut Water Board acknowledges receipt, on September 3, 2014 of your application for amendment. The file is currently being reviewed for completeness, prior to our 30 day review.

Administrative requirements are a project summary in English and Inuktitut.

Regards,



Phyllis Beaulieu- Δαττ Δαττ

Manager of Licensing- Responsable des Permis

ᐃᑦᓴᓂ ᐅᐸᓕᓂᓄᓐ - Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᓐᓂᓕᓂᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjøa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
၂၀၁၆ ခုနှစ် ၁၁၉

Titigauqvia 119
Uqhuqtung, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans Free / ᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email