



**JET A/A-1 AVIATION TURBINE FUEL**

## 1. Product and company identification

|                                    |                                                                                                                                                           |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product name</b>                | : JET A/A-1 AVIATION TURBINE FUEL                                                                                                                         |
| <b>Synonym</b>                     | : Jet A-1; Jet A-1-DI; Aviation Turbine Kerosene (ATK); JP-8; NATO F-34; Jet F-34; Turbine Fuel, Aviation, Kerosene Type (CAN/CGSB-3.32)                  |
| <b>Code</b>                        | : W213, SAP: 149                                                                                                                                          |
| <b>Material uses</b>               | : Used as aviation turbine fuel. May contain a fuel system icing inhibitor. In the arctic, Jet A-1 may also be used as diesel fuel and heating oil.       |
| <b>Manufacturer</b>                | : PETRO-CANADA<br>P.O. Box 2844<br>150 – 6th Avenue South-West<br>Calgary, Alberta<br>T2P 3E3                                                             |
| <b><u>In case of emergency</u></b> | : Petro-Canada: 403-296-3000<br>Canutec Transportation: 613-996-6666<br>Poison Control Centre: Consult local telephone directory for emergency number(s). |

## 2. Hazards identification

|                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Physical state</b>                          | : Clear liquid.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Odour</b>                                   | : Kerosene-like.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>WHMIS (Canada)</b>                          | :  <br>Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).<br>Class D-2A: Material causing other toxic effects (Very toxic).<br><br><b>The WHMIS classification of Jet A/A-1 is B3.</b><br><b>The WHMIS classification of Jet A/A-1-DI, JP-8, Jet F-34 and NATO F-34, which all contain FSII (Diethylene Glycol Monomethyl Ether), is B3, D2A.</b>                                          |
| <b>OSHA/HCS status</b>                         | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Emergency overview</b>                      | : COMBUSTIBLE LIQUID AND VAPOUR. MAY CAUSE EYE AND SKIN IRRITATION. POSSIBLE BIRTH DEFECT HAZARD - CONTAINS MATERIAL WHICH MAY CAUSE BIRTH DEFECTS, BASED ON ANIMAL DATA.<br><br>Combustible liquid. Slightly irritating to the eyes and skin. Keep away from heat, sparks and flame. Avoid exposure - obtain special instructions before use. Do not breathe vapour or mist. Avoid contact with eyes, skin and clothing. Contains material which may cause birth defects, based on animal data. Avoid exposure during pregnancy. Use only with adequate ventilation. Wash thoroughly after handling. |
| <b>Routes of entry</b>                         | : Dermal contact. Eye contact. Inhalation. Ingestion.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b><u>Potential acute health effects</u></b>   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Inhalation</b>                              | : Inhalation of this product may cause respiratory tract irritation and Central Nervous System (CNS) Depression, symptoms of which may include; weakness, dizziness, slurred speech, drowsiness, unconsciousness and in cases of severe overexposure; coma and death.                                                                                                                                                                                                                                                                                                                                 |
| <b>Ingestion</b>                               | : Ingestion of this product may cause gastro-intestinal irritation. Aspiration of this product may result in severe irritation or burns to the respiratory tract.                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Skin</b>                                    | : Slightly irritating to the skin.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Eyes</b>                                    | : Slightly irritating to the eyes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b><u>Potential chronic health effects</u></b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Chronic effects</b>                         | : No known significant effects or critical hazards.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Carcinogenicity</b>                         | : No known significant effects or critical hazards.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Mutagenicity</b>                            | : No known significant effects or critical hazards.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## 2. Hazards identification

- Teratogenicity** : Contains material which may cause birth defects, based on animal data.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.
- Medical conditions aggravated by over-exposure** : Repeated skin exposure can produce local skin destruction or dermatitis.

See toxicological information (section 11)

## 3. Composition/information on ingredients

| <u>Name</u>                                                                           | <u>CAS number</u> | <u>%</u>   |
|---------------------------------------------------------------------------------------|-------------------|------------|
| Complex mixture of petroleum hydrocarbons (C9-C16)*(Kerosene)                         | 8008-20-6         | 99.9       |
| Fuel System Icing Inhibitor (FSII) (if added**): (Diethylene Glycol Monomethyl Ether) | 111-77-3          | 0.1 - 0.15 |
| Anti-static, antioxidant and metal deactivator additives                              | Not applicable    | <0.1       |

\*Aromatic content is 25% maximum (benzene: nil).

\*\*Please note that Jet A-1-DI, JP-8, Jet F-34 and NATO F-34 all contain Fuel System Icing Inhibitor.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First-aid measures

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
- Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
- Inhalation** : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
- Ingestion** : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
- Notes to physician** : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## 5. Fire-fighting measures

- Flammability of the product** : Class II - combustible liquid (NFPA).
- Extinguishing media**
- Suitable** : Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.
- Not suitable** : Do not use water jet.
- Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Products of combustion** : Carbon oxides (CO, CO<sub>2</sub>), nitrogen oxides (NO<sub>x</sub>), sulphur oxides (SO<sub>x</sub>), smoke and irritating vapours as products of incomplete combustion.

## 5 . Fire-fighting measures

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- Special remarks on fire hazards** : Flammable in presence of open flames, sparks, and heat. Vapours are heavier than air and may travel considerable distance to sources of ignition and flash back. This product can accumulate static charge and ignite. May accumulate in confined spaces.
- Special remarks on explosion hazards** : Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Containers may explode in heat of fire.

## 6 . Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
- Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up**
- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

## 7 . Handling and storage

- Handling** : Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Avoid exposure during pregnancy. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Storage** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. Ensure the storage containers are grounded/bonded.

## 8 . Exposure controls/personal protection

| Ingredient | Exposure limits                                          |
|------------|----------------------------------------------------------|
| Kerosene   | ACGIH TLV (United States).<br>TWA: 200 mg/m <sup>3</sup> |

Consult local authorities for acceptable exposure limits.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

**Engineering measures** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal protection

#### Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: A NIOSH-approved air-purifying respirator with an organic vapour cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air-purifying respirators is limited. Use a positive-pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstances where air-purifying respirators may not provide adequate protection.

#### Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.  
Recommended: polyvinyl alcohol (PVA), Viton. Consult your PPE provider for breakthrough times and the specific glove that is best for you based on your use patterns. It should be realized that eventually any material regardless of their imperviousness, will get permeated by chemicals. Therefore, protective gloves should be regularly checked for wear and tear. At the first signs of hardening and cracks, they should be changed.

#### Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

#### Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9 . Physical and chemical properties

|                                  |                                                                                            |
|----------------------------------|--------------------------------------------------------------------------------------------|
| <b>Physical state</b>            | : Clear liquid.                                                                            |
| <b>Flash point</b>               | : Closed cup: $\geq 38^{\circ}\text{C}$ ( $\geq 100.4^{\circ}\text{F}$ ) [Tag. Closed Cup] |
| <b>Auto-ignition temperature</b> | : $210^{\circ}\text{C}$ ( $410^{\circ}\text{F}$ )                                          |
| <b>Flammable limits</b>          | : Lower: 0.7%<br>Upper: 5%                                                                 |
| <b>Colour</b>                    | : Clear and colourless.                                                                    |

## 9 . Physical and chemical properties

|                                   |                                                                                                    |
|-----------------------------------|----------------------------------------------------------------------------------------------------|
| <b>Odour</b>                      | : Kerosene-like.                                                                                   |
| <b>Odour threshold</b>            | : Not available.                                                                                   |
| <b>pH</b>                         | : Not available.                                                                                   |
| <b>Boiling/condensation point</b> | : 140 to 300°C (284 to 572°F)                                                                      |
| <b>Melting/freezing point</b>     | : Not available.                                                                                   |
| <b>Relative density</b>           | : 0.775 to 0.84 (Water=1)                                                                          |
| <b>Vapour pressure</b>            | : 0.7 kPa (5.25 mm Hg) @ 20°C (68°F).                                                              |
| <b>Vapour density</b>             | : 4.5 [Air = 1]                                                                                    |
| <b>Volatility</b>                 | : Volatile.                                                                                        |
| <b>Evaporation rate</b>           | : Not available.                                                                                   |
| <b>Viscosity</b>                  | : 1.0 - 1.9 cSt @ 40°C (104°F)                                                                     |
| <b>Pour point</b>                 | : <-51°C (<-60°F)                                                                                  |
| <b>Solubility</b>                 | : Insoluble in water. Partially miscible in some alcohols. Miscible with other petroleum solvents. |

## 10 . Stability and reactivity

|                                         |                                                                                                                    |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>Chemical stability</b>               | : The product is stable.                                                                                           |
| <b>Hazardous polymerisation</b>         | : Under normal conditions of storage and use, hazardous polymerisation will not occur.                             |
| <b>Materials to avoid</b>               | : Reactive with oxidising agents, acids and alkalis.                                                               |
| <b>Hazardous decomposition products</b> | : May release COx, NOx, SOx, aldehydes, acids, ketones, smoke and irritating vapours when heated to decomposition. |

## 11 . Toxicological information

### Acute toxicity

| Product/ingredient name            | Result          | Species | Dose                     | Exposure |
|------------------------------------|-----------------|---------|--------------------------|----------|
| Kerosene                           | LD50 Dermal     | Rabbit  | >2000 mg/kg              | -        |
|                                    | LD50 Oral       | Rat     | >5000 mg/kg              | -        |
|                                    | LC50 Inhalation | Rat     | >5000 mg/m <sup>3</sup>  | 4 hours  |
|                                    | Vapour          |         |                          |          |
| Diethylene Glycol Monomethyl Ether | LD50 Dermal     | Rabbit  | >2000 mg/kg              | -        |
|                                    | LD50 Oral       | Rat     | 4000 mg/kg               | -        |
|                                    | LC50 Inhalation | Rat     | >50000 mg/m <sup>3</sup> | 4 hours  |
|                                    | Vapour          |         |                          |          |

**Conclusion/Summary** : Not available.

### Chronic toxicity

**Conclusion/Summary** : Not available.

### Irritation/Corrosion

**Conclusion/Summary** : Not available.

### Sensitiser

**Conclusion/Summary** : Not available.

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Classification

| Product/ingredient name | ACGIH | IARC | EPA | NIOSH | NTP | OSHA |
|-------------------------|-------|------|-----|-------|-----|------|
| Kerosene                | A3    | 3    | -   | -     | -   | -    |

### Mutagenicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

## 11 . Toxicological information

### Reproductive toxicity

**Conclusion/Summary** : Not available.

## 12 . Ecological information

**Environmental effects** : No known significant effects or critical hazards.

### Aquatic ecotoxicity

**Conclusion/Summary** : Not available.

### Biodegradability

**Conclusion/Summary** : Not available.

## 13 . Disposal considerations

**Waste disposal** : The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## 14 . Transport information

| Regulatory information    | UN number      | Proper shipping name           | Classes        | PG* | Label                                                                                 | Additional information |
|---------------------------|----------------|--------------------------------|----------------|-----|---------------------------------------------------------------------------------------|------------------------|
| <b>TDG Classification</b> | UN1863         | FUEL, AVIATION, TURBINE ENGINE | 3              | III |  | -                      |
| <b>DOT Classification</b> | Not available. | Not available.                 | Not available. | -   |                                                                                       | -                      |

PG\* : Packing group

## 15 . Regulatory information

### United States

**HCS Classification** : Combustible liquid

### Canada

**WHMIS (Canada)** : Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).  
Class D-2A: Material causing other toxic effects (Very toxic).

The WHMIS classification of Jet A/A-1 is B3.

The WHMIS classification of Jet A/A-1-DI, JP-8, Jet F-34 and NATO F-34, which all contain FSII (Diethylene Glycol Monomethyl Ether), is B3, D2A.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

### International regulations

**Canada inventory** : All components are listed or exempted.

**United States inventory (TSCA 8b)** : All components are listed or exempted.

**Europe inventory** : All components are listed or exempted.

## 16 . Other information

**Label requirements** : COMBUSTIBLE LIQUID AND VAPOUR. MAY CAUSE EYE AND SKIN IRRITATION. POSSIBLE BIRTH DEFECT HAZARD - CONTAINS MATERIAL WHICH MAY CAUSE BIRTH DEFECTS, BASED ON ANIMAL DATA.

**Hazardous Material Information System (U.S.A.)** :

|                     |   |   |
|---------------------|---|---|
| Health              | * | 2 |
| Flammability        |   | 2 |
| Physical hazards    |   | 0 |
| Personal protection |   | H |

**National Fire Protection Association (U.S.A.)** :



**References** : Available upon request.  
TM/MC Marque de commerce de Petro-Canada - Trademark

**Date of printing** : 11/20/2009.

**Date of issue** : 20 November 2009

**Date of previous issue** : No previous validation.

**Responsible name** : Product Safety - DSR

Indicates information that has changed from previously issued version.

**For Copy of (M)SDS** : Internet: [www.petro-canada.ca/msds](http://www.petro-canada.ca/msds)

Canada-wide: telephone: 1-800-668-0220; fax: 1-800-837-1228

For Product Safety Information: (905) 804-4752

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.