



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓪᓴᓯ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI

NWB File No: 2BE-CNA0608/TR/H1

October 10, 2007

Ms. Nicole Westcott, Land Administrator
Stornoway Diamond Corporation
Suite 860 – 625 Howe Street
Vancouver, BC V6C 2T6
Email: nwestcott@stornowaydiamonds.com

Re: Acknowledgement of *Addendum* for the Spill Contingency Plan for the Central Nunavut Project and Request for Additional Information

Dear Ms. Westcott:

The Nunavut Water Board acknowledges the submission of the *Addendum* for the Spill Contingency Plan of the above project. The *Addendum* is still missing some key information set out in Part H, Item 1 of the license. Could you please submit additional information including:

1. Acknowledge that MSDS sheets are on site and checked for revisions in the last 3 years
2. The On-Site Person in charge should have their name and contact info updated
3. A detailed site map
4. More detail in the steps for containing and cleaning up spills
5. Update the INAC inspector number to 867-975-4295
6. Update the EC 24 hour pager number to 867-766-3737
7. The new Nunavut/NWT Spill Response Form which can be reached from our FTP site
<ftp://nunavutwaterboard.org/ADMINISTRATION/Standardized%20Forms/>

Here is a link to another spill plan that may contain some of the info you require.
<ftp://nunavutwaterboard.org/2BE%20-%20EXPLORATION/2BE-HEE/2007%20Renewal/>

Please call the undersigned at (867) 360-6338 or e-mail dcarr@nunavutwaterboard.org if you have any questions.

Sincerely,

Original signed by:

Don Carr
Hearing Coordinator