Google Groups

140723 2BE-COP---- Tundra Copper Corp - New Type B - Kitikmeot Region - Clarification Drilling-OMLE

me < phyllis.beaulieu@nwb-oen.ca> Posted in group: Licensing Department Jul 23, 2014 1:13 PM

TO ALL PARTIES:

For clarification on the above new application, the applicant, Tundra Copper Corp. has advised that they have no plans to drill on Inuit Owned Land during the 2014 season, however they do plan on receiving authorization to drill on the Crown Land portion of the project area.

Any further clarifications required, please don't hesitate to contact licensing@nwb-oen.ca.

Regards,



Phyllis Beaulieu- & C > C >

Manager of Licensing- Responsable des Permis

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ΔΔCΛΡ' bNLPY - NUNAVUT IMALIRIYIN KATIMAYINGI www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0

C.P. 119 Gjoa Haven (Nunavut), X0B 1J0 በበናዔጭላ 119 ك(ك X0B 1J0 كوم مورة المراكم المراكم

Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / パペトレ(/ Hivayauta: (867) 360-6338 | Fax / Télécopieur / 나나나 / Fax-kut: (867) 360-6369 Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email