



Committee Bay Project

INAC Commercial Lease: 056J/11-1-2, 056J/12-1-2
INAC Land Use Permit: N2014C0002, N2014C0005
Kitikmeot Inuit Association: Land Use Permit KTL314C003
NIRB Project Reference Number: 07EN021
NWB Licence: 2BE-CRA1520

Annual Report 2016

North Country Gold Corp. November 2016

1.0 **TABLE OF CONTENTS**

1.0 2.0			E OF CONTENTSRIBUTION	
	lr	ndigeno	ous and Northern Affairs Canada (INAC)	. 3
3.0)	BACK	GROUND	. 4
4.0)	PROJ	ECT DESCRIPTION	4
4	4.1	Camps		. 7
	4	.1.1	Hayes Camp	7
	-	.1.2	Bullion Camp	
		.1.3	Ingot Camp	
		.1.4	Crater Camp	
•			S	
		.2.1	Three Bluffs drill area and cache	
	-	.2.2	West Plains cache	
			Bluffs gold deposital Prospects	
5.0		_	WORK ACTIVITIES	
;			Exploration Activities	
	_	.1.1 .1.2	RAB and Diamond Drilling	
		.1.2 .1.3	Geological Mapping	
	_	.1.4	Aerial Drone Imagery	
	5	.1.5	Aerial Magnetics Gradiometer and Resolve Survey	
;	5.2	Other V	Vork Activities1	14
		-	Usage1	
			Hiring	
			tation	
6.0		•	USE INSPECTIONS	
			nspections	
		.1.1 .1.2	2016 Inspections – Action Items	
			2016 Inspections – Remedial Actions	
			ssive Reclamation1	
7.0			iR1	
	7.1	Water	Use	18

7.2	2 Water Sampling	19
8.0 9.0	WILDLIFESPILLS	
Lis	st of Tables	
Tabl	le 1: NCGC Permits and Licenses	4
Tabl	le 2: Camps and caches within the Committee Bay Project	5
Tabl	le 3: 2016 RAB and Diamond Drilling Activity	10
Tabl	le 4: Camps Occupation Dates during 2016	15
	le 5: Local Community Hires 2016	
Tabl	le 6: Water usage during 2016 field season	19
Lis	et of Figures	
Figu	ure 1: Committee Bay Project Overview	6
_	ure 2: Committee Bay Project Mineral Occurrences	
Figu	ure 3: 2015 and 2016 Drill Hole Locations	11
Figu	ure 4: Diamond Drill Set Up on Pad	12
Figu	ure 5: Till Sampling Coverage	13
Figu	ure 6: UAV Taking Off	13
Figu	ure 7: Airborne Total Magnetics Intensity	14
<u>Lis</u> t	et of Appendices	
Appe	endix 1: 2016 and 2015 Drill Hole Locations and Dates End	d of Report
Appe	endix 2: 2016 Waste Backhaul Records End	d of Report
Appe	endix 3: 2016 INAC Water License Inspection Report End	d of Report
Appe	endix 4: 2016 Water Usage Logs End	d of Report
Appe	endix 5: 2016 Water Monitoring Results End	d of Report
Appe	endix 6: 2016 Wildlife Logs End	d of Report
Appe	endix 7: 2016 Spill Report End	d of Report

2.0 **DISTRIBUTION**

Organization	Distribution Email
Indigenous and Northern Affairs Canada (INAC)	landsmining@aandc.gc.ca
Environment Canada (EC)	enviroinfo@ec.gc.ca
Government of Nunavut – Department of Environment (GN-DOE)	environment@gov.nu.ca
Kitikmeot Inuit Association (KIA)	landsofficerkia@qiniq.com
Nunavut Impact Review Board (NIRB)	info@nirb.ca
Nunavut Water Board (NWB)	licensing@nunavutwaterboard.org

3.0 BACKGROUND

Auryn Resources Inc. ('Auryn') is a Canadian based junior mineral exploration company focused on the acquisition and development of prospective mineral projects in established mining districts globally. North County Gold Corp. (NCGC) is a wholly own subsidiary of Auryn as of September 25th 2015 and is the 100% owner of The Committee Bay Project (CBP). Auryn's management team is highly experienced with an impressive track record of success in discovery and development, including the advancement of two gold projects located in West Africa and Mexico.

Auryn's exploration strategy for the Committee Bay Project is to identify additional deposits within the Committee Bay Belt via regional grassroots exploration and further drill-testing of previously identified gold prospects. Innovative and cost-effective exploration techniques also form a large part of the exploration strategy for the CBP. A track mounted Rotary-Air-Blast ('RAB') drill is used to this end and to minimize environmental impact.

The CBP is made up of mineral claims and leases located on Crown Land and surface and sub-surface Inuit Owned Lands (IOLs) which are subject to the Nunavut Land Claims Agreement (NLCA). See Table 1 for NCGC permits and licences for advanced exploration activities on the CBP.

Organization	Description	Permit/Licence #
Nunavut Impact Review Board (NIRB)	Project Reference Number	07EN021
Indigenous and Northern Affairs	Land Use Permit (Bullion camp)	N2014C0002
Canada (INAC)	Land Use Permit (Hayes camp)	N2014C0005
Kitikmeot Inuit Association	Land Use Licence for IOL (Ingot/Crater camps)	KTL314C003
Nunavut Water Board (NWB)	Water Licence	2BE-CRA1520
Indigenous and Northern Affairs	Commercial Leases	Lease 065J/11-1-2
Canada (INAC)	Confinercial Leases	Lease 065J/12-1-2

Table 1: NCGC Permits and Licenses

4.0 **PROJECT DESCRIPTION**

A land package of 279 mineral claims and 57 mineral leases currently comprise the CBP. This land package lies within a corridor of greenstone belt originating at Committee Bay continuing for approximately 300 km to the southwest towards Agnico Eagle's Meadowbank Mine, within the Eastern Kitikmeot region of Nunavut Territory. The location and distance to local communities can be seen in Figure 1.

The CBP covers approximately 380,000 hectares and encompasses the Three Bluffs gold deposit, more than five advanced gold targets and a number of significant gold anomalies.

Auryn operates four permitted camp sites, though Crater camp is no longer in use and undergoing reclamation. There are also a number of fuel and equipment caches and drill sites across the CBP. Camp and infrastructure locations are presented in Table 2.

Site	UTM Coordinates (NAD 83)			Latitude	Longitude
Name	Zone	Easting (m)	Northing (m)	D°M'S"	D°M'S"
Hayes Camp	15 N	564,613	7,394,173	66°39'30" N	091°32'11" W
Bullion Camp	15 N	494,850	7,363,850	66°23'39" N	093°06'55" W
Ingot Camp	15 N	516,500	7,386,100	66°35'40" N	092°37'34" W
Crater Camp *	16 N	420,290	7,474,040	67°22'19" N	088°51'24" W
Three Bluffs Drill Area	15 N	569,153	7,392,660	66°38'42" N	091°26'12" W
West Plains Cache	15 N	479,650	7,342,810	66°12'19" N	093°27'02" W

Table 2: Camps and caches within the Committee Bay Project

^{*} Crater camp buildings, fuel and infrastructure have been removed.




Figure 1: Committee Bay Project Overview

4.1 Camps

4.1.1 Hayes Camp

Hayes Camp is centrally located within the Committee Bay Project, 335 km northeast of Baker Lake, 400 km north of Rankin Inlet and 220 km south of Kugaaruk and provides accommodation for up to 100 people. The camp is supported by a 914 m (3,000') graded esker airstrip and a permitted, seasonally prepared 1,585 m (5,200') winter ice airstrip which is constructed on the adjacent Sandspit Lake. Mobile equipment and earthmoving equipment, power generators, a dual chambered incinerator, fuel and oils are stored at Hayes Camp. Quarrying operations occur at Hayes Camp on a seasonal campaign basis.

4.1.2 Bullion Camp

Bullion Camp is a small, 20 to 40 person camp used to support seasonal exploration campaigns in the southern portion of the project. This camp is supported by a short 320 m tundra airstrip, a small generator and a small drummed fuel cache.

4.1.3 Ingot Camp

Ingot Camp may accommodate up to 10 people, and is used to support seasonal exploration campaigns in the central southern portion of the project. This camp is supported by a 230 m tundra airstrip. A small generator and limited quantities of fuel may be stored at this camp when active.

4.1.4 Crater Camp

All buildings, fuel and equipment were removed from the Crater Camp site in 2012 as part of ongoing reclamation activities.

4.2 Caches

4.2.1 Three Bluffs drill area and cache

The Three Bluffs drill area and cache is located approximately 5 km east-southeast of Hayes Camp. This area encompasses the Three Bluffs gold deposit and contains only drill core trays at this time.

4.2.2 West Plains cache

The West Plains cache comprises drilling equipment including drill rods, core trays, drill setup timbers and a survival tent.

4.3 Three Bluffs gold deposit

The Three Bluffs gold deposit is located approximately central to the CBP, 220 km south of Kugaaruk, 235 km west of Repulse Bay and approximately 300 km northeast of Agnico Eagle's Meadowbank Mine.

The Three Bluffs gold deposit mineral resource¹ comprises:

- An indicated mineral resource of 4.316 Mt at an average grade of 4.91 g/t Au (683,000 oz)
- An inferred mineral resource of 5.520 Mt at an average grade of 5.43 g/t Au (965,000 oz)

This includes a high grade subset comprising²:

- An indicated mineral resource of 1.853 Mt at an average grade of 8.42 g/t Au (501,729 oz)
- An inferred mineral resource of 3.354 Mt at an average grade of 7.16 g/t Au (772,179 oz)

Three Bluffs occupies a portion of a much larger scale mineralized structure referred to as the Walker Lake Trend. Work to date has outlined high-grade mineralization along the 4km long Walker Lake Trend with local vertical depths in excess of 500m.

Auryn strongly believes that continued exploration has excellent potential to increase its mineral resources at Three Bluffs. Future exploration work at the Three Bluffs is expected to continue and may include diamond core drilling.

4.4 Regional Prospects

The CBP encompasses a number of other high grade gold targets in addition to the Three Bluffs gold deposit. These prospects include Anuri, Muskox, West Plains, and numerous others (Figure 2). Prospecting, geophysics, and limited drilling have been used along the Committee Bay Greenstone Belt to identify these highly prospective areas.

_

¹ Please see Technical Report on the Three Bluffs Gold Project, Nunavut, Canada, August 20, 2015 filed on www.sedar.com. Resource estimation was completed in accordance with Canadian Institute of Mining, Metallurgy and Petroleum (CIM) Estimation of Mineral Resource and Mineral Reserve Best Practice Guidelines and is reported in accordance with National Instrument 43-101. Mineral resource reported at 1.35 g/t block cut-off grade for material considered amenable to open pit mining and above 2.5 g/t block cut-off grade for material amenable to underground mining.

² Please see <u>www.aurynresources.com</u>




Figure 2: Committee Bay Project Mineral Occurrences

5.0 **2016 WORK ACTIVITIES**

Work conducted during 2016 at the CBP commenced with a spring fuel mobilization in conjunction with site cleanup, backhauling waste material and scrap metal, and the staking of 136 new mineral claims. The 2016 exploration program comprised regional till sampling, an airborne magnetics/EM survey, mapping/prospecting, collection of high resolution imagery via Unmanned Aerial Vehicle (UAV) surveying as well as an extensive drilling program. Site maintenance and remediation efforts are a continual aspect of exploration programs at the CBP. Activities occurred on mineral claims and leases on both crown and Inuit Owned surface lands.

5.1 Mineral Exploration Activities

5.1.1 RAB and Diamond Drilling

Track-mounted RAB drilling was used at the CBP in a continuing effort to reduce drilling cost and environmental impact while providing exceptional sampling coverage of prospective areas identified by an intensive exploration potential analysis. Sixty-two RAB holes totalling 9,947 metres were drilled at the West Plains, Anuri, and Muskox prospects (Figure 3). Diamond drilling was also conducted at Antler and Three Bluffs (Figure 4). No drilling occurred on Inuit Owned Lands ('IOL'). A breakdown of drill coverage is summarized in Table 3 with the drill collar and drill waste locations listed in Appendix 1.

Prospect	# of Holes	Total Metres	# of Holes	Total Metres
	(RAB)	Drilled (RAB)	(Diamond)	Drilled (Diamond)
Muskox	34	5,690.7		
Anuri	7	1,255		
West Plains	21	3,001.3		
Three Bluffs			5	2,799.57
Antler			2	891.54

Table 3: 2016 RAB and Diamond Drilling Activity

The RAB drilling resulted in some very positive findings such as large moderate grade intercepts including 13.71 m at 1.91 g/t gold (Hole 16ARR003). The diamond drilling at Three Bluffs demonstrated the mineralized system extends to depth and remains open representing further potential in the deposit. The diamond drilling also had some very positive intercepts including a 1 m zone at 10.95 g/t gold (Hole 16TB148) and a 23 m zone at 2.5 g/t gold (Hole 16TB147).




Figure 3: 2015 and 2016 Drill Hole Locations



Figure 4: Diamond Drill Set Up on Pad

5.1.2 Till Sampling

An extensive till geochemical sampling program comprising 5,160 samples was performed during the field season in 2016 to identify anomalous zones for further exploration and potential drill targets (Figure 5). The till sampling survey covered a vast region of the property and filled in un-sampled areas between previously known targets. The survey identified 17 new gold anomalies in the till requiring follow up testing in the 2017 field season.

5.1.3 Geological Mapping

A boulder mapping program of ~1,000 line km was also completed during the 2016 field season. A new high grade boulder train was discovered trending north-south parallel to the Anuri structure which was drilled in 2016. The top 5 highest grade samples collected within the boulder train included 45.9 g/t Au, 41.5 g/t Au, 33.3 g/t Au, 14.55 g/t Au, and 12.65 g/t Au.

5.1.4 Aerial Drone Imagery

An aerial drone survey was flown during the 2016 field season to provide high resolution imagery and digital terrain models covering the entire CBP (Figure 6). Approximately 3,500 km² of imagery and digital elevation data was collected at a resolution of approximately 10 cm.




Figure 5: Till Sampling Coverage



Figure 6: UAV Taking Off

5.1.5 Aerial Magnetics Gradiometer and Resolve Survey

The airborne magnetics gradiometer and Resolve survey (electromagnetics) was flown between April 12 and June 12, 2016. A total of 6,584.8 line-km were flown (5,979.3 km of traverse lines at 50 - 200 metre spacing and 605.5 km of tie lines at 500 - 2,000 metre spacing). The results from the survey will be analysed in conjunction with geochemical and geological information to identify high quality targets for future exploration and drilling. The total magnetics results can be seen in Figure 7.




Figure 7: 2016 Airborne Total Magnetic Intensity

5.2 Other Work Activities

Other work activities comprised non-exploration activities that occurred at the CBP during the 2016 field season and include mobilization and waste backhauling, remediation work and new claim staking. The backhauling records are attached in Appendix 2.

Hayes Camp

- Inspection and general maintenance of the camp infrastructure and equipment.
- Hazardous waste products were sorted, consolidated and stored in secondary containment within a covered quonset structure ready for back haul.

- Fuel containment was inspected, repaired, covered and secured.
- The airstrip was re-graded and evaluated for correct drainage and to stay in compliance with 2014 recommendations.
- Erosion control measures were maintained and improved where necessary to reduce erosion and runoff into the lake adjacent to Hayes Camp.
- General camp cleanup and maintenance.
- Waste generated in Bullion Camp during the season was moved to Hayes Camp for incineration and storage for backhaul.
- Water samples taken and tested.
- Backhaul of waste and scrap metal via ship to Quebec.

Three Bluffs Drill Grid

- Fuel containment was inspected and repaired where required.
- Fuel berm sites that had been removed in 2014 were monitored for vegetation regrowth progress.

Bullion Camp

- Inspection of camp and infrastructure was completed.
- Grease trap from kitchen which may have overflowed was inspected and repaired.
- Water samples taken and tested.
- Fuel containment berm was inspected.

Ingot Camp

 Inspection of camp and infrastructure was completed repairs done where necessary.

Crater Camp

Decommissioned site reviewed to make sure reclamation is proceeding

5.3 Camp Usage

Bullion and Hayes camps were used during the 2016 exploration program (Table 4). Exploration activities were based primarily out of Hayes Camp, whereas activity in Bullion camp consisted of limited exploration, maintenance, support of Hayes Camp and addressing action items identified in prior environmental inspection reports.

Camp	Date In	Date Out
Hayes Camp	7 April 2016	31 Aug 2016
Bullion Camp	24 July 2016	17 Aug 2016
Crater Camp	N/A	N/A
Ingot Camp	N/A	N/A

Table 4: Camps Occupation Dates during 2016

5.4 Local Hiring

Auryn hired a total of 17 local workers from 4 surrounding communities to take part in the 2016 CBP field season. The total local payroll expenditure for the program was \$187,950.00 for 690 days of work.

Local Community	Number of Employees	Total Days Work
Gjoa Haven (Kitikmeot)	5	189
Naujaat (Kivalliq)	6	323
Kugaaruk (Kitikmeot)	4	116
Taloyoak (Kitikmeot)	2	62
	17	690

Table 5: Local Community Hires 2016

Auryn considers its work force of local personnel hired from the nearby communities to be an integral part of the success of its exploration. Local knowledge of the land, climate and environment brought to the team by residents of the region factor heavily into all of Auryn's operational decisions.

This year, as in past seasons, local employees were engaged in a number of capacities including camp support managers and assistants, equipment operators, drill helpers, geological technicians, surveyors, core cutters and splitters, incinerator operators, carpenters, mechanics and kitchen helpers. Auryn provides both practical 'on the job' training and certificate based training for local workers.

The company looks forward to recommencing explorations activities at the CBP in 2017 and to the continued hiring and training of a local workforce.

5.5 Consultation

There were a number of community consultations during and before the 2016 field season. A poster developed with the help of the local communities was disseminated to update local communities of the project and to find local hires for the field season.

5.6 Expenditure

Approximately \$5.9 million was expended with northern businesses or the employment of local workers. This accounts for ~49% of the total \$12.2 million in expenditures during the 2016 field season. Northern businesses involved in the 2016 program included:

- Advanced Medical Solutions and Medic North Nunavut
- Arctic Buying Company
- Arctic Tracks Ltd.

- Kissarvik Co-op
- Northern Comm and Nav Systems Ltd.
- Ollerhead & Associates Ltd.

- Aviation Fuel Enterprises
- Baker Lake Contracting & Supplied Ltd.
- Baker Lake Lodge
- Exploration Tents and Arctic Camp
- Great Slave Helicopters
- Ground Truth Exploration

- Ookpik Aviation Inc.
- Nunavut Sealink& Supply Inc.
- Ron's Auto Service Ltd.
- Ryfan Electric
- SK Construction Ltd
- Toromont Arctic
- True Value Hardware

6.0 LAND USE INSPECTIONS

6.1 2016 Inspections

A water licence inspection was performed on the CBP during the 2016 field season by INAC Water Resources Officer Eva Paul. There were a number of points deemed to be in non-compliance with the act or licence to which actions required have been listed. Principal concerns were the drainage and erosion into the lake south of Hayes Camp and the reporting of coordinates of drill sites and their waste, which was not done in the previous year. The inspection is attached as Appendix 3.

6.1.1 2016 Inspections – Action Items

There were a number of actions required as listed in the inspection.

- The grease trap at Bullion Camp was seen to have potentially overflowed and requires monitoring and deficiencies addressed if required.
- RAB drilling dust must be prevented from being blown into nearby water bodies.
- An increased effort must be made to protect vegetated areas around Hayes Camp especially in the gully between camp and the helicopter area.
- Measures need to be put in place to prevent sediment from flowing from Hayes Camp into the lake. This could include rerouting water flow to still vegetated areas.
- 2015 and 2016 drill activity coordinates must be submitted.

6.1.2 2016 Inspections – Remedial Actions

Auryn personnel worked to rectify all issues identified during the inspection as quickly as possible.

The grease trap at Bullion was redesigned in order to prevent overflow. The newly designed grease trap was regularly monitored to ensure it was functioning properly. Absorbent pads were changed out prior to them becoming fully saturated.

Drill dust suppression was used going forward on the RAB drills to decrease windborne material entering nearby water bodies. All drill activity and drill waste locations are attached as required in Appendix 1.

The erosion at Hayes Camp and reduction in vegetation resulted in some sediment deposition in the nearby lake. Walking paths have been demarcated away from vegetated areas and sloping ground, where possible, to reduce further vegetation loss/erosion from foot traffic. The drainage into the lake will require new and improved sediment settling dykes to be put in place both surrounding and within the drainage gully. Silt fences will be put up early in the year before spring melting has a chance to further erode the gully and deposit sediment into the lake. Sandbags will accompany the fences. This will mitigate most of the excess sediment migration. Coconut matting will be placed along the banks leading down to the gully; this will promote natural vegetation growth and act as a sediment baffle preventing erosion and stabilizing the slope. These efforts are expected to prevent further erosion and sediment migration and promote natural vegetation growth to bring the site back to a more natural state.

6.2 Progressive Reclamation

Auryn always attempts to preform exploration programs with minimal environmental impact, progressive reclamation makes up an integral part of minimizing environmental impact. During the course of the 2016 field season, Auryn continued in the following progressive reclamation:

- 1. During the 2014 field season fuel berms at the Three Bluffs Drill Grid were removed and left to re-establish underlying vegetation, monitoring is ongoing.
- 2. The airstrip revegetation is progressing and the drainage of the regraded portion is much better following completion of work in the previous field season.
- 3. Significant backhaul of waste and metal from Hayes Camp to surrounding communities then by ship to Quebec for disposal to reduce waste at site.

7.0 **WATER**

7.1 Water Use

A grand total of 3,094 cubic metres of water was used during the 2016 field season which fell between April 7th and August 31th. The water usage during the 2016 field season was for camp and kitchen use at Hayes Camp, Bullion Camp, and for drilling operations. Table 6 details water usage by month and detailed water usage is in Appendix 4.

	Hayes Camp Total Water Usage (m³)	Bullion Camp Total Water Usage (m³)	Drilling Total Water Usage (m³)
April	25.6		
May	24.3		
June	16.7	82.2	
July	334.2	237.3	1,628
August	275.7		470
Grand Total	676.5	319.5	2,098

Table 6: Water usage during 2016 field season

7.2 Water Sampling

Water samples were taken from Water Monitoring Stations CRA1, CRA2 and CRA3 during the 2016 program and from the Bullion Camp draw point. Water sampling analytical results are listed in Appendix 5.

8.0 **WILDLIFE**

The company inadvertently left the hard copies of the summer season wildlife sightings at Hayes camp. Scanned copies of these will be provided as soon as Hayes camp is reopened in the spring. A limited number of the wildlife sighting logs were scanned and are attached as Appendix 6.

Wildlife observed included:

- A single wolf circling the Hayes camp while traveling from north to south.
- Arctic hare on a ridge ~40 km west of Hayes camp.
- Four caribou two adults and two yearlings walking ~9 km east of Three Bluffs.
- Two wolves and ~100 caribou ~5 km northwest of Hayes Camp walking west.

9.0 **SPILLS**

The single spill during the 2016 field season comprised ~12 L of Methyl Hydrate from a tipped over pail at the Anuri RAB drill site ~50 km west from Hayes Camp. The spill was not near any water and the contaminated soil was scooped up and absorbent pads put down to soak up remaining contaminant. The soil was removed and is being stored in a sealed barrel at the Hayes camp for removal during the spring 2017. The spill was reported to the spill line and a record is kept of all spills of deleterious materials, including those below reportable thresholds, in the form of internal spill report forms. The spill report is attached as Appendix 7.

Appendix 1: 2016 and 2015 Drill Hole Locations and Dates

Appendix 1: 2016 and 2015 Drill Hole Locations and Dates
Appendix 2: 2016 Waste Backhaul Records
Appendix 3: 2016 INAC Water License Inspection Report
Appendix 4: 2016 Water Usage Logs
Appendix 5: 2016 Water Monitoring Results
Appendix 6: 2016 Wildlife Logs
Appendix 7: 2016 Spill Report

Appendix 1 2016 and 2015 Drill Hole Locations and Dates

Drilling Locations and Dates

	Easting_UTM_	Northing_UTM_			
Hole_ID	NAD83Z15N	NAD83Z15N	Drill_Type	Date_Start	Date_Finish
16WPR030	479181	7333376	RAB	28-Jun-16	30-Jun-16
16WPR031	478595	7332453	RAB	30-Jun-16	02-Jul-16
16WPR032	479131	7333408	RAB	30-Jun-16	01-Jul-16
16WPR033	479133	7333410	RAB	01-Jul-16	03-Jul-16
16WPR034	478561	7332495	RAB	02-Jul-16	04-Jul-16
16WPR035	479181	7333380	RAB	03-Jul-16	05-Jul-16
16WPR036	478529	7332537	RAB	04-Jul-16	05-Jul-16
16WPR037	479105	7333219	RAB	05-Jul-16	06-Jul-16
16WPR038	478428	7332460	RAB	05-Jul-16	06-Jul-16
16WPR039	479044	7333242	RAB	06-Jul-16	07-Jul-16
16WPR040	478460	7332417	RAB	06-Jul-16	08-Jul-16
16WPR041	479410	7333894	RAB	07-Jul-16	08-Jul-16
16WPR042	478182	7331535	RAB	08-Jul-16	09-Jul-16
16WPR043	479453	7333857	RAB	08-Jul-16	09-Jul-16
16WPR044	478136	7331575	RAB	09-Jul-16	10-Jul-16
16WPR045	479345	7333804	RAB	09-Jul-16	10-Jul-16
16WPR046	479561	7334254	RAB	10-Jul-16	12-Jul-16
16WPR047	479498	7334064	RAB	10-Jul-16	11-Jul-16
16WPR048	479302	7333707	RAB	12-Jul-16	13-Jul-16
16WPR049	479677	7334421	RAB	13-Jul-16	15-Jul-16
16WPR050	479728	7334622	RAB	15-Jul-16	16-Jul-16
16ARR001	521402	7371400	RAB	13-Jul-16	14-Jul-16
16ARR002	521560	7370992	RAB	15-Jul-16	17-Jul-16
16ARR003	521619	7370814	RAB	18-Jul-16	19-Jul-16
16ARR004	521251	7370963	RAB	18-Jul-16	19-Jul-16
16ARR005	521332	7371040	RAB	19-Jul-16	20-Jul-16
16ARR006	521646	7370708	RAB	20-Jul-16	22-Jul-16
16ARR007	521912	7370767	RAB	20-Jul-16	22-Jul-16
16ARR008	521663	7370624	RAB	22-Jul-16	24-Jul-16
16ARR009	521978	7370832	RAB	23-Jul-16	24-Jul-16
16ARR010	522763	7370733	RAB	25-Jul-16	27-Jul-16
16ARR011	522046	7370903	RAB	24-Jul-16	25-Jul-16
16ARR012	521891	7370671	RAB	26-Jul-16	27-Jul-16
16ARR013	522770	7370803	RAB	27-Jul-16	29-Jul-16
16ARR014	523067	7370645	RAB	27-Jul-16	29-Jul-16
16ARR015	522774	7370873	RAB	29-Jul-16	31-Jul-16
16ARR016	523104	7370742	RAB	29-Jul-16	31-Jul-16
16ARR017	522793	7370938	RAB	31-Jul-16	02-Aug-16

Drilling Locations and Dates

	Easting_UTM_	Northing_UTM_			
Hole_ID	NAD83Z15N	NAD83Z15N	Drill_Type	Date_Start	Date_Finish
16ARR018	522235	7370956	RAB	01-Aug-16	02-Aug-16
16ARR019	522228	7370867	RAB	02-Aug-16	05-Aug-16
16ARR020	523627	7370603	RAB	02-Aug-16	05-Aug-16
16ARR021	523671	7370659	RAB	06-Aug-16	08-Aug-16
16ARR022	521847	7370912	RAB	06-Aug-16	08-Aug-16
16ARR023	522825	7371193	RAB	08-Aug-16	09-Aug-16
16ARR024	521922	7370972	RAB	08-Aug-16	10-Aug-16
16ARR025	522829	7371120	RAB	09-Aug-16	10-Aug-16
16ARR026	523024	7370952	RAB	11-Aug-16	12-Aug-16
16ARR027	521465	7371131	RAB	11-Aug-16	12-Aug-16
16ARR028	523020	7371039	RAB	12-Aug-16	13-Aug-16
16ARR029	521393	7371219	RAB	12-Aug-16	13-Aug-16
16ARR030	521986	7370523	RAB	13-Aug-16	15-Aug-16
16ARR031	522025	7370598	RAB	14-Aug-16	15-Aug-16
16ARR032	521194	7370666	RAB	15-Aug-16	19-Aug-16
16ARR033	521194	7370769	RAB	19-Aug-16	21-Aug-16
16ARR034	522159	7370534	RAB	21-Aug-16	24-Aug-16
16MXR001	522688	7373603	RAB	16-Aug-16	17-Aug-16
16MXR002	522779	7373562	RAB	19-Aug-16	20-Aug-16
16MXR003	522866	7373507	RAB	20-Aug-16	22-Aug-16
16MXR004	523007	7374925	RAB	22-Aug-16	26-Aug-16
16MXR005	522427	7373323	RAB	24-Aug-16	26-Aug-16
16MXR006	523082	7374886	RAB	26-Aug-16	28-Aug-16
16MXR007	522445	7373238	RAB	28-Aug-16	30-Aug-16
16AN043	567421	7391591	Diamond	10-Jul-16	14-Jul-16
16AN044	568078	7391928	Diamond	12-Jul-16	18-Jul-16
16TE001	570602	7393194	Diamond	15-Jul-16	24-Jul-16
16TB146	569419	7392425	Diamond	19-Jul-16	21-Jul-16
16TB147	569587	7392453	Diamond	22-Jul-16	28-Jul-16
16TB148	570580	7392805	Diamond	25-Jul-16	01-Aug-16
16TB149	570112	7393107	Diamond	28-Jul-16	07-Aug-16

Drilling Locations and Dates

	Easting_UTM_	Northing_UTM_			
Hole_ID	NAD83Z15N	NAD83Z15N	Drill_Type	Date_Start	Date_Finish
15FHR001	497805	7379152	RAB	13/08/2015	13/08/2015
15FHR002	497804	7379197	RAB	14/08/2015	14/08/2015
15FHR003	496558	7379929	RAB	14/08/2015	14/08/2015
15FHR004	496602	7379957	RAB	14/08/2015	15/08/2015
15WPR001	479180	7333374	RAB	11/07/2015	11/07/2015
15WPR002	479466	7332182	RAB	12/07/2015	12/07/2015
15WPR003	479517	7332158	RAB	13/07/2015	13/07/2015
15WPR004	479569	7332131	RAB	14/07/2015	14/07/2015
15WPR005	479738	7332358	RAB	15/07/2015	16/07/2015
15WPR006	479785	7332321	RAB	16/07/2015	17/07/2015
15WPR007	479832	7332285	RAB	18/07/2015	18/07/2015
15WPR008	479875	7332249	RAB	18/07/2015	18/07/2015
15WPR009	475144	7330161	RAB	19/07/2015	19/07/2015
15WPR010	475147	7330155	RAB	20/07/2015	20/07/2015
15WPR011	475087	7330202	RAB	20/07/2015	20/07/2015
15WPR012	474952	7330295	RAB	24/07/2015	25/07/2015
15WPR013	474911	7330326	RAB	25/07/2015	25/07/2015
15WPR014	474852	7330369	RAB	26/07/2015	26/07/2015
15WPR015	479116	7333244	RAB	27/07/2015	28/07/2015
15WPR016	479827	7334691	RAB	28/07/2015	28/07/2015
15WPR017	479797	7334704	RAB	29/07/2015	29/07/2015
15WPR018	479882	7334768	RAB	31/07/2015	31/07/2015
15WPR019	479863	7334551	RAB	31/07/2015	01/08/2015
15WPR020	479823	7334573	RAB	01/08/2015	02/08/2015
15WPR021	479860	7334609	RAB	02/08/2015	03/08/2015
15WPR022	479762	7334489	RAB	03/08/2015	04/08/2015
15WPR023	479712	7334402	RAB	08/04/2015	08/04/2015
15WPR024	479925	7334874	RAB	05/08/2015	06/08/2015
15WPR025	479925	7334874	RAB	06/08/2015	06/08/2015
15WPR026	479867	7334826	RAB	07/08/2015	07/08/2015
15WPR027	479176	7333343	RAB	07/08/2015	08/08/2015
15WPR028	481238	7338574	RAB	11/08/2015	11/08/2015
15WPR029	481192	7338600	RAB	12/08/2015	12/08/2015

Appendix 2 2016 Waste Backhaul Records

Backhaul Inventory - Baker Lake - 26 Sept 2016

Shipped to Valleyfield: Coteau Metal Inc, 601, rue Leger, Riviere-Beaudette, Quebec, J0P 1R0, Isabelle Gosselin

Palette Count	Palette Dimension (m)	Items	Comments				
115	1.22 by 1.22 by 1.5	Crushed empty Jet A/B, P50 and Gasoline drums	Av 22 per palette: 115 * 22 = 2530 drums				
12	1.22 by 1.22 by 1.05	Scrap metal in 4 drums per palette with plastic lids	48 drums				
1	1.6 by 1.38 by 1.62	Old incinerator					
		2 chest freezers with doors					
		3 Herman Nelson heaters					
		1 bathroom water heater					
10	2.45 to 1.22 by 1.22 by 1.33	blue plastic bin filled with scrap metal					
		4 coils stoves					
		1 pickup tailgate					
		3 skimmers (sleds)					
/ 138	TOTAL		-				

SHIPPING DOCUMENT									
Consignor (Shipper) Name: Philo Schoeman – NCG Corp. Address: 600-1199 West Hastings Street Vancouver, BC V6E 3T5	Consignee (Destination) Name: hold for pickup by Coteau Metal Inc. Address: 601, rue Leger Riviere-Beaudette, Quebec, J0P 1R0								
DATE: 21 Sept 2016	Point of Origin: Baker Lake								
Name of Carrier: NEAS M/V Umiavut Transport unit #:	Shipping Document #: 1497-16-VAL(BAK)								

REGULATED DANGEROUS GOODS

24-HOUR NUMBER:	(Only if applicable)
1-780 667 2310: Philo Schoeman	ERAP reference #:
	ERAP telephone number:

UN number	Shipping name (If applicable, Technical Name)	Primary Class	Subsidiary Class	Packing Group	Toxic by inhalation (SP 23)	Total Quantity (kg or L)	Number of packages requiring labels
1202	Diesel Fuel	3		3	None	290 L	7 flat racks (8 pal per flat rack)
1203	Gasoline	3		2	None	5 L	1 palette
1863	Fuel, Aviation, Turbine Engine	3		3	None	290 L	7 flat racks (8 pal per flat rack)

I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, are properly classified and packaged, have dangerous goods safety marks properly affixed or displayed on them, and are in all respects in proper condition for transport according to the *Transportation of Dangerous Goods Regulations*.

Shipper's name (please print)



Marine Transportation Contract No. 16-0592

This marine transportation contract is not a bill of lading and no bill of lading will be issued. (Cl. 18)

1. Freight payable by (Cl.1g):	Care of :	2. Ship to (Cls.1g,33):
North Country Gold Corp.		N.C.G C/O OOKPIK AVIATION
600-1199 West Hastings street		Baker Lake, NU X0C 0A0
Vancouver, BC V6E 3T5		Canada
Canada		
	-	

Purchase order #

Booking Numbers to use to identify your cargo

1497-16-BAK | 1497-16-VAL(BAK) | 1497-16-VAL(RAN)

3. Vessel (CI.19): To be determined

(CI.19)	4. Port or Place of Loading (Cls.3,7,19)	5. Destination (Cls.7,19,33)		7. Description of Cargo Carrier reserves the right to carry Cargo on deck. (CI.32)	Volume (m³)	RT or lump sum	*6. Del. from/to site		l l	Premium (\$) /	** 9. Premium (\$) / \$100 insured
2	BAK	VAL		DG Cargo (drums of fuel) empty & crushed	281.10	267.54	No	No			
3	RAN	VAL		DG Cargo (drums of fuel) empty & crushed	142.50	267.54	No	No	Anna da cara cara cara cara cara cara cara		
2	VAL	BAK	500.00	DG Cargo (drums of fuel)	905.00	411.60	No	Yes	547,725	12.00	

Other fees

Description	Cost (\$)
•	

Examples: Deviation (tbd); Rental of container (Cl.6); Fuel fees (Cl.36); Marine services fee (Cl.38); Container demurrage charges (Cls.1b,6,8,9); Vessel demurrage charges (Cls.1c,7,12); Deadfreight (Cl.1c,16); Special agreement (Cl.15); Interest charges (Cl.37)

Heat services not available - any damage caused by frost and/or freezing shall be at the Merchant's entire risk. (Cl.25e)

*6. Delivery from/to site: Inland transportation (Cls. 5, 31)

If the box indicates "Yes", the Merchant requires from NEAS that the cargo be transported between the high water mark and the inland site(s) of the relevant community. The distance between the high water mark and the site(s) shall not exceed one (1) kilometre.

Version: June 2016 1 of 2



Marine Transportation Contract No. 16-0592

If the Merchant does not require the service at the signature and change its mind, the rate for this service is the same as mentioned below.

The rate is \$ 64.85 per metric ton of 1,000 kilograms of gross weight or per 2.5 cubic meters, whichever produces the highest revenue per piece, unless if it is a lump sum - minimum \$ 84.32

Should the Merchant require pick-up and/or delivery services to or from (as the case may be) more than two (2) sites per community, an extra cost of \$1,200.00 per site shall be applicable in addition to the rate shown above.

**9. Insurance (Cl. 35):

If this box indicates " No ", the Merchant acknowledges that it has refused the cargo marine insurance proposed by NEAS.

Container demurrage charges - Northbound, Lateral or Retrograde carriage (Cls. 1b and 9)

\$200 per container if the container is not returned on the same vessel but returned on a NEAS vessel during the Arctic Navigation Season covered by this contract.

per container in addition to the \$200 per container mentioned above, if the container is not returned on the last NEAS vessel of the Arctic Navigation season following the Arctic Navigation season covered by this contract.

Container demurrage shall not end and will continue to apply during the Arctic Navigation Seasons until such time as the next NEAS vessel calls at the community to effect cargo operations following the availability of the empty container in readiness to be returned.

The Merchant must advise NEAS' Montreal office in writing as soon as the empty container becomes available for its return.

Maximum Liability (CI.25):

Unless insurance is purchased, maximum liability of Carrier is of \$2,600 per package or unit, or where the cargo is a motor vehicle, \$3.50 per kilogram of the motor vehicle lost or damaged up to the lesser of the amount of damage, the value of the motor vehicle or \$70,000.

Terms and conditions of this Marine Transportation Contract are available at www.neas.ca. The Merchant acknowledges with its signature that it has taken cognizance of the terms and conditions of this Marine Transportation Contract and that it understands the scope and consequences of the obligations provided herein.

Should any amendment need to be made by the Merchant to the booking information, the Merchant agrees to complete an Amended Request for Space Reservation form to that effect and recognizes that it will continue to be bound by the terms and conditions of the Marine Transportation Contract available at www.neas.ca.

Date	Signature of Merchant (Cl.1g)	Signature of Carrier (Cl.1h)	Date
		Stéphanie Barnaud for:	August 25th 2016
		NEAS Inc.	

Version: June 2016 2 of 2



N° REÇU PROVISOIRE

,	BOOKING NOTEMPORARY RECEIPT NO													
	OGRADE	1	PORT DE CHARGEI	MENT BCK	er lak	'e		DATE / DATE N° VOYAGE / TRIP NO.					2016	
LATÉRAL LATERAL UNLOADING PORT NAVIRE / SHIP										T				
transport	ée et dont il est	fait réfé	érence au présent i	ct to the terms and conditions of the cont				Marchand Merchant _	North	Cour	try G	old Co	orp.	
Les marc	handises transp	ortées	hich is referred to a en pontée le sont a ne so at the Mercha	aux risques du Marchand.			(Bo	hilo So	1497-	16- VA				
No	COLIS	QTÉ		DESCRIPTION	1 4 - 75 6	MENSIONS	POIDS		NTENEUR / C	,	R	TRANS	PORT	N° LIV.
PA	ACK NO.	QTY		DESORII FION	Control of the Control	X WIDTH X HEIGHT X LARGEUR X HAUTEUR	WEIGHT KG / LB	N°	/ NO.	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
104	119(1)	1	1-Pc1	(crushed drums)	1,324	1,20x 1,50		Neas	890					
	(2)	1	11	11	10	ŧ,		Negs	890					
	(3)	1	21	11	E.	l)		11	890					
	(4)	1	11	11	11	13		11	890					
	(5)	1]1	11	11	11	H	218						
	(6)	1	11	1\	11	10		3/	218					
	(7)	1	1\	N	- 11	h		11	218					
	(8)	1	11	N	11	B		11	917					
	(9)	1	H	11	11	l)		N	917					
	(10)	1	1)	H	11	11		H	917					
	(11)	1	11	11	h	łj		Н	917					
, V	(12)	1	11	II.	11	i _l		11	2068					
CHAI	CHARGEMENT / LOADING REMARQUI					STINATION)				DÉCHA Latéral reçu	le	T / UNLOA	DING	
Représe	entant Marchand	/ Merch	ant Representative	601 R	ue Lea					-				
		-		EMAN RIVIER		udette, Qc.	JOP IR	0						
8	=	ren	ca's Box	JnQ .		, , ,				Heprésentan	nt Marchand / /	Merchant Repres	sentative	
Représe	entant Transporte	ur / Carr	ier Representative											
												/ Carrier Repres	sentative	
BRAULT 190	079 (REV 05/12)			Blanche-White = TERM	IINAL MARITI	ME - Jaune-Yellow =	<i>= CLIENT / CUS</i>	STOMER - Ro	se-Pink = NAV	IRE / VESSI	EL			



ESPACE RÉSERVÉ À L'INFORMATIQUE / SPACE RESERI	VED FOR	DATA	PROCESSING
--	---------	------	------------

N° RECU PROVISOIRE

	BOOKING NO													
RÉTROGRADE RETROGRADE PORT DE CHARGEMENT LOADING PORT BAKELAKE									DATE / DATE N° VOYAGE / TRIP NO. U 02-2016					016
LATÉRAL LATERAL UNLOADING PORT NAVIRE / SHIP									UHIAVI	Л				
transportée e	et dont il est f	ait réfé	nformément et sujet aux termes et co rence au présent reçu. uant to and subject to the terms and co					Marchano Merchani		COUN	In 1 60	1d G	orio	
to the cargo	to be carried	<i>and wh</i> irtées e	ich is referred to herein. n pontée le sont aux risques du March e so at the Merchant's risks.			T _o	Boot		1497-16-	-	BAK)			
N° C	OLIS	QTÉ	DESCRIPTION			MENSIONS	POIDS	C	ONTENEUR / CO	ONTAINE	R	TRANS	SPORT	N° LIV.
PAC	K NO.	QTY	DESCRIPTION			X WIDTH X HEIGHT CLARGEUR X HAUTEUR	WEIGHT KG / LB	N	N° / NO.	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
10419	1(13)	1	1-Pal (ccrushed	drums)	1,22	x1,22×1,58		Negs	2068					
	(14)	1			11	11	<u></u>	1)	adale					
	(15)	1			11	- 11		1	35/3/6					
	(16)	1			Н	11		11	534					
	(17))			11	ł(14	3517					
	(18)	1			11	+1		H	2517					
	(19)	1			11	11		11	2517					
	(20)	}			1(1 (11	524					
	(21)	1			11	11		H	2426					
	(20)	1			11	11		11	2426					
	(23)	1			- 11	11)1	2426					
V	247)	•		1,	11		11	2068					
	,													
CHARG	EMENT /	LOA	DING	REMARQUE		KS WELLET OF	١٢)			STATE OF THE PARTY	RGEMEN	T / UNLO	ADING	
×	Ah	1		2000	(de)		Vironnae	stat		Latéral reçu le Lateral received on				
Représentar	nt Marchand /	Mercha	nt Representative		99	Viero-Bear	sdette . O	· Jo	PIRO					
							-/	, -		Représentar	nt Marchand /	Merchant Reni	resentative	
8	4		Puch 1							. iopi soonaa		oromani riopi	Committe	
Représentan	nt Transporteur	/ Carri	er Representative											
										Représentant Transporteur / Carrier Representative				
BRAULT 19079 (I	REV 05/12)		Blanche	-White = TERM	IINAL MARITI	ME - Jaune-Yellow	= CLIENT / CUS	STOMER -	Rose-Pink = NAVII	RE / VESS	EL			



ESPACE RÉSERVÉ À L'INFORMATIQUE I SPACE RESERVED FOR DATA PROCESSING					
RÉSERVATION	N° REÇU PROVISOIRE				
OKING NO.	TEMPORARY RECEIPT NO.				

RÉTROGRADE RETROGRADE	PORT DE CHARGEMENT LOADING PORT	BakerLake	DATE / DATE	N° VOYAGE / TRIP NO.
LATÉRAL <i>LATERAL</i>	PORT DE DÉCHARGEMENT UNLOADING PORT	Valley Field	NAVIRE / SHIP	

Ce reçu de cargaison est émis conformément et sujet aux termes et conditions du contrat de transport applicable à la cargaison à être transportée et dont il est fait référence au présent reçu.

This cargo receipt is issued pursuant to and subject to the terms and conditions of the contract of contract of carriage applicable to the cargo to be carried and which is referred to herein.

Les marchandises transportées en pontée le sont aux risques du Marchand. Cargoes carried on deck are done so at the Merchant's risks.

Marchand Merchant	North	Count	ry Gol	d Corp
(Booking H	1497-16	-VAL	LBAK!)

1	N° COLIS	QTÉ	DESCRIPTION	DIMENSIONS	POIDS WEIGHT KG / LB		TRAN	SPORT	N° LIV.	
	PACK NO.	QTY	DESCRIPTION	LENGHT X WIDTH X HEIGHT LONGUEUR X LARGEUR X HAUTEUR		N° / <i>NO.</i>	PLEIN VIC	E SITE-PLAGE TY SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
1	419 (25)	1	1-Pal (crushed druns)	122×1122×1,50		Neas 218				
L	1 (26))				11 2068				
	(27))				11 2612				
	(28)	1				11 2612				
	(24))				11 2612				
	(30)	1				11 2550				
Γ	(31)	1				11 2517				
	(32)	1				11 1521				
	(33)	1				11 1521				
	(34)	1				11 1521				
	(35)	}				11 1521				
Γ	(36)	1	V	V		11 2513				

CHARGEMENT / LOADING	REMARQUES / REMARKS	DÉCHARGEMENT / UNLOADING
× MM	Ship to: Cotew Metal Inc	Latéral reçu le Lateral received on
Représentant Marchand / Merchant Representative	Riviero-Beaudette, Oc, TOP	
Représentant Transporteur / Carrier Representative		Représentant Marchand / Merchant Representative
		Représentant Transporteur / Carrier Representative

REÇU DE CARGAISON / CARGO RECEIPT

572



ESPACE RÉSERVÉ À L'INFORMATIQUE / SPACE RESERVED FOR DATA PROCESSING				
N° RÉSERVATION BOOKING NO.	N° REÇU PROVISOIRE TEMPORARY RECEIPT NO.			

RÉTROGRADE RETROGRADE	1 1 1	PORT DE CHARGEMENT LOADING PORT	BAK	DATE / DATE 25 / 09 / 2016	N° VOYAGE / TRIP NO.
LATÉRAL <i>LATERAL</i>		PORT DE DÉCHARGEMENT UNLOADING PORT	VAL	NAVIRE / SHIP UHIAVUT	
Co roou do cargaigo	a net ámic ec	onformáment et quiet eux teri	mon et conditione du contrat de transport applicable à la corganism à être		

Ce reçu de cargaison est émis conformément et sujet aux termes et conditions du contrat de transport applicable à la cargaison à être transportée et dont il est fait référence au présent reçu.

This cargo receipt is issued pursuant to and subject to the terms and conditions of the contract of contract of carriage applicable to the cargo to be carried and which is referred to herein.

Les marchandises transportées en pontée le sont aux risques du Marchand.

Marchand Merchant	North	Country	Gold	(orp	
Booking	# 1497	-16-VAL	_BAK)	,	

N° COLIS	JULIO TUIE		POIDS		ONTAINER	3	TRANSPORT		N° LIV.	
PACK NO.	QTY	DESCRIPTION	LENGHT X WIDTH X HEIGHT LONGUEUR X LARGEUR X HAUTEUR	WEIGHT KG / LB	N° / <i>NO.</i>	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
10419(37)	1	1-PAL (Crushed druns)	1,23×1,23×1,50		NEAS 2513					
(38)	1				2513					
(39)	1				524					
(40)	1				2550					
(41)	1				2513					
(42)	1				2550					
(43)	1				2612					
(44)	1				2550					
(45)	1				2418					
(2/6)	1				2418		1			
(47)	1	1			2418					
(48)	1	V	- V		V 2728					

CHARGEMENT / LOADING	Ship to: Cotcas Metal Inc	DÉCHARGEMENT / UNLOADING Latéral reçu le Lateral received on
Représentant Marchand / Merchant Representative		
Représentant Transporteur / Carrier Representative		Représentant Marchand / Merchant Representative
		Représentant Transporteur / Carrier Representative

BRAULT 19079 (REV 05/12)

REÇU DE CARGAISON / CARGO RECEIPT

573



ESPACE RÉSERVÉ À L'INFORMATIQUE / SPACE RESERVED FOR DATA PROCESSING					
N° RÉSERVATION BOOKING NO.	N° REÇU PROVISOIRE TEMPORARY RECEIPT NO.				

RÉTROGRADE RETROGRADE	PORT DE CHARGEMENT LOADING PORT	BAK	DATE / DATE 25 Sept. 2016	N° VOYAGE / TRIP NO.
LATÉRAL LATERAL	PORT DE DÉCHARGEMENT UNLOADING PORT	VAL	NAVIRE / SHIP	

Ce reçu de cargaison est émis conformément et sujet aux termes et conditions du contrat de transport applicable à la cargaison à être transportée et dont il est fait référence au présent reçu.

This cargo receipt is issued pursuant to and subject to the terms and conditions of the contract of contract of carriage applicable to the cargo to be carried and which is referred to herein.

Les marchandises transportées en pontée le sont aux risques du Marchand. Cargoes carried on deck are done so at the Merchant's risks.

Marchand North Country Gold Corp Booking # 1497-16-VAL (BAK)

N° COLIS	QTÉ	DESCRIPTION	DIMENSIONS	POIDS	CONTENEUR / CONTAINER			TRANSPORT		N° LIV.
PACK NO.	QTY		LENGHT X WIDTH X HEIGHT LONGUEUR X LARGEUR X HAUTEUR	WEIGHT KG / LB	N° / <i>NO.</i>	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
10419 (49)	1	1-PAL (crushed druns)	1,22×1,22×1,50		NEAS 2669					
(50)	1				8676					
(51)	1				2454					
(52)	1				2454					
(53)	1				948					
(54)	1				2722					
(55)	1				948					
(56)	1				2754					
(57)	1				2418					
(5e)	1				2736					
659	1				2385					
(60)	1	V	V V		¥ 2454					

CHARGEMENT / LOADING	REMARQUES / REMARKS	DÉCHARGEMENT / UNLOADING			
& MM	Ship to: CoTenu Metal INC	Latéral reçu le Lateral received on			
Représentant Marchand / Merchant Representative					
2/		Représentant Marchand / Merchant Representative			
O F. Bakhard					
Représentant Transporteur / Carrier Representative					
		Représentant Transporteur / Carrier Representative			



ESPACE RÉSERVÉ À L'INFORMATIQUE / SPACE RESERVED FOR DATA PROCESSING							
N° RÉSERVATION BOOKING NO.		N° REÇU PROVISOIRE TEMPORARY RECEIPT NO.					

RÉTROGRADE RETROGRADE	PORT DE CHARGEMENT LOADING PORT	BAK	DATE / DATE 25 Sept- 2016	N° VOYAGE / TRIP NO.
LATÉRAL <i>LATERAL</i>	PORT DE DÉCHARGEMENT UNLOADING PORT	VAL	NAVIRE / SHIP	

Ce reçu de cargaison est émis conformément et sujet aux termes et conditions du contrat de transport applicable à la cargaison à être transportée et dont il est fait référence au présent reçu.

This cargo receipt is issued pursuant to and subject to the terms and conditions of the contract of contract of carriage applicable

to the cargo to be carried and which is referred to herein.

Les marchandises transportées en pontée le sont aux risques du Marchand. Cargoes carried on deck are done so at the Merchant's risks

1			DESCRIPTION	DIMENSIONS	POIDS	CONTENEUR / CONTAINER			TRANSPORT		N° LIV.	
	PACK NO.	QTY		LENGHT X WIDTH X HEIGHT LONGUEUR X LARGEUR X HAUTEUR	WEIGHT KG / LB		N° / <i>NO.</i>	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
10	419(61)	1	1-Pal (crushed drums)	1,22×1,22×1,50		NE	AS 948					
	(62)	1					948					
	1 (63)	1					2385					
	1 (64)	1					2385					
	(65)	1					2385					
Г	(66)	1					2664					
	(4)	1					2664					
	(68)	1					2556					
	[695	1				1	2732					
	(70)	1		708			2736					
	(71)	١					2728					
	V (72)	1	V V	V		Y	1635					

CHARGEMENT / LOADING	Ship to: Cotew Metal Tre	DÉCHARGEMENT / UNLOADING Latéral reçu le Lateral received on			
Représentant Marchand / Merchant Representative					
8 F. Barchard		Représentant Marchand / Merchant Representative			
Représentant Transporteur / Carrier Representative					
		Représentant Transporteur / Carrier Representative			

REÇU DE CARGAISON / CARGO RECEIPT

575



	ESPACE RÉSERVÉ À L'INFORMATIQUE / SPACE RESERVED FOR DATA PROCESSING	
SERVATION	N° REÇU PROVISOIRE	

1EAS		all	BOOKING NO.						TEMPORARY					· · · · · · · · · · · · · · · · · · ·
RÉTROGRADE RETROGRADE	Z,	PORT DE CHARGEM LOADING PORT	ENT	Bi	AK	***		DATE / E	25/09/	2016		N° VOYAGE /	TRIP NO.	16
LATÉRAL LATERAL	3	PORT DE DÉCHARGI UNLOADING PORT	EMENT		AL			NAVIRE /	UMIA/L	T				
ce reçu de cargaison est ransportée et dont il est l'his cargo receipt is issu o the cargo to be carried es marchandises trans l'argoes carried on deck	fait réfé ned purs d and wo portées	érence au présent re suant to and subject hich is referred to he en pontée le sont au	co. to the terms and conc erein. ex risques du Marchan	ditions of the contra			Book	Mer	chand North + 1497 - 16-	COUN	try (BAK)	oold (orp.	
N° COLIS	QTÉ		DECODIDATION			NSIONS	POIDS		CONTENEUR / CO	ONTAINE	?	TRANS	PORT	N° LIV.
PACK NO.	QTY		DESCRIPTION			VIDTH X HEIGHT ARGEUR X HAUTEUR	WEIGHT KG / LB		N° / <i>NO.</i>	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH		DEL. NO.
10419(73)	1	1-PALLC	rushed di	runs)	1,2241,	22×1,50		NE	EAS 1635					
(74)	1			~					2669					
(75)	1						-		2172					
(76)	1								. 2730					
(37)	1								2788					
(78)	1								1635					
(79)	1						9		2175					
(80)	1								2669					
(81)	1								2788					
(63)	1	40							2722					
(83)	1								2732				*	- 4
V (84)	1	V	¥		V	4		1	12721					
()														
CHARGEMENT	LOA	DING			/ REMARKS	Netal]	-MC		-	DÉCHAF Latéral reçu l Lateral receiv	е	T / UNLO	ADING	

Représentant Marchand / Merchant Representative

Représentant Transporteur Carrier Representative

Représentant Transporteur Carrier Representative

Représentant Transporteur Carrier Representative

BRAULT 19079 (REV 05/12)

Blanche-White = TERMINAL MARITIME - Jaune-Yellow = CLIENT / CUSTOMER - Rose-Pink = NAVIRE / VESSEL



ESPACE RÉSERVÉ À	L'INFORMATIONE /	SPACE RESERVED	FOR DATA	PROCESSING
ESTAGE DESERVE A	L INCUDINALIUUE /	STAGE DESERVED	FUN DATA	rnuceaainu

NEAS	AE.	N° RÉSER BOOKING							N° REÇU PRO TEMPORARY	VISOIRE RECEIPT NO.				
RÉTROGRADE RETROGRADE		PORT DE CHARGEMENT LOADING PORT	В	AK				DATE / D	A 1 1 -	016		N° VOYAGE /	TRIP NO. Oə — Ə	616
LATÉRAL LATERAL		PORT DE DÉCHARGEMENT UNLOADING PORT	Y	AL				NAVIRE /	SHIP	Т				
transportée et dont il est This cargo receipt is issu to the cargo to be carried Les marchandises transc	fait réfé ed purs l and wi ortées é	uant to and subject to the term nich is referred to herein. en pontée le sont aux risques de	s and conditions of the con					Marc Merc	hand North (County 2-16-	1		ρ.	
Cargoes carried on deck	are don QTÉ	e so at the Merchant's risks.			DIMENSION		POIDS		CONTENEUR / CO		-Service		SPORT	N° LIV.
PACK NO.	QTY	DESCRI	PHUN		GHT X WIDTH X EUR X LARGEUR		WEIGHT KG / LB		N° / <i>NO</i> .	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
10419 (85)	1	1-PALL Crus	hed druns)	1.2	2 × 1,22 ×	1,50		NE	as 2669					
1 (86)	1					j			1635					
(83)	1								2732					
(88)	1								. 2730					
(86)	1								2730					
(90)	1								2+32					
(91)	1								2786					
(92)	1								2175					
(93)	1								2175					
(91)	1								2786					HE-
(95)	1								***					
1 (96)	1	V	V	V	/	V		V	/					
CHARGEMENT	1/1		REMARQUE	S / REM	Cateau	Metal	INC			DÉCHAI Latéral reçu Lateral recei		T / UNLO	ADING	
Représentant Marchand / Merchant Representative Représentant Transporteur / Carrier Representative									Représentan	it Marchand / /	Merchant Rep	resentative		
											t Transporteur	/ Carrier Repi	resentative	
BRAULT 19079 (REV 05/12)		Bla	anche-White = TERN	MINAL MAI	RITIME - Jau	une-Yellow =	= CLIENT / CUS	STOMER	- Rose-Pink = NAVI	RE / VESSI	EL			

REÇU DE CARGAISON / CARGO RECEIPT

577



	ESPACE RÉSERVÉ À L'INFORMATIQUE / SPACE RESERVED	FOR DATA PROCESSING
N° RÉSERVATION		N° REÇU PROVISOIRE
BOOKING NO.		TEMPORARY RECEIPT NO.

RÉTROGRADE RETROGRADE		PORT DE CHARGEMENT LOADING PORT	BAK /	DATE / DATE 25 SEPT- 2016	N° VOYAGE / TRIP NO.
LATÉRAL <i>LATERAL</i>	1 1 1	PORT DE DÉCHARGEMENT UNLOADING PORT	VAL	NAVIRE / SHIP	
		onformément et sujet aux te rence au présent recu.	rmes et conditions du contrat de transport applicable à la cargaison à être	Marchand	

transportée et dont il est fait référence au présent reçu. This cargo receipt is issued pursuant to and subject to the terms and conditions of the contract of contract of carriage applicable

to the cargo to be carried and which is referred to herein.

Les marchandises transportées en pontée le sont aux risques du Marchand.

Merchant. Booking # 1497-16-VAL (BAK)

N° COLIS	QTÉ	DECEDIDATION	DIMENSIONS	POIDS	CONTENEUR / CO	NTAINER	}	TRANS	SPORT	N° LIV.
PACK NO.	QTY	DESCRIPTION	LENGHT X WIDTH X HEIGHT LONGUEUR X LARGEUR X HAUTEUR	WEIGHT KG / LB	N° / <i>NO</i> .	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
10419 (97)	1	1- Par (crushed dnins)	1,22×1,22×1,50		NEAS 2786					
1 (98)	1				1 2736					
(99)	1									
(100)	1				1855					
((a)	1				2288					
(10)	1				2738					
(103))				3788					
(164)					2730					
(105)	1				2335					
(1d)	1									
(107)					2335					
(108)		V V	1		2335					

CHARGEMENT / LOADING	REMARQUES / REMARKS	DÉCHARGEMENT / UNLOADING
S MM	Shints (La Mala) To	Latéral reçu le Lateral received on
Représentant Marchand / Merchant Representative	Ship to Coton Tetel Inc	
		Représentant Marchand / Merchant Representative
A TRuckard		
Représentant Transporteur / Carrier Representative		and the second s
		Représentant Transporteur / Carrier Representative

BRAULT 19079 (REV 05/12)

Blanche-White = TERMINAL MARITIME - Jaune-Yellow = CLIENT / CUSTOMER - Rose-Pink = NAVIRE / VESSEL



ESPACE RESERVE A L'INFORMATIQUE / SPACE RESERVED PL	OR DATA PROCESSING
N° RÉSERVATION	N° REÇU PROVISOIRE
BOOKING NO.	TEMPORARY RECEIPT NO.

RÉTROGRADE RETROGRADE	1	PORT DE CHARGEMENT LOADING PORT	BAK .	DATE / DATE N° VOYAGE / TRIP NO. NAVIRE / SHIP	N° VOYAGE / TRIP NO.
LATÉRAL LATERAL		PORT DE DÉCHARGEMENT UNLOADING PORT	VAL	NAVIRE / SHIP	
e recu de carnaiso	n est émis co	onformément et sujet aux tei	rmes et conditions du contrat de transport applicable à la cargaison à être	2	

to the cargo to be carried and which is referred to herein.

Les marchandises transportées en pontée le sont aux risques du Marchand. Cargoes carried on deck are done so at the Merchant's risks.

Marchand Merchant	Nort	h Ca	intro	Gold	d Corx	2.
Bookin	Mg# 14	97-	16-V	ALC	BAK)

N° COLIS	QTÉ	DESCRIPTION	DIMENSIONS	POIDS	CONTENEUR / C	ONTAINE	R	TRANS	SPORT	N° LIV.
PACK NO.	QTY	DESCRIPTION	LENGHT X WIDTH X HEIGHT LONGUEUR X LARGEUR X HAUTEUR	WEIGHT KG / LB	N° / <i>NO.</i>	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
10419 (105)	1	1-PAL (crushed druns)	1,22×1,23×1,50		NEAS 2721					
11 (110)					11 2221					
11 (111)	1				11 2736					
4 (132)	1				11 2732					
11 (113)	1				11 2786					
11 (114)	1				11 2786					
11 (115)	1	V	VV		-4-					
16430	1	1-Pal (4druns notel scop)	1,224 1,2241,05		11 735					
10421	1				11 735					
10499	١				11 735					
10423	1				11 735					
10424	1	¥ ¥	V V		11 2120					

CHARGEMENT / LOADING	Ship to: Cotean Metal Inc	DÉCHARGEMENT / UNLOADING Latéral reçu le Lateral received on
Représentant Marchand / Merchant Representative Représentant Transporteur / Carrier Representative		Représentant Marchand / Merchant Representative
		Représentant Transporteur / Carrier Representative



NEAS .			N° RÉSERVATION BOOKING NO.						N° REÇU PI TEMPORAL	ROVISOIRE Ry receipt No.				
RÉTROGRADE RETROGRADE									25 500	1.2016	,	N° VOYAGE /	TRIP NO.	016
LATÉRAL LATERAL	VIVI									UT				
Ce reçu de cargaison est transportée et dont il est This cargo receipt is issu to the cargo to be carried	fait réfé ied purs d and w	erence au présent r suant to and subject hich is referred to h	eçu. t to the terms and co herein.	nditions of the cont				Marchar Merchar	nt_Worth		1 0	old (1	
Les marchandises transp Cargoes carried on deck	oortées are dor	en pontée le sont a ne so at the Mercha	ux risques du Marcha ant's risks.	and.				Booki	ns # 14	97-16	-VAL	LIBAR)	
N° COLIS	QTÉ		DESCRIPTION		DIMEN		POIDS		CONTENEUR /	CONTAINE	R	TRANS	SPORT	N° LIV.
PACK NO.	QTY		DESCRIPTION			MOTH X HEIGHT RGEUR X HAUTEUR WEIGHT KG / LB			N° / <i>NO.</i>	PLEIN FULL	VIDE		PLAGE-SITE BEACH-SITE	DEL. NO.
10425	l	1-Pal(4 drum net	el Scrept	1,22412	12×1105		Nea	2120					
10426	1	H		11 13	11	1(1)	2664					
10427	1	11		11	1/	1/		11	2120					
10498	1	1)		11	N	11		11	2120					
10 4a8 *	1	11	11		11	11		1/	264					
10429	1	1-PAL	(Burner)	1,60x 1,	3841,62	τ	11						
10430	1	1-PAL	Scrap ne	121	1193411	33×1'02		11						
10431	1	1-PAL (2 druns + ol	d Freezer)	11	11 11		1(
10 432	1	1-4011	(Metal Sc	rap)	d145 X 1	22×0,70		11						-
10433	1	11	11	11	7,88.X1	148×0.77								
10434	1	11		11 4	1199×119	10x 1,35		11						
10723	11				1100 7110	70-1/05		14	,					
CHARGEMENT / LOADING				Ship to: Cotean Matel Inc					DÉCHARGEMENT / UNLOADING Latéral reçu le Lateral received on					
Représentant Marchand / Merchant Representative														
Représentant Transporter	ur / Cam	-01		* 2 pc	lettes ove	111	ne nunë	1 1	rog rede	Représentant Marchand / Merchant Representative				
				Conten	eurs O Val	1 1 2	Ctermin			Représentan	t Transporteur	/ Carrier Repr	esentative	
BRAULT 19079 (REV 05/12)			Blanche-	White = TERM	INAL MARITIME -	.latine-Yellow =	= CLIENT / CLI	STOMER -	Rose-Pink = NA	VIRE / VESS	FI			

REÇU DE CARGAISON / CARGO RECEIPT

580

Représentant Transporteur / Carrier Representative



N° RÉSERVATION BOOKING NO.

ESPACE RÉSERVÉ À L'INFORMATIQUE / SPACE RESERVED FOR DATA PROCESSING	
N° REÇU PROVISOIRE	

RÉTROGRADE RETROGRADE	V	PORT DE CHAR		BA	K		DATE / DATE	2016		N° VOYAGE /	TRIP NO.	016
LATÉRAL LATERAL UNLOADING PORT UNLOADING PORT NAVIRE / SHIP								π				
ansportée et dont il	l est fait r	référence au prése ursuant to and sub	nt reçu. niect to the terms and		le transport applicable à la cargaison à être ract of contract of carriage applicable		Marchand Merchant	Court	n160	ld Co	τρ.	
es marchandises tra	the cargo to be carried and which is referred to herein. s marchandises transportées en pontée le sont aux risques du Marchand. rgoes carried on deck are done so at the Merchant's risks.						Booking # 1497	Count 16-1	/AL-	(BAK)	
N° COLIS	Q	rÉ	DESCRIPTION	NN .	DIMENSIONS LENGHT X WIDTH X HEIGHT	POIDS WEIGHT	CONTENEUR / (CONTENEUR / CONTAINE		TRANSPORT		N° LIV.
PACK NO.	Q		- Since		LONGUEUR X LARGEUR X HAUTEUR	KG / LB	N° / <i>NO</i> .	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH		DEL. NO.
10436	1	1-PAL	(Crushed	druys)	1,2241,2241,05		NEAS	+				
10437		1-PAL	(SCrAPRY	etal)	1,20×6,1×6,1		1/					
10438		11	11	1.1	1,25 x 1,25 x 1,05		Ч					
10439	1	H	- 11	11	1,81× 1,63×0,80		11					
10440	1	10al	(Scrapus	(ctal)	1,22×1,22×0,96		11					
10441	1	11	u'	Haruth	1,2241,2241,05		11					
10442		11	1/	4 drus)	1,2241,2241,05		1)					
				,								
									_			
		045000		PELLABOUE	0.4.0544.040			I néous				
CHARGEMEN	NI / L	UADING /			S/REMARKS Coteau Metel To	. ^			RGEMEN	1 / UNLO	ADING	_
P		MI	/	Onip it	- COLEGO LIGITAL		- 	Latéral reçu Lateral recei	ie ived on)
Représentant March	and / Mei	chant Representati	ve									
2	7	Porham	.]		*			Représentan	t Marchand /	Merchant Rep	resentative	
Représentant Transp	oorteur / C											

Backhaul Inventory - Rankin Inlet - 19 Oct 2016

Shipped to Valleyfield: Coteau Metal Inc, 601, rue Leger, Riviere-Beaudette, Quebec, J0P 1R0, Isabelle Gosselir

Palette Count	Palette Dimension (m)	Items	Comments
63	1.22 by 1.22 by 1.5	Crushed empty Jet A/B, P50 and Gasoline drums	Av 22 per palette: 63 * 22 = 1386 drums
2	1.22 by 1.22 by 1.05	Scrap metal, pop cans in 4 drums per palette with plastic lids	8 drums
65	TOTAL		

SHIPPING DOCUMENT									
Consignor (Shipper) Name: Philo Schoeman – NCG Corp.	Consignee (Destination) Name: hold for pickup by Coteau Metal Inc.								
Address: 600-1199 West Hastings Street Vancouver, BC V6E 3T5	Address: 601, rue Leger Riviere-Beaudette, Quebec, J0P 1R0								
DATE: 17 October 2016	Point of Origin: Baker Lake								
Name of Carrier: NEAS M/V Mitiq Transport unit #:	Shipping Document #: 1497-16-VAL(RAN)								

REGULATED DANGEROUS GOODS

24-HOUR NUMBER:	(Only if applicable)
1-780 667 2310: Philo Schoeman	ERAP reference #:
	ERAP telephone number:

UN number	Shipping name (If applicable, Technical Name)	Primary Class	Subsidiary Class	Packing Group	Toxic by inhalation (SP 23)	Total Quantity (kg or L)	Number of packages requiring labels
1202	Diesel Fuel	3		3	None	155 L	31 palettes
1203	Gasoline	3		2	None	5 L	1 palette
1863	Fuel, Aviation, Turbine Engine	3		3	None	155 L	31 palettes

I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, are properly classified and packaged, have dangerous goods safety marks properly affixed or displayed on them, and are in all respects in proper condition for transport according to the *Transportation of Dangerous Goods Regulations*.

Shipper's name (please print)

P.SCHOEMAN



Marine Transportation Contract No. 16-0592

This marine transportation contract is not a bill of lading and no bill of lading will be issued. (Cl. 18)

1. Freight payable by (CI.1g):	Care of :	2. Ship to (Cls.1g,33):
North Country Gold Corp.		N.C.G C/O OOKPIK AVIATION
600-1199 West Hastings street		Baker Lake, NU X0C 0A0
Vancouver, BC V6E 3T5		Canada
Canada		
	·	

Purchase order #

Booking Numbers to use to identify your cargo

1497-16-BAK | 1497-16-VAL(BAK) | 1497-16-VAL(RAN)

3. Vessel (CI.19): To be determined

(CI.19)	4. Port or Place of Loading (Cls.3,7,19)	5. Destination (Cls.7,19,33)		7. Description of Cargo Carrier reserves the right to carry Cargo on deck. (CI.32)	Volume (m³)	RT or lump sum	*6. Del. from/to site		**9. Value insured	(\$)/	** 9. Premium (\$) / \$100 insured
2	BAK	VAL		DG Cargo (drums of fuel) empty & crushed	281.10	267.54	No	No			
3	RAN	VAL		DG Cargo (drums of fuel) empty & crushed	142.50	267.54	No	No	Anno anno anno anno anno anno anno anno		and the second
2	VAL	BAK	500.00	DG Cargo (drums of fuel)	905.00	411.60	No	Yes	547,725	12.00	

Other fees

Description	Cost (\$)
•	

Examples: Deviation (tbd); Rental of container (Cl.6); Fuel fees (Cl.36); Marine services fee (Cl.38); Container demurrage charges (Cls.1b,6,8,9); Vessel demurrage charges (Cls.1c,7,12); Deadfreight (Cl.1c,16); Special agreement (Cl.15); Interest charges (Cl.37)

Heat services not available - any damage caused by frost and/or freezing shall be at the Merchant's entire risk. (Cl.25e)

*6. Delivery from/to site: Inland transportation (Cls. 5, 31)

If the box indicates "Yes", the Merchant requires from NEAS that the cargo be transported between the high water mark and the inland site(s) of the relevant community. The distance between the high water mark and the site(s) shall not exceed one (1) kilometre.

Version: June 2016 1 of 2



Marine Transportation Contract No. 16-0592

If the Merchant does not require the service at the signature and change its mind, the rate for this service is the same as mentioned below.

The rate is \$ 64.85 per metric ton of 1,000 kilograms of gross weight or per 2.5 cubic meters, whichever produces the highest revenue per piece, unless if it is a lump sum - minimum \$ 84.32

Should the Merchant require pick-up and/or delivery services to or from (as the case may be) more than two (2) sites per community, an extra cost of \$1,200.00 per site shall be applicable in addition to the rate shown above.

**9. Insurance (Cl. 35):

If this box indicates " No ", the Merchant acknowledges that it has refused the cargo marine insurance proposed by NEAS.

Container demurrage charges - Northbound, Lateral or Retrograde carriage (Cls. 1b and 9)

\$200 per container if the container is not returned on the same vessel but returned on a NEAS vessel during the Arctic Navigation Season covered by this contract.

per container in addition to the \$200 per container mentioned above, if the container is not returned on the last NEAS vessel of the Arctic Navigation season following the Arctic Navigation season covered by this contract.

Container demurrage shall not end and will continue to apply during the Arctic Navigation Seasons until such time as the next NEAS vessel calls at the community to effect cargo operations following the availability of the empty container in readiness to be returned.

The Merchant must advise NEAS' Montreal office in writing as soon as the empty container becomes available for its return.

Maximum Liability (CI.25):

Unless insurance is purchased, maximum liability of Carrier is of \$2,600 per package or unit, or where the cargo is a motor vehicle, \$3.50 per kilogram of the motor vehicle lost or damaged up to the lesser of the amount of damage, the value of the motor vehicle or \$70,000.

Terms and conditions of this Marine Transportation Contract are available at www.neas.ca. The Merchant acknowledges with its signature that it has taken cognizance of the terms and conditions of this Marine Transportation Contract and that it understands the scope and consequences of the obligations provided herein.

Should any amendment need to be made by the Merchant to the booking information, the Merchant agrees to complete an Amended Request for Space Reservation form to that effect and recognizes that it will continue to be bound by the terms and conditions of the Marine Transportation Contract available at www.neas.ca.

Date	Signature of Merchant (Cl.1g)	Signature of Carrier (Cl.1h)	Date
		Stéphanie Barnaud for:	August 25th 2016
		NEAS Inc.	

Version: June 2016 2 of 2



	ESPACE RÉSERVÉ À L'INFORMATIQUE / SPACE RESERVED FOR DATA PROCESSING
N° RÉSERVATION BOOKING NO.	N° REÇU PROVISOIRE TEMPORARY RECEIPT NO.

RÉTROGRADE RETROGRADE	X	PORT DE CHARGEMENT LOADING PORT	RANKIN INLET	DATE / DATE / 1/0/ 2016	N° VOYAGE/ TRIP NO.
LATÉRAL LATERAL		PORT DE DÉCHARGEMENT UNLOADING PORT	VALLEYFIELD	NAVIRE / SHIP	
		onformément et sujet aux te	rmes et conditions du contrat de transport applicable à la cargaison à être	Marchand A 200 (A	2 V = 1 = 1

to the cargo to be carried and which is referred to herein.

Les marchandises transportées en pontée le sont aux risques du Marchand. Cargoes carried on deck are done so at the Merchant's risks.

Marchand NORTH CONTRY GOLD CORP Merchant 1477 16-VAL (RAN)

N° COLIS			DIMENSIONS	POIDS	CONTENEUR / CONTAINER			TRANS	SPORT	N° LIV.
PACK NO.	QTY	DESCRIPTION	LENGHT X WIDTH X HEIGHT WEIGHT LONGUEUR X LARGEUR X HAUTEUR KG / LB		N° / <i>NO.</i>	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
2271		Carshell thing a life	122 122 150		NEAS 2033					
22 19					NEAT 2533					
2273					N.AS 2225					
2274		2			KAJ 2325					
7275			1/1		NEAC 1572					
2276	0				N. 7225					
12777					1 3 3 33					
2213		1			M. A. 2533					
7779		3			13 13/2					
2250			1.		11.15 9713					
2281					ULM 2 7 613					
2 9 32					4 AC 1931					

CHARGEMENT / LOADING	REMARQUES / REMARKS	DÉCHARGEMENT / UNLOADING
WI ZUD	COTCAU MILIAL INC	Latéral reçu le Lateral received on
Représentant Marchand / Merchant Representative	Gen Rue Leijen	
C/L	Kildis ic Topicselette Topics III	Représentant Marchand / Merchant Representative
Représentant Transporteur / Carrier Representative		Représentant Transporteur / Carrier Representative



ESPACE RÉSERVÉ À L'INFORMATIQUE / SPACE RESERVED FOR DAT	A PROCESSING
--	--------------

NEAS	AI	N° RÉSERVATION BOOKING NO.				N° REÇU PR TEMPORAR	OVISOIRE Y receipt no.				
RÉTROGRADE RETROGRADE	7	PORT DE CHARGEMENT LOADING PORT	NKIN	NLCT		DATE / DATE			N° VOYAGE / TRIP NO.		
					NAVIRE / SHIP			1.			
This cargo receipt is issue to the cargo to be carried Les marchandises transp	ed purs and wa ortées i	erence au present reçu.	onditions of the cont	de transport applicable à la cargaison à être tract of contract of carriage applicable		Marchand NORTH	CON	TRY	()L(CORF	
N° COLIS	QTÉ	DESCRIPTION		DIMENSIONS	POIDS	CONTENEUR / C	ONTAINE	R	TRANS	SPORT	N° LIV.
PACK NO.	QTY	DESCRIPTION	\	LENGHT X WIDTH X HEIGHT LONGUEUR X LARGEUR X HAUTEUR	WEIGHT KG / LB	N° / <i>NO</i> .	PLEIN FULL	VIDE	SITE-PLAGE SITE-BEACH		DEL. NO.
12253	1	(a short done	12 15 10	122 x 122 x 150		11-11-1					
12234	1	J.		T)		1 1 1 1 1 1					
12223		1.		1		NEAS 2150					
12226		- ti		1		NEAS 2150					
12201				10		Mar all					
1/23		f:		1		M. N. 1643					
12140		11		1,		NC/15 15 12					
17 7 770						NLAS 2225					
1/2/12		Fi		Tr.		NLA 15+2					
12 273	\	- 11		To.		NLAS 2150					
1 79	. 1	1/		(1)		NEAT SILL					
17/93		11				MCAS 1414					
CHARGEMENT	-	46	REMARQUES	S / REMARKS			DÉCHAF Latéral reçu l Lateral receiv	RGEMENT e ved on	/ UNLO	ADING	
Représentant Marchand /	Merchai	nt Representative									
9							Représentant	Marchand / M	lerchant Repre	esentative	
Représentant Transporteur	/ Carrie	er Representative					Représentant	Transporteur /	Carrier Repre	sentative	



	ESPACE RÉSERVÉ À L'INFORMATIQUE / SPACE RESERVED FOR DATA PROCESSING	
N° RÉSERVATION BOOKING NO.	N° REÇU PROVISOIRE TEMPORARY RECEIPT NO.	

RÉTROGRADE RETROGRADE	X	PORT DE CHARGEMENT LOADING PORT	RANKIN INLET	DATE / DATE 1/10/2016	N° VOYAGE / TRIP NO.
LATÉRAL LATERAL		PORT DE DÉCHARGEMENT UNLOADING PORT	MINGHILD	NAVIRE / SHIP	
		onformément et sujet aux ter	mes et conditions du contrat de transport applicable à la cargaison à être	Marchand 1/20/11 (52.11.17.0	16010 100

to the cargo to be carried and which is referred to herein.

Les marchandises transportées en pontée le sont aux risques du Marchand. Cargoes carried on deck are done so at the Merchant's risks.

Marchand NORTH COUNTRY GOLD GORP 1497-16-VAL (RAN)

N° COLIS	QTÉ			POIDS	CONTENEUR / CONTAINER		R	TRANS	SPORT	N° LIV.
PACK NO.	QTY	DESCRIPTION	LENGHT X WIDTH X HEIGHT LONGUEUR X LARGEUR X HAUTEUR	WEIGHT KG / LB	N° / <i>NO</i> .	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
17796	A	Courted DROMS POR	122, 122, 150		NEAS 2794					
17297	1	3	7		MCAS 1505					
12295			7		NEAS 2112			F		
12299	1.1	7			NCAS 2112					
12300	1				NCAS 2112				7	
12301		λ			NEAS 1505					
7302		7,			NEAS 2794					
17303	1	1			NEAS 1322					
12304	4	Α	X	# - C	NIAS 1322					
17305					NCAS 2163					
17306	3		/		NC15 2150					
17307	U		The state of the s		NEAS 2163					

CHARGEMENT / LOADING	DÉCHARGEMENT / UNLOADING Latéral reçu le Lateral received on
Représentant Marchand / Merchant Representative	and a record of
gr-C	Représentant Marchand / Merchant Representative
Représentant Transporteur / Carrier Representative	
	Représentant Transporteur / Carrier Representative



	ESPACE RÉSERVÉ À L'INFORMATIQUE / SPACE RESERVED FOR DATA PROCESSING	
N° RÉSERVATION BOOKING NO.	N° REÇU PROVISOIRE TEMPORARY RECEIPT NO.	

RÉTROGRADE RETROGRADE	X	PORT DE CHARGEMENT	RANKIN INLET	DATE/DATE 1/10/2016	N° VOYAGE / TRIP NO.
LATÉRAL LATERAL		PORT DE DÉCHARGEMENT UNLOADING PORT	VALLCYFICLD	NAVIRE / SHIP	
O de esception	n oot ámin o	enformément et puiet quy to	rmes et conditions du contrat de transport applicable à la cargaison à être		

to the cargo to be carried and which is referred to herein.

Les marchandises transportées en pontée le sont aux risques du Marchand. Carnoes carried on deck are done so at the Merchant's risks.

Marchand NORTH COUNTRY GOLD WRP

1497-16-VAL (RAN)

N° COLIS	QTÉ		DIMENSIONS	POIDS	CONTENEUR / CONTAINER		CONTAINER TRANSPOR		SPORT	N° LIV.
PACK NO.	QTY	DESCRIPTION	LENGHT X WIDTH X HEIGHT LONGUEUR X LARGEUR X HAUTEUR	WEIGHT KG / LB	N° / <i>NO.</i>	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
12303	1	Constract Dom. Picche	122,122, 150		NEAS 594					
17309	1	-7	6		NEAS 94					
12360	7		1		NCA 1522					
12311	1	V=	The state of the s		NCA 1305					
12312	1	1			NCAS 1505					
17313		7.	9		NEAS 2112					
12314		4			NCAS 396					
12315		Eq.	1		MINE 396					
12316	1	la	1		NEA 316					*
12 317		1			MA 2241					
13315		3.	1		NEAS 2794					
2319					NEAS 1822					

CHARGEMENT L'EOADING	REMARQUES / REMARKS	DÉCHARGEMENT / UNLOADING
11/1		Latéral reçu le Lateral received on
Représentant Marchand / Merchant Representative		
m //		Représentant Marchand / Merchant Representative
75		
Représentant Transporteur / Carrier Representative		
The production of the producti		Représentant Transporteur / Carrier Representative

BRAULT 19079 (REV 05/12)

Blanche-White = TERMINAL MARITIME - Jaune-Yellow = CLIENT / CUSTOMER - Rose-Pink = NAVIRE / VESSEL



	ESPACE RÉSERVÉ À L'INFORMATIQUE / SPACE RESERVED FOR DATA PROCESSING
N° RÉSERVATION BOOKING NO.	N° REÇU PROVISOIRE TEMPORARY RECEIPT NO.

				DATE / DATE	N° VOYAGE / TRIP NO.
RÉTROGRADE	K	PORT DE CHARGEMENT	RANKIN INLET	17/10/2016	113K
RETROGRADE		LOADING PORT		NAVIRE / SHIP	
LATÉRAL LATERAL		PORT DE DÉCHARGEMENT UNLOADING PORT	VALIC VI ICLD	ITITIQ	
LAILING					

Ce reçu de cargaison est émis conformément et sujet aux termes et conditions du contrat de transport applicable à la cargaison à être transportée et dont il est fait référence au présent reçu.

This cargo receipt is issued pursuant to and subject to the terms and conditions of the contract of contract of carriage applicable

to the cargo to be carried and which is referred to herein.

Les marchandises transportées en pontée le sont aux risques du Marchand.

argoes carried on deck			DIMENSIONS POIDS		CONTENEUR / CONTAINER		R	TRANS	SPORT	N° LIV.
N° COLIS PACK NO.	QTÉ QTY	DESCRIPTION	LENGHT X WIDTH X HEIGHT LONGUEUR X LARGEUR X HAUTEUR	WEIGHT KG / LB	N° / <i>NO</i> .	PLEIN FULL	VIDE EMPTY	SITE-PLAGE SITE-BEACH	PLAGE-SITE BEACH-SITE	DEL. NO.
12320	1	Larger des 11	122 x 122, 150		NEAS 594					
7321		10.			NLAS 2163					
12322					NCAS 594					
12323	1	0.4	i.		VLAS 1525					
19326	1	4	the state of the s		NCAS 1525					
12225	1	10	1,		NCAS 2241					
2226	1.1		1/4		NEAS 2392					
10377			/		NGAS 2392					
12 223		r e			MAS 2392					
12179					NCAS 2392					
19330		1	7		NCAS 2241					
2231			1		NCAS 2241					

Représentant Marchand / Merchant Representative	NEWIANQUES / NEMATING	DÉCHARGEMENT / UNLOADING Latéral reçu le Lateral received on Représentant Marchand / Merchant Representative
Représentant Transporteur / Carrier Representative		Représentant Transporteur / Carrier Representative

BRAULT 19079 (REV 05/12)

Blanche-White = TERMINAL MARITIME - Jaune-Yellow = CLIENT / CUSTOMER - Rose-Pink = NAVIRE / VESSEL



11 000				nego de candalooi	TOAII	do IILOLII I				7	89
NEAS I	VE	N° RÉSERVATION BOOKING NO.		ESPACE RÉSERV	É À L'INFORMATIO	N° REÇU PRO					
RÉTROGRADE RETROGRADE	1	PORT DE CHARGEMENT LOADING PORT	UKIN I	ULCT		DATE/DATE			N° VOYAGE /	TRIP NO.	
LATÉRAL LATERAL		PORT DE DÉCHARGEMENT UNLOADING PORT	16/616	10		NAVIRE / SHIP					
transportée et dont il est This cargo receipt is issu to the cargo to be carried Les marchandises transc	fait réfé led purs d and w ortées	onformément et sujet aux termes et cor prence au présent reçu. Juant to and subject to the terms and co phich is referred to herein. Les pontée le sont aux risques du March les so at the Merchant's risks.	nditions of the cont	le transport applicable à la cargaison à être ract of contract of carriage applicable		Marchand Merchant	w	UNIR	100	100	1 P.P
N° COLIS	QTÉ			DIMENSIONS	POIDS	CONTENEUR / C	ONTAINE	3	TRANS	SPORT	N° LIV.
PACK NO.	QTY	DESCRIPTION		LENGHT X WIDTH X HEIGHT LONGUEUR X LARGEUR X HAUTEUR	WEIGHT KG / LB	N° / NO.	PLEIN FULL		SITE-PLAGE SITE-BEACH		DEL. NO.
72 332	1	(allowan,	3 11	122×122×150		NCAS 1525					
12333	1	18				N(A) 1525					
12239	1	1 0 1				MLA_ (1)3					
12 33 9	1	4 DRUHS PLAST	162	1,22 x 1,22 x 1,05							
12355	1	/1		1.22 x 1,22 x 1,05							
	-										
	1										
CHARGEMENT	I LO	ADING	REMARQUE	S / REMARKS			DÉCHAI Latéral reçu Lateral recei	le	T / UNLO	ADING	
Représentant Marchand	/ Merch	ant Representative									
95	100	rios Ponsonantativo					Représentan	t Marchand /	Merchant Repr	resentative	
Représentant Transporte	ur / Car	пет пертеѕептацие					*****				

Appendix 3 2016 INAC Water License Inspection Report



WATER LICENCE / CROWN LAND INSPECTION FORM

\times	Original
	Follow-Up Report

Licensee				Licensee Representative							
North Country Gold	Corp./A	Auryn Ro	esources	Bryan Atkinson							
Licence No. / Expiry				Representa	itive's Title						
2BE-CRA1520											
Land / Other Authorizations				Land / Oth							
N2014C0005 (Hayes	s) Lease	056J/1	2-1-2	N20140	:0002 (I	Bullion)					
Date of Inspection				Inspector							
05/07/2016				Eva Pau	ıl						
Activities Inspected	7						∇/ n	N -	1.6		
☐ Camp ☐ Roads/Hauling ☐	☑ Drilling ☐ Other:		Mining		nstruction ner:		Reclamation	X F	uel Storage	!	
Conditions: A - Ac	ceptable		C - Concern U	- Unaccep	table	NA –	Not Applicable	NI –	Not Insp	ected	
Water Use	Condition	Comment	Site Conditions		Condition	Comment	Haz/Mat Managem	nent	Condition	Comment	
Intake/Screen	Α	1	Water Management S	Structures	Α		Storage		Α	5	
Flow Measure. Device	А	2	Culverts / Bridges		N/A		Spills		Α		
Source: Sandspit	Α		Drainage		С	7	Spill Plan		Α		
Water Use:	А	2	Erosion / Sediment		U	7					
Recirculation (y / <u>n</u>)	А		Mitigation Measure	es	Α		Administrative				
			Reclamation Activit	ies	Α		Records		Α		
			Materials Storage		Α		Reports		Α		
Waste Disposal			Signage		Α		Plans		Α		
Waste Water	А	3					Notifications		Α		
Solid Waste	Α	4	Monitoring				Other				
Hazardous Waste	Α	5	Sample Collection /	' Analysis	Α		Drilling		Α	6	
*TI	he numbe	r in the c	omments field will co	rrespond v	vith spec	ific comr	nents provided below	<i>'</i> .			
Samples taken by Inspe	ctor:		Location(s):								
☐ Yes ☐ No											

SECTION 1	Comments (s.1)	Non-Compliance with Act or Licence (s.2)	Action Required (s.3)

An inspection was conducted on July 5, 2016 for compliance with the water licence 2BE-CRA1520 and applicable legislation in INAC's jurisdiction. I was accompanied by Bryan Atkinson, representing the Licensee.

Hayes Camp (Lat 66°39′30″N / Long 091°32′11″ W): 33 occupants. Hayes Camp was found to be clean and orderly with good waste segregation practices.

Bullion Camp (Lat 66°23'39" N / Long 093°06'55" W): 30 occupants. Bullion is also found to be in excellent condition.

- 1. Water intake and pump: Water intake is acceptable, and pump is brought up and down the hill as needed, not left beside the lake (at both Hayes and Bullion Camps).
- 2. Water use records: meters were just switched out the previous day, but logs are being maintained and are up to date.
- 3. Grey water sump: Hayes: sump is in a sandy well-drained area, and covered over. Grease trap is maintained. No flow is visible from sump. Grease trap at Bullion appears to have overflowed.
- 4. Waste: Hayes' incinerator is burning cleanly. Segregation of waste is occurring and only clean wood, kitchen waste, and pacto bags are being incinerated. Barrels from Bullion are being crushed and waste is flown back to Hayes for incineration/backhaul.
- 5. Laydown area / Fuel caches: Waste backhaul was extensive; the few barrels left on the Hayes airstrip are used for tying down the planes. Ash from incinerator and any other hazardous waste is being stored in a Quonset. A significant amount of fuel and the drill salts are also stored in the Quonsets. At the time of the inspection, a lot of equipment was moved out of the Quonsets for servicing, and for access to materials. Fuel berms were found to be in good condition, free of water, and are kept covered when not in use. Small berms were in place below the pallets of 4 drums stationed for helicopter use. Auryn is prepared to filter water from berms and submit samples prior to discharge, should discharge from the berms be required.
- 6. Drilling activities: Three-Bluffs drill area (Lat 66°38′08.6″N / Long 091°28′35.1″W): At the time of the inspection, Auryn is setting up diamond drill for 2-drill program. The water intake has not yet been placed in the water. Auryn will use the existing water distribution system at 3 Bluffs which pumps the water from the river to a central tank, and 2 satellite tanks from which the drills can draw. The drill being set up was not yet operational, and no location yet chosen for the cuttings. The drillers were in the process of servicing the drill which hasn't been in use since 2012. West Plains (Lat 66°07′07.2″N / Long 093°27′44.8)″W: RAB drills. Auryn is again using Ground Truth and the RAB drill, which has been augmented with an extra compressor to allow drilling to 200m. 2 RAB drills are in use. No water is used in the process. Chemicals and fuel were contained. Waste is produced in the form of dust and cuttings. The setup also appears to be modified from last year in that it no longer captures the dust with a vacuum. As such, the dust is wind-borne, and care must be taken to ensure the dust is not blown into nearby water bodies. Dry cuttings are left on the tundra. Ensure that drill waste is contained as per conditions 54 and 55 of the applicable LUP.



Comments

Part C Item 6. Erosion to the bank of the lake to the south of the camp.

SECTION 2

Date

Water Licence:

Affaires autochtones et du Nord Canada

7. General site erosion and sediment control: Continued foot traffic and general use of Hayes camp is causing loss of the little vegetation that is present on the sandy esker. Limiting traffic (even foot traffic) to already de-vegetated areas will lessen the impact on vegetation and aid in maintaining natural sediment control (for example, the footpath forming from camp to the helicopter area). There is a large flow of esker sand from the camp area south past the incinerator that seems to be increasing every year (66°39′29.7″N / 91°33′01.9″W). While it is understood that freshet was very abrupt this spring, there was a significant amount of sand was deposited in the lake, despite efforts to sand-bag and slow the flow. The water simply channels around the sandbags. Explore options to divert and dissipate the flow to areas that are still vegetated or that don't flow directly into the lake. Removal of sandbags and restriction of usage along the airstrip is promoting vegetation re-growth and has reduced ponding in the ditches.

Part C Item 7. Measures undertaken to control erosion are not effective, resulting in sediment deposition to the lake.

Non-Compliance with Act or Licence

Action Required

Par	Part E Item 2. Camp activities have impacted surface drainage, increasing flow of sediment into the lake.								
Par	Part J Item 4. Provide coordinates for all wastes (including cuttings from RAB drill).								
SECTION 3 On-Compliance with Act or Licence Action Required									
1.	. Monitor grease trap at Bullion and address deficiencies as required.								
2.	Ensure dust from	RAB drills is not blow	n into nea	rby water bodies.					
3.	Protect the veget	ated areas around Ha	yes Camp	to preserve existing vegetation, particularly	through the gully between camp				
	and the helicopte	r area.							
4.	Implement measu	ures to mitigate the se	diment d	eposition south of camp (eg: by diversion or	and dissipation of the flow to areas				
	that are still vege	tated or that don't flo	w directly	into the lake). Evaluate the efficacy of the	measures and adapt as necessary.				
5.	Provide to the ins	pector coordinates of	all drill a	ctivities for 2015. Provide the 2016 coordin	ates with the annual report as				
	required.								
Lice	nsee or Representative			Inspector's Name					
	Eva Paul								
Sign	ignature Signature								

Office Use Only:	Follow-up report to be issued by Inspector	☐ Yes No

Date

Sent electronically

12/07/2016

CC: Licensing Department, NWB

Erik Allain, Manager of Field Operations, INAC

Baba Pedersen, RMO, INAC



PHOTO LOG



















Appendix 4 2016 Water Usage Logs

																	Apri	i														
			Fri S	Sat S	Sun I	Mon T	ue V	Ved 7	Γhu F	ri S	Sat S	Sun M	Mon -	Tue V	/ed	Γhu F	ri S	at S	Sun M	/lon	Tue \	Wed 1	hu f	Fri S	Sat S	Sun I	Mon T	ue \	Ned T	Thu F	ri S	Sat
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	3
Hayes Camp Kitchen	Meter Reading	cubic metres							402.1	402.6	402.9	403.4	403.9	404.3	404.6	405.1	405.7	406.2	406.9	407.5	408.2	408.7	409.2	409.7	410.1	410.7	411.4	412.0	412.7	413.2	413.3 <	:
	Consumed	cubic metres						0.0	0.2	0.5	0.3	0.5	0.5	0.4	0.3	0.5	0.6	0.5	0.7	0.6	0.7	0.5	0.5	0.5	0.4	0.6	0.7	0.6	0.7	0.5	0.1	0.
	Total	cubic metres						0.0	0.2	0.7	1.0	1.5	2.0	2.4	2.7	3.2	3.8	4.3	5.0	5.6	6.3	6.8	7.3	7.8	8.2	8.8	9.5	10.1	10.8	11.3	11.4	11
Hayes Camp Dry	Meter Reading	cubic metres							45.9	46.5	47.2	47.2	47.6	47.9	48.2	48.5	49.2	49.4	50.0	50.6	51.2	51.9	52.5	52.8	53.2	53.7	54.7	56.3	57.2	58.2	58.8	59
	Consumed	cubic metres						0.0	0.2	0.6	0.7	0.0	0.4	0.3	0.3	0.3	0.7	0.2	0.6	0.6	0.6	0.7	0.6	0.3	0.4	0.5	1.0	1.6	0.9	1.0	0.6	0
	Total	cubic metres						0.0	0.2	8.0	1.5	1.5	1.9	2.2	2.5	2.8	3.5	3.7	4.3	4.9	5.5	6.2	6.8	7.1	7.5	8.0	9.0	10.6	11.5	12.5	13.1	13
	Grand Total	cubic metres	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.5	2.5	3.0	3.9	4.6	5.2	6.0	7.3	8.0	9.3	10.5	11.8	13.0	14.1	14.9	15.7	16.8	18.5	20.7	22.3	23.8	24.5	25
																		May														
			Sun N	/lon -	Tue	Wed T	hu F	ri S	Sat S	Sun I	Mon 1	Tue V	Ved	Thu F	ri S	Sat S	un M	lon	Γue V	Ved		Fri S	Sat S	Sun N	/lon T				Fri S	Sat S	Sun M	/lon
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	3
Hayes Camp Kitchen	· ·	cubic metres														•			lacement													
	Consumed	cubic metres	0.1	0.3	0.5	0.2	0.3	0.3	0.3	0.3	0.2	0.5	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0
	Total	cubic metres	12.0	12.3	12.8	12.9	13.2	13.4	13.7	13.9	14.1	14.6	14.9	15.2	15.5	15.7	16.0	16.2	16.5	16.7	17.0	17.2	17.5	17.7	18.0	18.2	18.5	18.7	19.0	19.2	19.4	19
Hayes Camp Dry	Meter Reading	cubic metres	60.2	60.6	61.6	62.5	63.4	63.9	64.5	65.3	65.9	66.9	67.1	67.5	68.0	68.5	69.0	69.4	69.8	70.5	71.4	71.5	71.9	72.4	72.9	73.1	73.6	74.0	74.5	75.1	75.4	75
	Consumed	cubic metres	8.0	0.4	1.0	0.9	0.9	0.5	0.6	8.0	0.6	1.0	0.2	0.4	0.5	0.5	0.5	0.4	0.4	0.7	0.9	0.1	0.4	0.5	0.5	0.2	0.5	0.4	0.5	0.6	0.3	0
	Total	cubic metres	14.5	14.9	15.9	16.8	17.7	18.2	18.8	19.6	20.2	21.2	21.4	21.8	22.3	22.8	23.3	23.7	24.1	24.8	25.7	25.8	26.2	26.7	27.2	27.4	27.9	28.3	28.8	29.4	29.7	30
	0 17.1		20.5	07.0	20.7	00 =	00.0	04.0		00.5	0.4.0	05.0		07.0	07.0	00.5			40.0	44.5	40.7	40.0	40.7		45.0	45.0	10.1	47.0	47.0	40.0	40.4	40
	Grand Total	cubic metres	26.5	27.2	28.7	29.7	30.9	31.6	32.5	33.5	34.3	35.8	36.3	37.0	37.8	38.5	39.3	39.9	40.6	41.5	42.7	43.0	43.7	44.4	45.2	45.6	46.4	47.0	47.8	48.6	49.1	49
																	luma	_														
			Wed 7	Γhu f	Fri :	Sat S	Sun M	1on T	Tuo V	Vod -	Γhu F	ri S	Sat :	Sun N	lon -	Γue V	June ed Tl		Fri S	Sat S	Sun I	Jon T	ue \	Wed T	hu F	ri :	Sat S	iun I	Mon T	Tue V	Ved 1	hu
			weu i	111u 1	3	Sal S	5 5	6	Tue V	Ved 8	illu r	10	οαι . 11	3uii ii 12	13	14	7eu 11	hu f 16	17	18	3uii i 19	Mon 1 20	21	vveu 1 22	23	24	3ai 3	26	27	28	29	11u 3
Hayes Camp Kitchen	Meter Reading	cubic metres	٠.									10		12		iting for wa													<u></u>			
riayes camp ritionen	Consumed	cubic metres	0.2	0.2	0.165	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0625	0.0625		0.0625		0.0625	0.25	0.125	0.125	0.125	0.125	0.5	0.125	0.125	0.125	0.165	0.165	0.25	0.25	0.3
	Total	cubic metres	19.9	20.1	20.2	20.3	20.5	20.6	20.7	20.8	21.0	21.1	21.2	21.2	21.3	21.3	21.5	21.5	21.8	21.9	22.0	22.2	22.3	22.8	22.9	23.0	23.2	23.3	23.5	23.7	24.0	24.
Hayes Camp Dry	Meter Reading	cubic metres	75.9	76.5	76.9	77.2	77.3	77.4	77.6	77.9	78.2	78.4	78.5	78.9	78.9	78.9	79.3	79.5	79.8	80.2	80.4	80.9	81.2	81.8	82.2	82.8	83.5	84.2	85.2	86	86.5	8
, 00 0 ap 2,	Consumed	cubic metres	0.0	0.6	0.4	0.3	0.1	0.1	0.2	0.3	0.3	0.2	0.1	0.4	0.0	0.0	0.4	0.2	0.3	0.4	0.2	0.5	0.3	0.6	0.4	0.6	0.7	0.7	1.0	0.8	0.5	1.
	Total	cubic metres	30.2	30.8	31.2	31.5	31.6	31.7	31.9	32.2	32.5	32.7	32.8	33.2	33.2	33.2	33.6	33.8	34.1	34.5	34.7	35.2	35.5	36.1	36.5	37.1	37.8	38.5	39.5	40.3	40.8	42
Bullion Camp Dry	Meter Reading	cubic metres		-0.0		•							-=					- 3.0					- 5.0		- 3.0	0.0	12.2	24.4	36.6	48.8	61.0	73
	Consumed	cubic metres																								0.0	12.2	12.2	12.2	12.2	12.2	12
	Total	cubic metres																								0.0	12.2	24.4	36.6	48.8	61.0	73
Bullion Camp Kitchen	Meter Reading	cubic metres																								0.0	1.5	3.0	4.5	6.0	7.5	9
	Consumed	cubic metres																								0.0	1.5	1.5	1.5	1.5	1.5	1
	Total	cubic metres																								0.0	1.5	3.0	4.5	6.0	7.5	9
	. • •••	242.00400																								0.0		0.0		0.0		
	Grand Total	cubic metres	50.1	50.9	51.4	51.8	52.1	52.3	52.6	53.0	53.5	53.8	54.0	54.4	54.5	54.5	55.1	55.3	55.9	56.4	56.7	57.4	57.8	58.9	59.4	60.1	74.7	89.2	104.1	118.8	133.3	148.
	J. J	332.3 11100 00	00.1	50.0	V 1	01.0	V	02.0	02.0	55.0	55.0	55.0	0 1.0	V 1	0 1.0	01.0		55.0	55.0	00.1	50.1	J	57.0	55.0	55.1			JJ.L			. 55.5	

																		July															
			Fri S	Sat :	Sun	Mon 7	ue \	Ned -	Γhu F	ri S	Sat S	Sun M	Mon	Tue V	Ved -	Thu I	ri S	Sat S	Sun M	Mon	Tue	Wed 7	Γhu	Fri S	Sat S	Sun	Mon 7	Tue '	Wed 7	Γhu I	Fri S	Sat S	Sun
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Hayes Camp Kitchen	Meter Reading	cubic metres				>	0.5	1.7	3.1	3.8	4.5	5.0	5.5	6.1	6.6	7.1	8.0	8.5	9.0	10.7	12.3	14.3	16.5	21.1	23.9	26.0	28.4	30.7	33.2	35.1	36.6	39.1	40.9
	Consumed	cubic metres	0.3	0.2	0.2	0.3	0.5	1.2	1.4	0.7	0.7	0.5	0.5	0.6	0.5	0.5	0.9	0.5	0.5	1.7	1.6	2.0	2.2	4.6	2.8	2.1	2.4	2.3	2.5	1.9	1.5	2.5	1.8
	Total	cubic metres	24.6	24.8	25.0	25.3	25.8	27.0	28.4	29.1	29.8	30.3	30.8	31.4	31.9	32.4	33.3	33.8	34.3	36.0	37.6	39.6	41.8	46.4	49.2	51.3	53.7	56.0	58.5	60.4	61.9	64.4	66.2
Hayes Camp Dry	Meter Reading	cubic metres	88.4	89.6	90.5	91.3	91.9	92.5	93.1	93.9	94.8	95.6	96.7	97.6	98.4	99.8	100.1	101.2	102.0	103.6	105.2	106.4	108.3	111.4	112.7	114.5	116.5	117.8	118.7	120.8	121.8	123.6	125.3
	Consumed	cubic metres	0.4	1.2	0.9	0.8	0.6	0.6	0.6	8.0	0.9	8.0	1.1	0.9	8.0	1.4	0.3	1.1	8.0	1.6	1.6	1.2	1.9	3.1	1.3	1.8	2.0	1.3	0.9	2.1	1.0	1.8	1.7
	Total	cubic metres	42.7	43.9	44.8	45.6	46.2	46.8	47.4	48.2	49.1	49.9	51.0	51.9	52.7	54.1	54.4	55.5	56.3	57.9	59.5	60.7	62.6	65.7	67.0	68.8	70.8	72.1	73.0	75.1	76.1	77.9	79.6
Drillers Dry	Meter Reading	cubic metres								254	260	266	275	287	299	311	316	322	330	345	358	364	377	396	412	419	433	446	458	472	483	500	509
	Consumed	cubic metres								0	6	6	9	12	12	12	5	6	8	15	13	6	13	19	16	7	14	13	12	14	11	17	9
	Total	cubic metres								0	6	12	21	33	45	57	62	68	76	91	104	110	123	142	158	165	179	192	204	218	229	246	255
Bullion Camp Dry	Meter Reading	cubic metres	85.4	97.6	109.8	122.0	134.2	146.4	158.6	170.8	183.0	195.2	207.4	219.6	231.8	244.0	256.2	268.4	282.8														
	Consumed	cubic metres	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	14.4														
	Total	cubic metres	85.4	97.6	109.8	122.0	134.2	146.4	158.6	170.8	183.0	195.2	207.4	219.6	231.8	244.0	256.2	268.4	282.8														
Bullion Camp Kitchen	Meter Reading	cubic metres	10.5	12.0	13.5	15.0	16.5	18.0	19.5	21.0	22.5	24.0	25.5	27.0	28.5	30.0	31.5	33.0	36.7														
	Consumed	cubic metres	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	3.7														
	Total	cubic metres	10.5	12.0	13.5	15.0	16.5	18.0	19.5	21.0	22.5	24.0	25.5	27.0	28.5	30.0	31.5	33.0	36.7														
Drilling Water Use	Meter Reading	cubic metres									5699	5699	5739	5784	5868	5950	6036	6128	6192	6277	6367	6447	6512	6602	6692	6796	6891	6936	7019	7070	7156	7259	7327
	Consumed	cubic metres										0	40	45	84	82	86	92	64	85	90	80	65	90	90	104	95	45	83	51	86	103	68
	Total	cubic metres										0	40	85	169	251	337	429	493	578	668	748	813	903	993	1097	1192	1237	1320	1371	1457	1560	1628
	Grand Total	cubic metres	163.2	178.3	193.1	207.9	222.7	238.2	253.9	269.1	290.4	311.4	375.7	447.9	558.9	668.5	774.4	887.7	979.1	1082.4	1188.6	1277.8	1359.9	1476.6	1586.7	1701.6	1815.0	1876.6	1975.0	2044.0	2143.5	2267.8	2348.3
								_										August				_											
			Mon	Tue \	Wed	Thu F	ri S	_	Sun I	/lon -	Tue V						/lon]			Thu I		Sat S	Sun										Wed
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Hayes Camp Kitchen	Meter Reading	cubic metres	42.4	44.0	45.8	47.6	49.1	50.2	52.8	54.3	55.8	57.3	58.7	60.0	61.4	62.8	64.5	66.3	67.8	70.2	70.6	72.0	73.3	74.8	76.1	77.3	78.4	79.3	80.2	81.2	81.9	82.2	82.6
	Consumed	cubic metres	1.5	1.6	1.8	1.8	1.5	1.1	2.6	1.5	1.5	1.5	1.4	1.3	1.4	1.4	1.7	1.8	1.5	2.4	0.4	1.4	1.3	1.5	1.3	1.2	1.1	0.9	0.9	1.0	0.7	0.3	0.4
	Total	cubic metres	67.7	69.3	71.1	72.9	74.4	75.5	78.1	79.6	81.1	82.6	84.0	85.3	86.7	88.1	89.8	91.6	93.1	95.5	95.9	97.3	98.6	100.1	101.4	102.6	103.7	104.6	105.5	106.5	107.2	107.5	107.9
Hayes Camp Dry	Meter Reading	cubic metres	127.1	128.0	129.6	131.2	132.8	134.6	136.3	138.0	139.5	141.5	143.3	145.1	146.8	148.8	150.3	152.9	154.8	157.3	157.9	159.2	160.5	161.7	163.3	164.7	165.6	166.8	167.7	168.3	169.2	169.9	170.3
	Consumed	cubic metres	1.8	0.9	1.6	1.6	1.6	1.8	1.7	1.7	1.5	2.0	1.8	1.8	1.7	2.0	1.5	2.6	1.9	2.5	0.6	1.3	1.3	1.2	1.6	1.4	0.9	1.2	0.9	0.6	0.9	0.7	0.4
	Total	cubic metres	81.4	82.3	83.9	85.5	87.1	88.9	90.6	92.3	93.8	95.8	97.6	99.4	101.1	103.1	104.6	107.2	109.1	111.6	112.2	113.5	114.8	116.0	117.6	119.0	119.9	121.1	122.0	122.6	123.5	124.2	124.6
Drillers Dry	Meter Reading	cubic metres	516	523	529	544	552	557	562	571	588	590	601	607	619	625	630	638	644	653	654	658	662	666	669	675	682	687	690	698			
	Consumed	cubic metres	7	7	6	15	8	5	5	9	17	2	11	6	12	6	5	8	6	9	1	4	4	4	3	6	7	5	3	8			
	Total	cubic metres	262	269	275	290	298	303	308	317	334	336	347	353	365	371	376	384	390	399	400	404	408	412	415	421	428	433	436	444			
Drilling Water Use	Meter Reading	cubic metres	7414	7453	7496	7534	7575	7623	7678	7714	7754	7797																					
	Consumed	cubic metres	87	39	43	38	41	48	55	36	40	43																					
	Total	cubic metres	1715	1754	1797	1835	1876	1924	1979	2015	2055	2098																					
	Grand Total	cubic metres	2445.6	2494.1	2546.5	2602.9	2655.0	2710.9	2775.2	2823.4	2883.4	2931.9	2946.1	2955.2	2970.3	2979.7	2987.9	3000.3	3009.7	3023.6	3025.6	3032.3	3038.9	3045.6	3051.5	3060.1	3069.1	3076.2	3081.0	3090.6	3092.2	3093.2	3094.0

Appendix 5 2016 Water Monitoring Results



North Country Gold Corp. ATTN: SIMEON ROBINSON

600 - 199 West Hastings Street

Vancouver BC V6E 3T5

Date Received: 01-SEP-16

Report Date: 19-SEP-16 07:20 (MT)

Version: FINAL

Client Phone: 778-729-0600

Certificate of Analysis

Lab Work Order #: L1822390
Project P.O. #: NOT SUBMITTED

Job Reference: HAYES CAMP: 16 CRA 1,2,3

C of C Numbers: Legal Site Desc:

While

Hua Wo

Chemistry Laboratory Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 1329 Niakwa Road East, Unit 12, Winnipeg, MB R2J 3T4 Canada | Phone: +1 204 255 9720 | Fax: +1 204 255 9721

ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company



HAYES CAMP: 16 CRA 1,2,3

L1822390 CONTD.... PAGE 2 of 6 Version: FINAL

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L1822390-1 16CRA-1 WATER SAMPLE-HAYES CAN	MP-STATION 1						
Sampled By: PS on 31-AUG-16 @ 07:15	VIII -STATION I						
Matrix: WATER							
Miscellaneous Parameters							
Biochemical Oxygen Demand	<2.0		2.0	mg/L		01-SEP-16	R3542707
Chlorine, Free	<0.10		0.10	mg/L		01-SEP-16	R3539573
Chlorine, Total	<0.10		0.10	mg/L		01-SEP-16	R3539573
Conductivity	9.4		1.0	umhos/cm		01-SEP-16	R3542079
,		MBHT	1.0	MPN/100mL		02-3EP-16	1
Fecal Coliforms	<1	IVIDITI	· ·		40 CED 40		R3539830
Mercury (Hg)-Total	<0.000020		0.000020	mg/L	12-SEP-16	12-SEP-16	R3546757
Oil and Grease	<5.0		5.0	mg/L		13-SEP-16	R3548111
Total Suspended Solids	<2.0		2.0	mg/L		07-SEP-16	R3543447
pH	6.52		0.10	pH units		02-SEP-16	R3542079
Total Metals by ICP-MS	0.0462		0.0050	ma/l	12 QED 16	16 SED 16	D2550076
Aluminum (Al)-Total Antimony (Sb)-Total	0.0162 <0.00020		0.0050 0.00020	mg/L mg/L	13-SEP-16 13-SEP-16	16-SEP-16 16-SEP-16	R3550976 R3550976
Arsenic (As)-Total	<0.00020		0.00020	mg/L	13-SEP-16 13-SEP-16	16-SEP-16 16-SEP-16	R3550976 R3550976
Barium (Ba)-Total	0.00252		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Beryllium (Be)-Total	<0.00232		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Bismuth (Bi)-Total	<0.00020		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Boron (B)-Total	<0.010		0.010	mg/L	13-SEP-16	16-SEP-16	R3550976
Cadmium (Cd)-Total	<0.00010		0.000010	mg/L	13-SEP-16	16-SEP-16	R3550976
Calcium (Ca)-Total	0.68		0.10	mg/L	13-SEP-16	16-SEP-16	R3550976
Cesium (Cs)-Total	<0.00010		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Chromium (Cr)-Total	<0.0010		0.0010	mg/L	13-SEP-16	16-SEP-16	R3550976
Cobalt (Co)-Total	<0.00020		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Copper (Cu)-Total	0.00051		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Iron (Fe)-Total	0.015		0.010	mg/L	13-SEP-16	16-SEP-16	R3550976
Lead (Pb)-Total	<0.000090		0.000090	mg/L	13-SEP-16	16-SEP-16	R3550976
Lithium (Li)-Total	<0.0020		0.0020	mg/L	13-SEP-16	16-SEP-16	R3550976
Magnesium (Mg)-Total	0.253		0.010	mg/L	13-SEP-16	16-SEP-16	R3550976
Manganese (Mn)-Total Molybdenum (Mo)-Total	0.00222 <0.00020		0.00030 0.00020	mg/L	13-SEP-16 13-SEP-16	16-SEP-16 16-SEP-16	R3550976
Nickel (Ni)-Total	<0.0020		0.00020	mg/L mg/L	13-SEP-16	16-SEP-16	R3550976 R3550976
Phosphorus (P)-Total	<0.0020		0.0020	mg/L	13-SEP-16	16-SEP-16	R3550976
Potassium (K)-Total	0.361		0.020	mg/L	13-SEP-16	16-SEP-16	R3550976
Rubidium (Rb)-Total	0.00101		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Selenium (Se)-Total	<0.0010		0.0010	mg/L	13-SEP-16	16-SEP-16	R3550976
Silicon (Si)-Total	0.41		0.10	mg/L	13-SEP-16	16-SEP-16	R3550976
Silver (Ag)-Total	<0.00010		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Sodium (Na)-Total	0.404		0.030	mg/L	13-SEP-16	16-SEP-16	R3550976
Strontium (Sr)-Total	0.00444		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Tellurium (Te)-Total	<0.00020		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Thallium (TI)-Total	<0.00010		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Thorium (Th)-Total	<0.00010		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Tin (Sn)-Total	<0.00020		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Titanium (Ti)-Total	0.00073		0.00050	mg/L	13-SEP-16	16-SEP-16	R3550976
Tungsten (W)-Total	<0.00010		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Uranium (U)-Total Vanadium (V)-Total	<0.00010		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Zinc (Zn)-Total	<0.00020		0.00020	mg/L	13-SEP-16 13-SEP-16	16-SEP-16	R3550976
Zirc (Zr)-Total Zirconium (Zr)-Total	<0.0020 <0.00040		0.0020 0.00040	mg/L mg/L	13-SEP-16 13-SEP-16	16-SEP-16 16-SEP-16	R3550976 R3550976
	<u> </u>		0.00040	illy/L	10-0L1-10	10 0 1 - 10	170000910
<u> </u>	1			L		1	'

^{*} Refer to Referenced Information for Qualifiers (if any) and Methodology.

HAYES CAMP: 16 CRA 1,2,3

L1822390 CONTD.... PAGE 3 of 6 Version: FINAL

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L1822390-2 16CRA-2 WATER SAMPLE-HAYES CAI	MP-STATION 2						
Sampled By: PS on 31-AUG-16 @ 07:30	VIII OTATION 2						
Matrix: WATER							
Miscellaneous Parameters							
Biochemical Oxygen Demand	<2.0		2.0	mg/L		01-SEP-16	R3542707
Chlorine, Free	<0.10		0.10	_		01-SEP-16	1 1
Chlorine, Total				mg/L			R3539573
·	<0.10		0.10	mg/L		01-SEP-16	R3539573
Conductivity	10.4	MOLIT	1.0	umhos/cm		02-SEP-16	R3542079
Fecal Coliforms	<1	MBHT	1	MPN/100mL		01-SEP-16	R3539830
Mercury (Hg)-Total	<0.000020		0.000020	mg/L	12-SEP-16	12-SEP-16	R3546757
Oil and Grease	<5.0		5.0	mg/L		13-SEP-16	R3548111
Total Suspended Solids	<2.0		2.0	mg/L		07-SEP-16	R3543447
pH	6.56		0.10	pH units		02-SEP-16	R3542079
Total Metals by ICP-MS							<u>-</u>
Aluminum (Al)-Total	0.0167		0.0050	mg/L	13-SEP-16	16-SEP-16	R3550976
Antimony (Sb)-Total	<0.00020		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Arsenic (As)-Total	<0.00020		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Barium (Ba)-Total Beryllium (Be)-Total	0.00298		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
	<0.00020		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Bismuth (Bi)-Total Boron (B)-Total	<0.00020		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Cadmium (Cd)-Total	<0.010 <0.00010		0.010 0.000010	mg/L	13-SEP-16 13-SEP-16	16-SEP-16 16-SEP-16	R3550976
Calcium (Ca)-Total	0.87		0.000010	mg/L mg/L	13-SEP-16	16-SEP-16	R3550976 R3550976
Cesium (Cs)-Total	<0.00010		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Chromium (Cr)-Total	<0.0010		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Cobalt (Co)-Total	<0.0010		0.0000	mg/L	13-SEP-16	16-SEP-16	R3550976
Copper (Cu)-Total	0.00062		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Iron (Fe)-Total	0.095		0.010	mg/L	13-SEP-16	16-SEP-16	R3550976
Lead (Pb)-Total	<0.000090		0.000090	mg/L	13-SEP-16	16-SEP-16	R3550976
Lithium (Li)-Total	<0.0020		0.0020	mg/L	13-SEP-16	16-SEP-16	R3550976
Magnesium (Mg)-Total	0.299		0.010	mg/L	13-SEP-16	16-SEP-16	R3550976
Manganese (Mn)-Total	0.0103		0.00030	mg/L	13-SEP-16	16-SEP-16	R3550976
Molybdenum (Mo)-Total	<0.00020		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Nickel (Ni)-Total	<0.0020		0.0020	mg/L	13-SEP-16	16-SEP-16	R3550976
Phosphorus (P)-Total	<0.10		0.10	mg/L	13-SEP-16	16-SEP-16	R3550976
Potassium (K)-Total	0.397		0.020	mg/L	13-SEP-16	16-SEP-16	R3550976
Rubidium (Rb)-Total	0.00113		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Selenium (Se)-Total	<0.0010		0.0010	mg/L	13-SEP-16	16-SEP-16	R3550976
Silicon (Si)-Total	0.45		0.10	mg/L	13-SEP-16	16-SEP-16	R3550976
Silver (Ag)-Total	<0.00010		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Sodium (Na)-Total	0.435		0.030	mg/L	13-SEP-16	16-SEP-16	R3550976
Strontium (Sr)-Total	0.00524		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Tellurium (Te)-Total	<0.00020		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Thallium (TI)-Total	<0.00010		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Thorium (Th)-Total	<0.00010		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Tin (Sn)-Total	<0.00020		0.00020	mg/L	13-SEP-16	16-SEP-16	R3550976
Titanium (Ti)-Total	0.00068		0.00050	mg/L	13-SEP-16	16-SEP-16	R3550976
Tungsten (W)-Total Uranium (U)-Total	<0.00010		0.00010	mg/L	13-SEP-16	16-SEP-16	R3550976
Vanadium (V)-Total	<0.00010		0.00010	mg/L	13-SEP-16 13-SEP-16	16-SEP-16 16-SEP-16	R3550976
Zinc (Zn)-Total	<0.00020 <0.0020		0.00020 0.0020	mg/L mg/L	13-SEP-16 13-SEP-16	16-SEP-16 16-SEP-16	R3550976
Zirconium (Zr)-Total	<0.0020		0.0020	mg/L	13-SEP-16 13-SEP-16	16-SEP-16 16-SEP-16	R3550976 R3550976
	<0.00040		0.00040	IIIg/L	10-0EL-10	10-325-10	173530876
	1	1					

^{*} Refer to Referenced Information for Qualifiers (if any) and Methodology.

HAYES CAMP: 16 CRA 1,2,3

L1822390 CONTD.... PAGE 4 of 6 Version: FINAL

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L1822390-3 16CRA-3 WATER SAMPLE-HAYES CAI	MP-STATION 3						
Sampled By: PS on 31-AUG-16 @ 07:45							
Matrix: WATER							
Miscellaneous Parameters							
Biochemical Oxygen Demand	<2.0		2.0	mg/L		01-SEP-16	R3542707
Chlorine, Free	<0.10		0.10	mg/L		01-SEP-16	R3539573
Chlorine, Total	<0.10		0.10	mg/L		01-SEP-16	R3539573
Conductivity	9.5		1.0	umhos/cm		02-SEP-16	R3542079
Fecal Coliforms	<1	MBHT	1	MPN/100mL		01-SEP-16	R3539830
Mercury (Hg)-Total	<0.000020		0.000020	mg/L	12-SEP-16	12-SEP-16	R3546757
Oil and Grease	<5.0		5.0	mg/L		13-SEP-16	R3548111
Total Suspended Solids	<2.0		2.0	mg/L		07-SEP-16	R3543447
pН	6.49		0.10	pH units		02-SEP-16	R3542079
Total Metals by ICP-MS							
Aluminum (AI)-Total	0.0154		0.0050	mg/L	13-SEP-16	13-SEP-16	R3547493
Antimony (Sb)-Total	<0.00020		0.00020	mg/L	13-SEP-16	13-SEP-16	R3547493
Arsenic (As)-Total	<0.00020		0.00020	mg/L	13-SEP-16	13-SEP-16	R3547493
Barium (Ba)-Total	0.00263		0.00020	mg/L	13-SEP-16	13-SEP-16	R3547493
Beryllium (Be)-Total	<0.00020		0.00020	mg/L	13-SEP-16	13-SEP-16	R3547493
Bismuth (Bi)-Total	<0.00020		0.00020	mg/L	13-SEP-16	13-SEP-16	R3547493
Boron (B)-Total	<0.010		0.010	mg/L	13-SEP-16	13-SEP-16	R3547493
Cadmium (Cd)-Total	<0.000010		0.000010	mg/L	13-SEP-16	13-SEP-16	R3547493
Calcium (Ca)-Total	0.80		0.10	mg/L	13-SEP-16	13-SEP-16	R3547493
Cesium (Cs)-Total	<0.00010		0.00010	mg/L	13-SEP-16	13-SEP-16	R3547493
Chromium (Cr)-Total	<0.0010		0.0010	mg/L	13-SEP-16	13-SEP-16	R3547493
Cobalt (Co)-Total	<0.00020		0.00020	mg/L	13-SEP-16	13-SEP-16	R3547493
Copper (Cu)-Total Iron (Fe)-Total	0.00057		0.00020	mg/L	13-SEP-16	13-SEP-16	R3547493
Lead (Pb)-Total	0.021 <0.000090		0.010 0.000090	mg/L	13-SEP-16 13-SEP-16	13-SEP-16 13-SEP-16	R3547493
Lithium (Li)-Total	<0.00090		0.00090	mg/L mg/L	13-SEP-16	13-SEP-16	R3547493 R3547493
Magnesium (Mg)-Total	0.264		0.0020	mg/L	13-SEP-16	13-SEP-16	R3547493
Manganese (Mn)-Total	0.00252		0.00030	mg/L	13-SEP-16	13-SEP-16	R3547493
Molybdenum (Mo)-Total	<0.00232		0.00030	mg/L	13-SEP-16	13-SEP-16	R3547493
Nickel (Ni)-Total	<0.0020		0.0020	mg/L	13-SEP-16	13-SEP-16	R3547493
Phosphorus (P)-Total	<0.10		0.10	mg/L	13-SEP-16	13-SEP-16	R3547493
Potassium (K)-Total	0.387		0.020	mg/L	13-SEP-16	13-SEP-16	R3547493
Rubidium (Rb)-Total	0.00107		0.00020	mg/L	13-SEP-16	13-SEP-16	R3547493
Selenium (Se)-Total	<0.0010		0.0010	mg/L	13-SEP-16	13-SEP-16	R3547493
Silicon (Si)-Total	0.42		0.10	mg/L	13-SEP-16	13-SEP-16	R3547493
Silver (Ag)-Total	<0.00010		0.00010	mg/L	13-SEP-16	13-SEP-16	R3547493
Sodium (Na)-Total	0.439		0.030	mg/L	13-SEP-16	13-SEP-16	R3547493
Strontium (Sr)-Total	0.00483		0.00010	mg/L	13-SEP-16	13-SEP-16	R3547493
Tellurium (Te)-Total	<0.00020		0.00020	mg/L	13-SEP-16	13-SEP-16	R3547493
Thallium (TI)-Total	<0.00010		0.00010	mg/L	13-SEP-16	13-SEP-16	R3547493
Thorium (Th)-Total	<0.00010		0.00010	mg/L	13-SEP-16	13-SEP-16	R3547493
Tin (Sn)-Total	<0.00020		0.00020	mg/L	13-SEP-16	13-SEP-16	R3547493
Titanium (Ti)-Total	0.00061		0.00050	mg/L	13-SEP-16	13-SEP-16	R3547493
Tungsten (W)-Total	<0.00010		0.00010	mg/L	13-SEP-16	13-SEP-16	R3547493
Uranium (U)-Total	<0.00010		0.00010	mg/L	13-SEP-16	13-SEP-16	R3547493
Vanadium (V)-Total	0.00022		0.00020	mg/L	13-SEP-16	13-SEP-16	R3547493
Zinc (Zn)-Total	<0.0020		0.0020	mg/L	13-SEP-16	13-SEP-16	R3547493
Zirconium (Zr)-Total	<0.00040		0.00040	mg/L	13-SEP-16	13-SEP-16	R3547493

^{*} Refer to Referenced Information for Qualifiers (if any) and Methodology.

HAYES CAMP: 16 CRA 1,2,3 L1822390 CONTD....

Reference Information

PAGE 5 of 6 Version: FINAL

Sample Parameter Qualifier Key:

Qualifier Description **MBHT** The APHA 30 hour hold time was exceeded for microbiological testing. Samples processed within 48 hours from time of sampling may be valid in some cases (refer to Health Canada guidance).

Test Method References:

ALS Test Code Matrix Method Reference** **Test Description BOD-WP** Water Biochemical Oxygen Demand (BOD) **APHA 5210 B**

Samples are diluted and seeded and then incubated in airtight bottles at 20°C for 5 days. Dissolved oxygen is measured initially and after incubation, and results are computed from the difference between initial and final DO.

CL2-FRFF-WP Water APHA 4500-CI G (modified) Chlorine, Free

Free chlorine in aqueous matrices is analyzed by colour disc test kit using the DPD colourimetric method.

CL2-TOTAL-WP Water Chlorine, Total APHA 4500-CI G (modified)

Total chlorine in aqueous matrices is analyzed by colour disc test kit using the DPD colourimetric method.

EC-WP Water Conductivity **APHA 2510B**

Conductivity of an aqueous solution refers to its ability to carry an electric current. Conductance of a solution is measured between two spatially fixed

and chemically inert electrodes.

FC-QT97-WP Water Fecal Coliform by MPN QT97 APHA 9223B QT97

This analysis is carried out using procedures adapted from APHA Method 9223B "Enzyme Substrate Coliform Test". The sample is mixed with a mixture of hydrolyzable substrates and then sealed in a 97-well packet. The packet is incubated at 44.5 - 0.2°C for 18 hours and then the number of wells exhibiting a positive response are counted. The final result is obtained by comparing the number of positive responses to a probability table.

HG-T-CVAF-WP Water Mercury Total EPA245.7 V2.0

Mercury in filtered and unfiltered waters is oxidized with Bromine monochloride and analyzed by cold-vapour atomic fluorescence spectrometry.

MET-T-L-MS-WP Total Metals by ICP-MS APHA 3030E/EPA 6020A-TL

This analysis involves preliminary sample treatment by hotblock acid digestion (APHA 3030E). Instrumental analysis is by inductively coupled plasma -

mass spectrometry (EPA Method 6020A)

OG-GRAV-WP EPA 1664 (modified) Water Oil & Grease - Gravimetric

Water samples are acidified and extracted with hexane; the hexane extract is collected in a pre-weighed vial. The solvent is evaporated and Total Oil &

Grease is determined from the weight of the residue in the vial.

PH-WP Water **APHA 4500H**

The pH of a sample is the determination of the activity of the hydrogen ions by potentiometric measurement using a standard hydrogen electrode and a

reference electrode.

SOLIDS-TOTSUS-LR-WP Water **Total Suspended Solids** APHA 2540 D (modified)

Total suspended solids in aquesous matrices is determined gravimetrically after drying the residue at 103 105°C.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code Laboratory Location WP ALS ENVIRONMENTAL - WINNIPEG, MANITOBA, CANADA

Chain of Custody Numbers:

HAYES CAMP: 16 CRA 1,2,3 L1822390 CONTD....

Reference Information

PAGE 6 of 6 Version: FINAL

Test Method References:

ALS Test Code Matrix Method Reference** **Test Description**

GLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample

mg/kg wwt - milligrams per kilogram based on wet weight of sample mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

Enulronmental

Chain of Custody / Analytical Request Form Canada Toll Free: 1 800 668 9878

www.alsglobal.com

L1822390 Page Loi L

Report To	<u> </u>	_		Rep	ort Fan	mat / Distribut	ion	•	Servi	ce Req	vest(i	₹ı				ei n i Li	185(18		14 DI 1 D I	18
Company: }	JORTH COUNTRY	60LD		Stan	ndard:	Other	(specify):		V	Regul	er (Star	11			/KD1'	MHD		! 		1
Contact: S	IMEON ROBIN	NO		Sele	ect: PDF	F_V Excel	Digital_	Fax		Priority	/(2-4 B	ַר <u>ו</u> ו	\ () \		/KKK)				111110	1
Address:	600-1199 WE	IT HASTENGS	STREET"	Ema	ail 1; \$	imeon robin	SON PRUFAN	resources com		Emerg	ency (1.	,		.182	2239	0-00	FC		
V	ANCOLVER, BC.	VOE 3TS	.	Ema			Daurys reso			Same	Day or	1		,						
Phone: 600	4 790 8811 /	Fax:					- J					_				-400	.			- 1
Invoice To	Same as Report ? (circ	le) 🧐 or No	(if No, provide o	details) Cller	nt / Pro	ject Informatio	on .				(li	ndicat	e Filte	ered o	r Pre	serve	d, F/P)		
	Copy of Invoice with Re	eport? (circle)	e or No	Job #	#: HA	YES CAMP	BCRAI, 7	;,3	$\overline{}$	Z		\square	$\overline{}$		$\overline{}$	$\overline{}$	$\overline{}$		\square	
Company:	NORTH COUNTRY	GOLD		PO /	/AFE:			<u>'</u>		3	٦		*		\Box	~	8		\Box	
Contact:	•			LSO:):					CMP	<u>ج</u>	H	427		1 11	. <u>S</u>	E			
Address:										1					<u> </u>	CHLOR	밁			2
Phone:		Fax:		Quot	ite #:				<i>d</i> /	1) -		-Totsus		& GREASE	<u>+</u>	COLLEGR			E i
				ALS	-				3	ابٰ	4٠	احدا	원		싫	/TOT	Ч			동
Lab Work Oi	rder # (lab use only)				itact:	TYLER	Sampler: P	Σ.	١,		⊬	3			99	· T	<u>`</u> -}			Number of Containers
		Sample Ide	ntification		Т	Date	Time	1	S	9	l ∟ੈ	<u> </u>	Sarras	9	اد ا	FREE	FECAL	ļ		ğ
Sample #	(This	•	appear on the re	port)		(dd-mmm-yy)	(hh:mm)	Sample Type	m	Ŧ	產	PH	질	800	ひむ	72	7			- ₹
if no.4 1		-			-		 	ATCO			┝	7	. 7		U	7	_		+-+	
16 CRA-1	WATER SAMPLE	-H AA ET	CAMP - SIP	ATTON I		31-A4E-16	SIALE	WATER	~	~	1	<u> </u>	<u>~ </u>	<u>~</u>	Ľ۱	<u>~</u>	싀		$+\!-\!+$	8
	·										<u> </u>	Ш							Ш	
16CRA-2	WATER SAMPU	e – Hayes	CAMP -S	TATIONZ		31-AUG-16	O7 H 30	WATER	'	V	/	🗸	V	/	1	1	1		}	8
	•	•	·												\Box	\neg			Ħ	
1/500-3	WATER SAMPLI	= " 11 à 14 br	- chmp-c	- POTTALO		31 - AUG-11	07145	WATER	7	7	7	7	7	7	ᅱ		ᅱ	+	$\vdash \vdash$	8
18CK4-3	WATER STIPPE	2 H MUIS	Z VHOLE S	באלמדואני	_	३। नवकन्त	01843	WATER	Ľ	-	<u> </u>	 	-	<u> </u>	-	싀	-	_	╂┷┽	<u>-</u>
						<u></u>					<u> </u>				Ш				$oxed{oxed}$	
ŀ															il					
	•					-	,					П	一		\Box	一			П	
					_	•	··	<u> </u>				Н			\vdash	\dashv	\dashv	+	╀╌┤	\dashv
					_					_	_	$\vdash \vdash$				-	\rightarrow	-	₩	\dashv
				·								Ш							$\perp \perp$	
									L								ı		1 1	
			•	··							"				\Box				П	
	Special Inst	ructions / Reac	ulation with wat	er or land use i	(CCME	- Freshwater A	Aguatic Life/BC	CSR-Commercia	VAB	Tier 1	-Net	ural/e	(c) / F	lazar	dous.	Deta	lis			\dashv
					(+															\neg
																				l
			Faiture to com	plete all portio	one of th	ile form may o	lolav analveje	Please fill in this	form	LEG	IRI Y									ᅴ
	By the us	a of this form		•				as specified on												Ī
			me oser acknov						uie C	ackp		_					11 - 4			\dashv
Delegand	SHIPMENT RELEAS		Time:				ION (lab use on	-	Mad	ا ليمثغ		HIPM			-ICAT			e only)	ervation	
Released by: Date: Time: Received by:					Date:	Time:	Temperature:	ven	fied b	у:		Date	;		Time	i		ervalioi /No?		
					1.09.16	8:45 A	6.9 ℃											s add (
beech	D TO BACK DACK FOR A	PHOLOCATIONS	AND CAMOUNG	NEODMATION				DATABY CODY	VEL	0111	Or IE		-					CME 10 A	4	



North Country Gold Corp. ATTN: SIMEON ROBINSON

600 - 199 West Hastings Street

Vancouver BC V6E 3T5

Date Received: 30-AUG-16

Report Date: 12-SEP-16 15:04 (MT)

Version: FINAL

Client Phone: 778-729-0600

Certificate of Analysis

Lab Work Order #: L1820814

Project P.O. #: 1445

Job Reference: BULLION CAMP

C of C Numbers: Legal Site Desc:

VVG

Hua wo Chemistry Laboratory Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 1329 Niakwa Road East, Unit 12, Winnipeg, MB R2J 3T4 Canada | Phone: +1 204 255 9720 | Fax: +1 204 255 9721

ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company



L1820814 CONTD.... PAGE 2 of 4 Version: FINAL

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L1820814-1 16BCW - WATER SAMPLE - BULLION (CAMP						
Sampled By: WA on 29-AUG-16 @ 12:30	7						
Matrix: WATER							
Miscellaneous Parameters							
Biochemical Oxygen Demand	<2.0		2.0	mg/L		31-AUG-16	R3542553
Chlorine, Free	<0.10		0.10	mg/L		30-AUG-16	R3538601
Chlorine, Total	<0.10		0.10	mg/L		30-AUG-16	R3538601
Conductivity	6.3		1.0	umhos/cm		01-SEP-16	R3541496
Fecal Coliforms	<1		1.0	CFU/100mL		30-AUG-16	R3537843
Mercury (Hg)-Total	<0.000020		0.000020		09-SEP-16	09-SEP-16	
Oil and Grease	<0.000020 <5.0		5.0	mg/L	09-3EF-16	09-SEP-16 08-SEP-16	R3545817
				mg/L			R3546213
Total Suspended Solids	<5.0		5.0	mg/L		31-AUG-16	R3539338
pH	6.43		0.10	pH units		01-SEP-16	R3541496
Total Metals by ICP-MS Aluminum (Al)-Total	0.0079		0.0050	mg/L	08-SEP-16	09-SEP-16	R3544913
Antimony (Sb)-Total	<0.0079		0.0050	mg/L	08-SEP-16 08-SEP-16	09-SEP-16 09-SEP-16	R3544913 R3544913
Arsenic (As)-Total	<0.00020		0.00020	mg/L	08-SEP-16	09-SEP-16	R3544913
Barium (Ba)-Total	0.00151		0.00020	mg/L	08-SEP-16	09-SEP-16	R3544913
Beryllium (Be)-Total	<0.00020		0.00020	mg/L	08-SEP-16	09-SEP-16	R3544913
Bismuth (Bi)-Total	<0.00020		0.00020	mg/L	08-SEP-16	09-SEP-16	R3544913
Boron (B)-Total	<0.010		0.010	mg/L	08-SEP-16	09-SEP-16	R3544913
Cadmium (Cd)-Total	<0.000010		0.000010	mg/L	08-SEP-16	09-SEP-16	R3544913
Calcium (Ca)-Total	0.48		0.10	mg/L	08-SEP-16	09-SEP-16	R3544913
Cesium (Cs)-Total	<0.00010		0.00010	mg/L	08-SEP-16	09-SEP-16	R3544913
Chromium (Cr)-Total	<0.0010		0.0010	mg/L	08-SEP-16	09-SEP-16	R3544913
Cobalt (Co)-Total	<0.00020		0.00020	mg/L	08-SEP-16	09-SEP-16	R3544913
Copper (Cu)-Total	0.00064		0.00020	mg/L	08-SEP-16	09-SEP-16	R3544913
Iron (Fe)-Total	0.011		0.010	mg/L	08-SEP-16	09-SEP-16	R3544913
Lead (Pb)-Total	<0.000090		0.000090	mg/L	08-SEP-16	09-SEP-16	R3544913
Lithium (Li)-Total	<0.0020		0.0020	mg/L	08-SEP-16	09-SEP-16	R3544913
Magnesium (Mg)-Total	0.144		0.010	mg/L	08-SEP-16	09-SEP-16	R3544913
Manganese (Mn)-Total	0.00062		0.00030	mg/L	08-SEP-16	09-SEP-16	R3544913
Molybdenum (Mo)-Total	<0.00020		0.00020	mg/L	08-SEP-16	09-SEP-16	R3544913
Nickel (Ni)-Total	<0.0020		0.0020	mg/L	08-SEP-16	09-SEP-16	R3544913
Phosphorus (P)-Total Potassium (K)-Total	<0.10		0.10	mg/L	08-SEP-16 08-SEP-16	09-SEP-16 09-SEP-16	R3544913
Rubidium (Rb)-Total	0.192 0.00040		0.020 0.00020	mg/L mg/L	08-SEP-16 08-SEP-16	09-SEP-16 09-SEP-16	R3544913 R3544913
Selenium (Se)-Total	<0.0010		0.00020	mg/L	08-SEP-16	09-SEP-16	R3544913
Silicon (Si)-Total	0.19		0.10	mg/L	08-SEP-16	09-SEP-16	R3544913
Silver (Ag)-Total	<0.00010		0.00010	mg/L	08-SEP-16	09-SEP-16	R3544913
Sodium (Na)-Total	0.352		0.030	mg/L	08-SEP-16	09-SEP-16	R3544913
Strontium (Sr)-Total	0.00250		0.00010	mg/L	08-SEP-16	09-SEP-16	R3544913
Tellurium (Te)-Total	<0.00020		0.00020	mg/L	08-SEP-16	09-SEP-16	R3544913
Thallium (TI)-Total	<0.00010		0.00010	mg/L	08-SEP-16	09-SEP-16	R3544913
Thorium (Th)-Total	<0.00010		0.00010	mg/L	08-SEP-16	09-SEP-16	R3544913
Tin (Sn)-Total	<0.00020		0.00020	mg/L	08-SEP-16	09-SEP-16	R3544913
Titanium (Ti)-Total	<0.00050		0.00050	mg/L	08-SEP-16	09-SEP-16	R3544913
Tungsten (W)-Total	<0.00010		0.00010	mg/L	08-SEP-16	09-SEP-16	R3544913
Uranium (U)-Total	<0.00010		0.00010	mg/L	08-SEP-16	09-SEP-16	R3544913
Vanadium (V)-Total	<0.00020		0.00020	mg/L	08-SEP-16	09-SEP-16	R3544913
Zinc (Zn)-Total	<0.0020		0.0020	mg/L	08-SEP-16	09-SEP-16	R3544913
Zirconium (Zr)-Total	<0.00040		0.00040	mg/L	08-SEP-16	09-SEP-16	R3544913

^{*} Refer to Referenced Information for Qualifiers (if any) and Methodology.

BULLION CAMP L1820814 CONTD....

Reference Information

PAGE 3 of 4 Version: FINAL

Qualifiers for Individual Samples Listed:

Sample Numbe	Client ID	Qualifier	Description
L1820814-1	16BCW - WATER SAMPLE -	WSMT	Water sample(s) for total mercury analysis was not submitted in glass or PTFE container with HCl preservative. Results may be biased low.

BOD-WP

lest Method References:											
ALS Test Code	Matrix	Test Description	Method Reference**								

APHA 5210 B

Samples are diluted and seeded and then incubated in airtight bottles at 20°C for 5 days. Dissolved oxygen is measured initially and after incubation, and results are computed from the difference between initial and final DO.

Water

CL2-FREE-WP Water Chlorine, Free APHA 4500-CI G (modified)

Biochemical Oxygen Demand (BOD)

Free chlorine in aqueous matrices is analyzed by colour disc test kit using the DPD colourimetric method.

CL2-TOTAL-WP Water Chlorine, Total APHA 4500-CI G (modified)

Total chlorine in aqueous matrices is analyzed by colour disc test kit using the DPD colourimetric method.

APHA 2510B FC-WP Water Conductivity

Conductivity of an aqueous solution refers to its ability to carry an electric current. Conductance of a solution is measured between two spatially fixed and chemically inert electrodes.

FC-MF-WP Water Fecal Coliform **APHA 9222D**

An aliguot of sample water (usually 100 mL) is passed through a sterile .45 micron membrane filter. The filter is placed on selective media and incubated at 44.5°C for 24 – 2 hours. Colonies exhibiting characteristic morphology for the target group on the filter after incubation are counted and results are reported as Colony Forming Units (CFU) per 100 mL. The detection limit for this test is 1 when 100 mL of sample is processed, and is adjusted accordingly, with report notes as required, when less than 100 mL is processed.

HG-T-CVAF-WP Water Mercury Total EPA245.7 V2.0

Mercury in filtered and unfiltered waters is oxidized with Bromine monochloride and analyzed by cold-vapour atomic fluorescence spectrometry.

MET-T-L-MS-WP Water Total Metals by ICP-MS APHA 3030E/EPA 6020A-TL

This analysis involves preliminary sample treatment by hotblock acid digestion (APHA 3030E). Instrumental analysis is by inductively coupled plasma mass spectrometry (EPA Method 6020A)

OG-GRAV-WP Oil & Grease - Gravimetric EPA 1664 (modified)

Water samples are acidified and extracted with hexane; the hexane extract is collected in a pre-weighed vial. The solvent is evaporated and Total Oil & Grease is determined from the weight of the residue in the vial.

Water **APHA 4500H**

The pH of a sample is the determination of the activity of the hydrogen ions by potentiometric measurement using a standard hydrogen electrode and a reference electrode.

SOLIDS-TOTSUS-WP Water **Total Suspended Solids** APHA 2540 D (modified)

Total suspended solids in aquesous matrices is determined gravimetrically after drying the residue at 103 105°C.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code Laboratory Location WP ALS ENVIRONMENTAL - WINNIPEG, MANITOBA, CANADA

Chain of Custody Numbers:

BULLION CAMP L1820814 CONTD....

Reference Information

PAGE 4 of 4 Version: FINAL

Test Method References:

ALS Test Code Matrix Method Reference** **Test Description**

GLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample

mg/kg wwt - milligrams per kilogram based on wet weight of sample

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Pa	geof	

Report To							•	Servi	ce Req	uest(F	gush su	bject to	availa	bility - I	Contac	t ALS to	confirm 1	AT)	
	NORTH COUNTRY		ρ	Standard:	Other (specify):			Regule	ır (Stan	dard Tu	marour	id Time	s - Bus	iness C	ays)			
Contact:	simeon robin	USON _		Select: PDF V Excel V Digital Fax				Priority(2-4 Business Days)-50% surcharge - Contact ALS to confirm TAT											
Address:	600-1199 WE	ST HASTEN	ig street	Email 1: simeon robinson pour yntesources .com					Emergency (1-2 Business Days)-100% Surcharge - Contact ALS to confirm TAT					т					
	VANCOUVER, VE			Email 2: peter rees @ auryn resources . com					Same Day or Weekend Emergency - Contact ALS to confirm TAT										
	<u>1188 0PT 400</u>	Fax:	"			7	Analysis Request												
Invoice To	Same as Report ? (circ	;le) (e) or No	(if No, provide details)	Cilent / Pr	oject Informatio						5, F/P)							
	Copy of Invoice with R	eport? (circle)	(es) or No	Job#: {								$\overline{}$		\nearrow	$\overline{}$	\overline{A}	$\overline{}$		
Company:	NORTH COUNTRY	1 GOLD COM	<u></u>	PQ / AFE:	PO/AFE:				7	NP		37			岁	3			
Contact:				LSD:				필	, ,		* '의	ı	N)	э	₹			.	
Address:									-CUAR-WF	- M S		N	J	3	اد	텡			£
Phone:		Fax:		Quote #:	Quote #:			_	ĬĬ	4	: 1	-Porsus		GREASE	Tot chook	COLLIFORM		<u> </u>	
Lab Work O	rder# (lab use only)			ALS Contact:	sampler: WA		- WP	-T-(- <u>T</u>	≩				FREE /	3			Number of Containers	
Sample #	(This	Sample Ide description will :	entification appear on the report)		Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	EC	웊	MET	Ħ	30.770S	800	0TL X	3	FEL	İ		Numbe
16BCW	WATER SAMP	UE - BUL	LTON CAMP		29-08-16	12:50	WATER	V	$\overline{\mathcal{A}}$	\	7	✓	/	J	V	IJ.			
7.0									H								\top	1	
									Н			-		\dashv	\dashv	\dashv	+	+	
· · · · · · · · · · · · · · · · · · ·									\vdash		\vdash					\dashv		\vdash	
									Ш							_		ļ	\vdash
					i														
													1						
					_													1 -	
					-				Н						\neg	\dashv	+	+	
	<u></u> -					<u> </u>			-	_		_	-	\dashv	\dashv	-+		╅┈┤	
									\sqcup					_	_			┷	
												_					_		
			-																\neg
	Special Inst	ructions / Rea	ulation with water or lan	d use (CCM	E- Freshwater A	quatic Life/BC	CSR-Commercia	ľAB	Tier 1	-Nati	urai/e	te) / F	lazar	dous	Deta	ils			\dashv
				<u> </u>				•								_			
	·		Failure to complete all	portions of	this form may d	elay analysis.	Please fill in this	form	LEG	BLY.									
	By the us	e of this form t	the user acknowledges	•	•							white	- rei	oort o	ODV-				
	SHIPMENT RELEAS			SHIP	MENT RECEPTA	ON flah use onl	<u> </u>		p	_						lab us	e only)		
Released by:		Date:	Time: Receive	Y	Date: Car	Time: 37		Veri	fied by		777 171	Date		1000	Time		Ob: Yes	ervation / No ?	,
REFER	R TO BACK PAGE FOR A	LS LOCATIONS	AND SAMPLING INFORMA				RATORY COPY	YELL	.OW-	CLIEN	VT CO	PY			·	G	ENF 18.	1 Fron	

Appendix 6 2016 Wildlife Logs



1. What was sighted?	2. When was the sighting?
a. Species sighted: Wolf	a. Date (MM/DD/YY): 04 /23 /2016
(see Common Species List on reverse)	b. Time (exact or approximate): 10 am
b. How many in each group?:	
Age Sex	Day Night Dusk Dawn
V	ale
	emale
	nknown
Unknown	
c. Description (e.g. any notes on species, size, color,	antiers, etc.): Artic Wolf. (Healthy)
	imals' behaviour. What was it / were they doing? How long? etc.
Circling camp.	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
e. Was the Individual / group sighted over a period of	
f. Was any action taken? Yes No	from hanging around camp.
used to discovrage wolf t	from hanging around camp.
V	
a. GPS Coordinates: Hayes Car	
a. GPS Coordinates:	b. Datum:
c. Was sighting within camp? Yes No	100 - Con office
e. Please describe the location (.e. "on hill next to co	ook's
tent"), as well as the direction the wildlife was travel	4 Weather Conditions:
A	Snowfell Light Rainfall Light (/A
On ice strip when hist observed, Circled around con to north, last seen at southern end of esker airs	Moderate Moderate
to costs lock seem at	Heavy Heavy
southern end of esper airs	tru0
Total Company	Ventu Diseze Sky Clear Sky
	Moderate Partiy Cloudy
	Strong Overcast
	Recent Conditions: N4 days blizzard.
	Wolf seen after storm passed
f. Was a photo taken? Yes No	
Photo (file) name/number:	Observed by: Simes Robinson.



(space is provided on the reverse for an illustration of the wildlife's location and activity along with additional space for notes and/or a description of the wildlife "sign" observed)

Photo (file) name/number: _

2. When was the sighting?
a. Date (MM/DD/YY): April 24-16
b. Time (exact or approximate): 2 Pm
Day Night Dusk Dawn
Bown.
r. What was it / were they doing? How long? etc.
7 /
Yes No If so, for how long? 2 km
b. Datum:
ather Conditions:
wfall Light Rainfall Light
Moderate Moderate
Heavy Heavy
neavy
Vind Breeze Sky Clear Sky
Moderate Partly Cloudy
Strong Overcast
ent Conditions:
Observed by: Scott



I. What was sighted?	2. When was the sighting?
a. Species sighted: (See Common Species List on reverse)	a. Date (MM/DD/YY): 04/12/16 - 04/24/16 b. Time (exact or approximate):
b. How many In each group?:	b. Time (exact or approximate):
Age Sex	Day Night Dusk Dawn
Adult Male	
Sub-Audult Femal Yearling / newborn Unkno	
Unknown	
a Description (e.g. any notes on species size color anti-	on atom instead weeks from 5 6-12
animals each everyday wi	ers, etc.): noted heads from to 6-12 Thin the spen above.
toraging for tundra gra	s' behaviour. What was it / were they doing? How long? etc.
	e? Yes No If so, for how long? Noted above
f. Was any action taken? Yes No If	so, what? diverted heli flight path
around or high enough to n	alaimize disruption
3. Where was the sighting?	14
a. GPS Coordinates: Con Bay Be	b. Datum:
c. Was sighting within camp? Yes No	d. If not, how far from camp boundary? from 20-120km
e. Please describe the location (.e. "on hill next to cook's	
tent"), as well as the direction the wildlife was traveling:	4. Weather Conditions:
	Snowfall Light Rainfall Light
	Moderate Moderate
	Heavy Heavy
	Wind Breeze Sky Clear Sky
	Moderate Partly Cloudy Strong Overcast
	Recent Conditions: varied over the B days
f. Was a photo taken? Yes No	Cos L'HELRELY
Photo (file) name/number:	Observed by: PGD & (PEUGLEX)
	Ilel 2 Haacace
	mes/24/14
	0424



1. What was sighted?	2. When was the sighting?
a. Species sighted: WOLF / CAR1800 (see Common Species List on/reverse)	a. Date (MM/DD/YY): 04/29/16 b. Time (exact or approximate): 8AM
b. How many in each group?: 2WOLF/100 CARIBOD Age Sex	Day Night Dusk Dawn
Adult Male	
Sub-Audult Female Yearling / newborn Unknown	
Unknown	
c. Description (e.g. any notes on species, size, color, antiers, etc.):	OHITE WOLVES
d. Behavlour - Please provide a description of the animals' behaviour. Wh	nat was it / were they doing? How long? etc.
WALKING, WOWES PER	
e. Was the Individual / group sighted over a period of time? Yes	No If so, for how long?
f. Was any action taken? Yes No if so, what?	
3. Where was the sighting?	
a. GPS Coordinates:	b. Datum:
c. Was sighting within camp? Yes No d. If not, how	far from camp boundary?
e. Please describe the location (.e. "on hill next to cook's tent"),as well as the direction the wildlife was traveling: 4. Weather	r Conditions:
5 Km NW of HATES Snowfall	Light Rainfall Light
CAMP MOVING WEST.	Moderate Heavy Heavy
Wind	Breeze Sky Clear Sky
	Moderate Partly Cloudy Strong Overcast
Recent Co	onditions:
f. Was a photo taken? Yes No Photo (file) name/number:	Observed by: Scott Douglas
	(6 SH)



	the state of the s
1. What was sighted?	2. When was the sighting?
a. Species sighted: Wolves	a. Date (MM/DD/YY): 12 May 2016
(see Common Species List on reverse)	b. Time (exact or approximate): 44
b. How many in each group?:	
Age Sex	Day Night Dusk Dawn
Adult Male	larly in morning
Sub-Audult Female	
Yearling / newborn Unknown	
Unknown	
	~7 adult walves. Healthy.
c. Description (e.g. any notes on species, size, color, antiers, etc.):	7.
d. Behaviour - Please provide a description of the animals' behavior	
one was playing. Others were	e sniffing finvestigating camp.
(No garbage wat in vicinity)	3, 3
e. Was the individual / group sighted over a period of time?	Yes No If so, for how long? ~ 5 min
	Air horn blown to deter
f. Was any action taken? Yes No if so, what?	All North Blown to deter
e. Please describe the location (.e. "on hill next to cook's tent"),as well as the direction the wildlife was traveling:	eather Conditions: owfall Light Rainfall Light Moderate Heavy Heavy
	Wind Breeze Sky Clear Sky
	Wind Breeze Sky Clear Sky Moderate Partly Cloudy
	Wind Breeze Sky Clear Sky Moderate Strong Overcast
Rec	Wind Breeze Sky Clear Sky Moderate Partly Cloudy
Rec	Wind Breeze Sky Clear Sky Moderate Strong Partly Cloudy Overcast
	Wind Breeze Sky Clear Sky Moderate Strong Overcast cent Conditions: Overcast
f. Was a photo taken? Yes No	Wind Breeze Sky Clear Sky Partiy Cloudy Overcast cent Conditions: Overcast
	Wind Breeze Sky Clear Sky Moderate Strong Overcast



1. What was signted?	2. when was the signting?
a. Species sighted:	a. Date (MM/DD/YY): 10 37 am
(see Common Species List on reverse)	b. Time (exact or approximate): 17 MAY 2016
b. How many in each group?:	
Age Sex	Day Night Dusk Dawn
Adult Male	
Sub-Audult Female	
Yearling / newborn Unknow	1
Unknown	
c. Description (e.g. any notes on species, size, color, antier advit (an bou)	s, etc.): Looked healthy (approx 18-20
d. Behaviour - Please provide a description of the animals'	behaviour. What was it / were they doing? How long? etc.
Slowly walking, Content	Undishirbed.
a. Was the Individual / group sighted over a pedad of time?	Yes No If so, for how long? 20 min .
	<u> </u>
f. Was any action taken? Yes Yes No If so	, what?
3. Where was the sighting?	N/A
a. GPS Coordinates: Approx at Island on	Sandspit b. Datum:
	d. If not, how far from camp boundary? 1000m.
c. Was sighting within camp? Yes No	d. If not, now far from camp boundary?
e. Please describe the location (.e. "on hill next to cook's	
tent"),as well as the direction the wildlife was traveling:	4. Weather Conditions:
terr has were as the direction the wholite was paveling.	_/
Observed at a distance	Snowfall Light Rainfall Light
on western side of ice	Moderate Moderate
airstrip Walking	Heavy Heavy
South.	
	Wind Breeze Sky Clear Sky
Initially observed at approx	Moderate Partly Cloudy
island on Sandsp. + Lake.	Strong
Moved south!	Recent Conditions: Show (10cm).
	Law Pressure Sycken
f. Was a photo taken? Yes No	
Photo (file) name/number:	Observed by: Simpon Keith
The state of the s	



. What was sighted?	2. When was the sighting?
a. Species sighted: ARTIC HARE	a. Date (MM/DD/YY): <u>July 10-2016</u>
(see Common Species List on reverse)	b. Time (exact or approximate):
b. How many in each group?:	
Age Sex	Day Night Dusk Dawn
Adult Male	
Sub-Audult Female	
Yearling / newborn / Unknow	wn
Unknown	
	STILL HAD SOME WHITE
Description (e.g. any notes on species, size, color, antie	N STILL HAD SOME WHITE
WINIER COMI OF	0 1-23 20 3 3 3 3
Rehaviour - Please provide a description of the animals	behaviour. What was it / were they doing? How long? etc.
30 SECONDS SAT UP	RIGHT TO SEE WHAT I WAS
DOING AND THEN	RAN OFF
	? Yes No If so, for how long?
	,
. Was any action taken? Yes No If s	so, what?
- <i>-</i>	
Where was the sighting? GPS Coordinates: 520605 733 Was sighting within camp? Yes No Please describe the location (.e. "on hill next to cook's tent"), as well as the direction the wildlife was traveling:	d. If not, how far from camp boundary? N 40 Km W 4. Weather Conditions:
ON A RIDGE TOP	
070 15 101 101	Snowfall Light Rainfall Light
	Moderate Moderate
	Moderate Heavy Moderate Heavy
	Moderate Heavy Wind Breeze Sky Clear Sky
	Moderate Heavy Wind Breeze Sky Clear Sky Partly Cloudy
	Wind Breeze Sky Clear Sky Moderate Heavy Wind Strong Moderate Heavy Clear Sky Partly Cloudy Overcast
	Wind Breeze Sky Clear Sky Moderate Heavy Wind Strong Moderate Heavy Clear Sky Partly Cloudy Overcast
	Moderate Heavy Wind Breeze Sky Clear Sky Partly Cloudy
	Wind Breeze Sky Clear Sky Moderate Heavy Wind Strong Moderate Heavy Clear Sky Partly Cloudy Overcast
f. Was a photo taken? Yes No	Wind Breeze Sky Clear Sky Moderate Heavy Wind Strong Moderate Heavy Clear Sky Partly Cloudy Overcast

Appendix 7 2016 Spill Report





NT-NU SPILL REPORT

OIL, GASOLINE, CHEMICALS AND OTHER HAZARDOUS MATERIALS

NT-NU 24-HOUR SPILL REPORT LINE

TEL: (867) 920-8130 FAX: (867) 873-6924 EMAIL: spills@gov.nt.ca

REPORT LINE USE ONLY

A	REPORT DATE: MONTH - DAY - Y Jul 19, 2016	EAR	08h55		XORIGINAL SPILL REPORT,	REPORT NUMBER
	OCCURRENCE DATE: MONTH - D	NAV VEAR	100000000000000000000000000000000000000	ENCE TIME	OR UPDATE#	16-284
В	Jul 19, 2016		06h55	5	TO THE ORIGINAL SPILL REPORT	
С	N2014C0002			2BE-CRA1520	(IF APPLICABLE)	
D	GEOGRAPHIC PLACE NAME OR Anuri, 50 km WSW	DISTANCE AND DIRECTION FROM NAME from Hayes Camp	LOCATION	REGION NWT X NUNAVU	UT ADJACENT JURISDICTIO	N OR OCEAN
E	DEGREES 66 M	110120	21	LONGITUDE DEGREES 92	The state of the s	SECONDS 54
F	North Country Gold			DRESS OR OFFICE LOCAT Hastings Street	ion , Vancouver, V6E 3T	5
G	ANY CONTRACTOR INVOLVED GroundTruth Explo	oration PO Box	70, Dav	OR OFFICE LOCATION WSON CITY, YT, Y		
	PRODUCT SPILLED Methyl Hydrate	QUANTITY IN		OGRAMS OR CUBIC METR	ES U.N. NUMBER	
Н	SECOND PRODUCT SPILLED (IF	APPLICABLE) QUANTITY IN	LITRES, KILO	OGRAMS OR CUBIC METR	ES U.N. NUMBER	
	n/a	n/a				
1	From pail	SPILL CAUSE Knocke	ed pail o	ver	AREA OF CONTAMINATION 0.5	IN SQUARE METRES
J	FACTORS AFFECTING SPILL OR Rock and sandy ar	The second secon	NY ASSISTAN	ICE REQUIRED	Not close to wat	OPERTY OR ENVIRONMENT
K						
L	REPORTED TO SPILL LINE BY					
M	Rob L'Heureux	POSITION Project Manager	APE)	Geoscience	LOCATION CALLING FROM Hayes Camp	TELEPHONE 604-424-4458
_	ANY ALTERNATE CONTACT		APE)	(Geoscience		
	ANY ALTERNATE CONTACT	Project Manager POSITION Exploration Manager	APE)	Geoscience Country Gold	Hayes Camp	604-424-4458 ALTERNATE TELEPHONE
N	ANY ALTERNATE CONTACT Simeon Robinson	Project Manager POSITION Exploration Manager	APE) EMPLOYE North	K Geoscience Country Gold	Hayes Camp	604-424-4458 ALTERNATE TELEPHONE
	ANY ALTERNATE CONTACT Simeon Robinson RECEIVED AT SPILL LINE BY	Project Manager POSITION Exploration Manager REPORT POSITION	MORTH North LINE USE ON EMPLOYE	K Geoscience Country Gold	Hayes Camp ALTERNATE CONTACT Vancouver LOCATION CALLED YELLOWKNIFE, NT	604-424-4458 ALTERNATE TELEPHONE 604-790-8811 REPORT LINE NUMBER
LEA	ANY ALTERNATE CONTACT Simeon Robinson RECEIVED AT SPILL LINE BY AD AGENCY EC CCG GN	Project Manager POSITION Exploration Manager REPORT POSITION STATION OPERATOR	APE) EMPLOYE North LINE USE OF	K Geoscience ER n Country Gold NLY ER	Hayes Camp ALTERNATE CONTACT Vancouver LOCATION CALLED YELLOWKNIFE, NT	604-424-4458 ALTERNATE TELEPHONE 604-790-8811 REPORT LINE NUMBER (867) 920-8130
LEA	ANY ALTERNATE CONTACT Simeon Robinson RECEIVED AT SPILL LINE BY AD AGENCY EC CCG GN	Project Manager POSITION Exploration Manager REPORT POSITION STATION OPERATOR WT GN GLA GINAC GNEB GT	APE) EMPLOYE North LINE USE OF	K Geoscience ER Country Gold NLY ER	Hayes Camp ALTERNATE CONTACT Vancouver LOCATION CALLED YELLOWKNIFE, NT AJOR UNKNOWN FILE ST	604-424-4458 ALTERNATE TELEPHONE 604-790-8811 REPORT LINE NUMBER (867) 920-8130
AGE LEA	ANY ALTERNATE CONTACT Simeon Robinson RECEIVED AT SPILL LINE BY AD AGENCY DEC DCCG DGN ENCY CO	Project Manager POSITION Exploration Manager REPORT POSITION STATION OPERATOR WT GN GLA GINAC GNEB GT	APE) EMPLOYE North LINE USE OF	K Geoscience ER Country Gold NLY ER	Hayes Camp ALTERNATE CONTACT Vancouver LOCATION CALLED YELLOWKNIFE, NT AJOR UNKNOWN FILE ST	604-424-4458 ALTERNATE TELEPHONE 604-790-8811 REPORT LINE NUMBER (867) 920-8130
AGI LEA	ANY ALTERNATE CONTACT Simeon Robinson RECEIVED AT SPILL LINE BY AD AGENCY GO ENCY GO AD AGENCY	Project Manager POSITION Exploration Manager REPORT POSITION STATION OPERATOR WT GN GLA GINAC GNEB GT	APE) EMPLOYE North LINE USE OF	K Geoscience ER Country Gold NLY ER	Hayes Camp ALTERNATE CONTACT Vancouver LOCATION CALLED YELLOWKNIFE, NT AJOR UNKNOWN FILE ST	604-424-4458 ALTERNATE TELEPHONE 604-790-8811 REPORT LINE NUMBER (867) 920-8130

Spill Report



To be completed for every spill of oil, gasoline, chemicals and other hazardous materials

Note: All spills regardless of quantity are to be reported immediately to the NT/NU spill line where: release is near a water body; sensitivite environment; wildlife habitat; poses theat to human health <u>or</u> above is reportable thresholds (see over)

Report Date: 19/07/16	Report Time: 85	55
Spill Date: 19/07/16	Spill Time: 62	5
Location of Spill: (Include description and coordinates) 4 NV 1 R 1 16 A R R 003	N:7370816	NAD 83
	E 1521619	715
Responsible Party: RAB 2 Helper		
Product Spilled:	Quantity: (Litres)	
Mothyl Hydrate		
Spill Source: Land Surer Pail that it was	iN	
Spill Cause: Bumped into the pail and Knok	ied over	
Area of Contamination: (m x m x depth)		
Im x 59m X 5can		
Did any contaminant enter a water source? If yes, explain where	No 🔼	
Immediate actions taken to address spill: Took ab sorbud pals and put Tryed to shove we rork	on area	
Additional Information:		
Reported by: Kony l'Entremont	Date: 19/07	116

Remediation Plan

Oil, gasoline, chemicals and other hazardous materials



Material Spilled: Mahallydrate
Brought Cow towingted soil bock Hayes camp
Date remediation to be completed by: 26 7 2016
Remediation completed by whom?:
Inspected by: NERRYL MOULSON (FOREMAN)
Approved: Yes No
Comments:
PAIL WITH CONTAMINATED SOIL & ABSORBENT "SAUSAGE -SHAPED
PAD DELITHERED TO HAYES? SISPOSED OF INTO HAYES CAMP "CON-
TAMINATED SOIL" BARREL (QUANSET 1)

NU/NT Spill Line - Reportable quantities summary table

TDG Class	Description	Amount spilled	255
1	Explosives	Any amount	
2.1	Flammable gas	Any amount from container with capacity >100 litres	
3.1, 3.2, 3.3	Flammable liquid	100 litres	
Other		See NCG Spill prevention and contingency plan	

NT/NU Spill Line

Phone

1-867-920-8130

Fax

1-897-873-6924

email

spills@gov.nt.ca

Revised October 2015

2