

# Material Safety Data Sheet / Fiche signalétique

WESTCOAST DRILLING SUPPLIES LTD.  
8069 River Way, Delta, British Columbia,  
Canada V4G 1L3  
Ph. (604) 940-6050 Fax (604) 940-6080

EMERGENCY 1-800-665-6645

## SECTION I: IDENTIFICATION OF PRODUCT

PRODUCT NAME: **LINSEED SOAP**  
CHEMICAL FAMILY: Lubricating grease  
WHMIS CLASSIFICATION: Not regulated  
WORK PLACE HAZARD: Not applicable

## TRANSPORTATION OF DANGEROUS GOODS (TDGR)

CLASSIFICATION: Not available  
PACKAGE GROUP: Not available  
PRODUCT IDENTIFICATION NUMBER (PIN): Not applicable (Petroleum Lubricating Grease)

## SECTION II: HAZARDOUS INGREDIENTS

INGREDIENT	PERCENTAGE	CAS NUMBER	LD50	LC50
Linseed Soap	100%	Mixture		

## SECTION III: TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY: (Information not available)  
[ ] Skin, [ ] Eye Contact, [XXX] Inhalation, [ ] Ingestion

SKIN CONTACT: Prolonged and repeated contact with skin can cause defatting and drying of the skin resulting in skin irritation and dermatitis.

EYE CONTACT: Not available.

INHALATION: Inhalation of oil mist or vapors from hot grease may cause irritation of the upper respiratory tract. Long term intensive exposure may cause benign lung fibrosis.

INGESTION: Not available.

CHRONIC OVEREXPOSURE: Not determined.

IRRITATION INDEX: SKIN: Not available.

SYMPTOMS OF EXPOSURE: Not available.

EXPOSURE INFORMATION: Oil mist (particulate): 5 mg/M<sup>3</sup> (TLV/TWA)  
ACGIH 88/89 10 mg/M<sup>3</sup> (TLV/STEL) ACGIH 88/89

## SECTION IV: FIRST AID MEASURES

SKIN CONTACT: Remove contaminated clothing. Wash contaminated skin with mild soap and water. Wipe excess from skin.

EYE CONTACT: Flush eyes with water for at least fifteen (15) minutes.

INHALATION: Remove victim from further exposure. Additional first aid treatment is not ordinarily required.

INGESTION: Do not induce vomiting. Obtain medical attention immediately.

OTHER INSTRUCTIONS: None

## SECTION V: PHYSICAL DATA

APPEARANCE AND ODOR: Semi-solid brown colored grease; slight hydrocarbon odor.

DENSITY (SPECIFIC GRAVITY): 1.0

BOILING POINT: 100° C

MELTING POINT: Not available

WATER SOLUBILITY: Miscible

**WESTCOAST DRILLING SUPPLIES LTD.**

8069 River Way, Delta, British Columbia, Canada V4G 1L3

Phone: (604) 940-6050 · Fax: (604) 940-6080

Toll Free: 1-800-665-6645

## LINSEED SOAP

Page 2 of 3

% VOLATILE BY VOLUME:	Not available
EVAPORATION RATE:	Not available
VAPOR PRESSURE: (mm Hg)	Not available
VAPOR DENSITY: (Air = 1)	Not available
pH:	9.5
VISCOSITY:	Not available

---

### SECTION VI: FIRE AND EXPLOSION HAZARD DATA

---

FLASH POINT:	222° C
FLAMMABLE LIMIT:	Not available
AUTO IGNITION TEMP:	343° C
EXTINGUISHING MEDIA:	Dry chemical, carbon dioxide CO <sub>2</sub> , foam water fog.
SPECIAL FIRE FIGHTING PROCEDURES:	No special procedures - Avoid inhalation of smoke. Caution, spilled material is slippery. Use water to cool fire-exposed containers.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	None currently known.

---

### SECTION VII: REACTIVITY DATA

---

STABLE [XXX] INSTABLE [ ]	
INCOMPATIBILITY (CONDITIONS TO AVOID):	Not available.
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon monoxide; carbon dioxide and dense smoke are produced on combustion. Avoid excessive heat, formation of vapors or mists.
HAZARDOUS POLYMERIZATION:	Will not occur [ ] May occur [ ] Not Available

---

### SECTION VIII: PREVENTATIVE MEASURES

---

RESPIRATORY PROTECTION:	Under conditions of high heat use an air purifying respirator (mechanical filter with accompanying organic vapor cartridge).
VENTILATION:	Highly recommended for all indoor situations to control fugitive emissions. Concentrations in air should be maintained below the recommended threshold limit value if unprotected personnel are involved.
LOCAL:	If oil mist is present or if exposure is exceeded.
MAKE-UP AIR:	Should always be supplied to balance air exhausted (either generally or locally).
PROTECTIVE GLOVES:	Impervious gloves (viton, nitrile, PVC neoprene) should be worn at all times when handling this product.
EYE PROTECTION:	Chemical safety goggles and/or full face shield to protect eyes and face, if product is handled such that it could be splashed into eyes.
OTHER PROTECTIVE EQUIPMENT:	Impervious clothing (apron, coveralls) should be worn in confined workspaces or where the risk of skin exposure is much higher.
PERMISSIBLE CONCENTRATIONS:	Not available.

**WESTCOAST DRILLING SUPPLIES LTD.**

8069 River Way, Delta, British Columbia, Canada V4G 1L3

Phone: (604) 940-6050 - Fax: (604) 940-6080

Toll Free: 1-800-665-6645

**LINSEED SOAP**

Page 3 of 3

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:**

Store in a cool, dry, well ventilated area, away from heat and ignition sources. Avoid excessive heat, formation of oil mist, breathing of vapors and mist of hot oil and prolonged or repeated contact with skin. Launder contaminated clothing prior to reuse. Properly dispose of contaminated leather articles, including shoes, that cannot be decontaminated.

**STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK:**

Spilled material is slippery. Isolate hazard area and restrict access. Wear appropriate breathing apparatus (if applicable) and protective clothing. Stop leak only if safe to do so. Contain a land spill by diking. For large spills remove by mechanical means and place in containers. Clean area with appropriate cleaner. Do not allow product to run off from fire control to enter storm or sanitary sewers, lakes, rivers, streams or public waterways. Block off drains and ditches. Provincial regulations require and federal regulations may require that environmental and/or other agencies be notified of a spill incident. Spill area must be cleaned and restored to original condition or to the satisfaction of authorities.

**WASTE DISPOSAL METHOD:**

Reclaim or dispose of at a licensed waste disposal company.

---

**SECTION IX: PREPARATION**

---

The information contained herein is given in good faith, but no warranty, expressed or implied is made.

DATE ISSUED: May 28, 1991

DATE REVISED: April 1, 2000

BY: Product Safety Committee

Review date:

March 31/03

Authorized by:

Alan Lelache