



P.O. Box 119, Gioia Haven, NU X0B 1J0, Tel: (867) 360-6338, Fax: (867) 360-6369

- b. reflecting the requirement for regular inspection of drip trays and antifreeze cleanup;
 - c. including information on handling hazardous materials; and
 - d. outlining the spill response procedure during fuel transfer activities from a sealift barge; and
- Part I, Item 2: submit to the Board for review with the 2019 Annual Report an updated Plan entitled “*Ege Bay Exploration Program Closure and Reclamation Plan BAF-PH1-400-P16-0003*” dated February 22, 2019 taking into consideration its land lease agreement provisions with the Qikiqtani Inuit Association.

The NWB does not have a record of receiving these documents to date. Therefore, the Board requires that the Licensee provide the missing information in the 2020 Annual Report to be submitted on or before **July 31, 2020**. In addition, Baffinland is reminded of the requirement set out in Part J, Item 9 to submit to the Board for review at least thirty (30) days prior to initiating camp Water use an updated Plan entitled “*Ege Bay - Environmental Inspection and Monitoring Plan BAF-PH1-400-P16-0004*” dated February 22, 2019.

If you have any questions, please contact the undersigned at assol.kubeisinova@nwb-oen.ca or (867) 360 6338 (ext. 31).

Best regards,



Assol Kubeisinova
Nunavut Water Board
Technical Advisor

Cc: Distribution List – Qikiqtani