



Richard Dwyer  
Licensing Trainee  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU X0B 1J0

**Re: Dundee Precious Metals Inc. George Lake AR Plan**

Upon reviewing the Plan, KIA identified the following topics requiring clarification:

- Section 4.5 discusses the winterization of the generator, where it is later stated that the generator has been removed from the George Lake camp;
- Section 5.1.7 discusses the dismantling of the camp heating system, where it is previously stated within the Plan that there is no camp heating system in existence at the George Lake camp;
- Section 5.1.1 states that equipment associated with the water supply system will be disassembled and transported out of Back River. Section 4.2 notes that no water distribution system exists at the George Lake camp;
- The *Winter Restoration Plan* is described in section 4.0 as a short term abandonment of the Back River / Goose Lake exploration camp, where in sections 4.2, 4.3, 4.4, and 4.6 of the Winter Restoration Plan, there is only mention of the George Lake camp; and
- Section 4.7.1 discusses an on-site fuel cache without clarifying at which camp this fuel is stored over winter.

- Non-recyclable structures be incinerated, or dismantled and backhauled to Yellowknife as part of normal operations in the development of the Back River Project; and

- Non-native seed should not be used for reclamation purposes on IOL without written permission from KIA.

We appreciate the opportunity to review and provide comments on this plan, and if any additional information is required, please contact us.

Sincerely,

Kevin Tweedle  
Environmental Technician  
Kitikmeot Inuit Association  
Mail: P.O. Box 360,  
Kugluktuk, Nunavut, X0B 0E0  
Phone: (867) 982-3310  
Fax: (867) 982-3311