

P.O. Box 119 GJOA HAVEN, NU XOE 1JO

TEL: (867) 360-6338 FAX: (867) 360-6369 kNK5 wmoEp5 vtmpq NUNAVUT WATER BOARD NUNAVUT IMALIRIYIN KATIMAYINGI

WATER LICENCE APPLICATION FORM

(for NWB use only) 1. NAME AND MAILING ADDRESS OF	2. ADDRESS OF CO	ORPORATE
APPLICANT/LICENSEE Miramar Bathurst Resources Ltd.	OFFICE IN CANADA (if applicable) Same as Item 1 Nunavut Water	
300-889 Harbourside Drive North Vancouver, B.C.		Board
V7P 3S1 Phone: 604-985-2572	Dhonas	NOV 2 3 2004
Fax: 604-980-0731 e-mail: jwakeford@miramarmining.com	Phone: Fax: e-mail:	Public Registry
3. LOCATION OF UNDERTAKING (described the Undertaking) As shown on attached map (Figure 1) shows the local requires the use of water and disposal of waste into water trenching, bulk sampling, environmental Monitoring Latitude: 65° 32' 40" Longitude: 112° 2	be and attach a topographical map, tion of Goose Lake camp and surro vater for mining exploration activit and exploration camp at Goose La	ounding area. This application ies, including diamond drilling, ke, Nunavut.
the Undertaking) As shown on attached map (Figure 1) shows the local requires the use of water and disposal of waste into waterenching, bulk sampling, environmental Monitoring Latitude: 65° 32' 40" Longitude: 112° 2 4. DESCRIPTION OF UNDERTAKING (attached the license will be for continuing exploration, which Monitoring as well as an exploration camp. The attached the shown is the shown in the license will be for continuing exploration.	be and attach a topographical map, tion of Goose Lake camp and surre vater for mining exploration activit and exploration camp at Goose La 25' 37" NTS Map No7 tach plans and drawings) h includes diamond drilling, trench ched map (figure 1) shows the cam	bunding area. This application ies, including diamond drilling, ke, Nunavut. 6G/09,10 Scale 1:50,000 ing, bulk sampling, environmental ap and trenching for 2005. The
the Undertaking) As shown on attached map (Figure 1) shows the local requires the use of water and disposal of waste into waterenching, bulk sampling, environmental Monitoring Latitude: 65° 32' 40" Longitude: 112° 2 4. DESCRIPTION OF UNDERTAKING (attached) The license will be for continuing exploration, which	be and attach a topographical map, tion of Goose Lake camp and surre vater for mining exploration activit and exploration camp at Goose La 25' 37" NTS Map No7 tach plans and drawings) h includes diamond drilling, trench ched map (figure 1) shows the cam	bunding area. This application ies, including diamond drilling, ke, Nunavut. 6G/09,10 Scale 1:50,000 ing, bulk sampling, environmental ap and trenching for 2005. The
the Undertaking) As shown on attached map (Figure 1) shows the local requires the use of water and disposal of waste into waterenching, bulk sampling, environmental Monitoring Latitude: 65° 32' 40" Longitude: 112° 2 4. DESCRIPTION OF UNDERTAKING (attached the license will be for continuing exploration, which Monitoring as well as an exploration camp. The attached diamond drilling is shown on the NTS maps 76G/09	be and attach a topographical map, tion of Goose Lake camp and surrowater for mining exploration activity and exploration camp at Goose La 25' 37" NTS Map No. 7 tach plans and drawings) h includes diamond drilling, trench ched map (figure 1) shows the came and 10. The diamond drilling will	bunding area. This application ies, including diamond drilling, ke, Nunavut. 6G/09,10 Scale 1:50,000 ing, bulk sampling, environmental ap and trenching for 2005. The be approved each year as results
the Undertaking) As shown on attached map (Figure 1) shows the local requires the use of water and disposal of waste into waterenching, bulk sampling, environmental Monitoring Latitude: 65° 32' 40" Longitude: 112° 2 4. DESCRIPTION OF UNDERTAKING (att. The license will be for continuing exploration, which Monitoring as well as an exploration camp. The attachiamond drilling is shown on the NTS maps 76G/09 from the previous year are evaluated. 5. TYPE OF PRIMARY UNDERTAKING (Att. Type OF	be and attach a topographical map, tion of Goose Lake camp and surrowater for mining exploration activity and exploration camp at Goose La 25' 37" NTS Map No. 7 tach plans and drawings) h includes diamond drilling, trench ched map (figure 1) shows the came and 10. The diamond drilling will	bunding area. This application ies, including diamond drilling, ke, Nunavut. 6G/09,10 Scale 1:50,000 ing, bulk sampling, environmental ap and trenching for 2005. The be approved each year as results
the Undertaking) As shown on attached map (Figure 1) shows the local requires the use of water and disposal of waste into waterenching, bulk sampling, environmental Monitoring Latitude: 65° 32' 40" Longitude: 112° 2 4. DESCRIPTION OF UNDERTAKING (attached the license will be for continuing exploration, which Monitoring as well as an exploration camp. The attached diamond drilling is shown on the NTS maps 76G/09 from the previous year are evaluated. 5. TYPE OF PRIMARY UNDERTAKING (Attached the previous year are evaluated)	be and attach a topographical map, ation of Goose Lake camp and surrowater for mining exploration activity and exploration camp at Goose Lactorial Map No. 7 NTS Map No. 7 Tach plans and drawings) to includes diamond drilling, trenched map (figure 1) shows the came and 10. The diamond drilling will A supplementary questionnaire mu	bunding area. This application ies, including diamond drilling, ke, Nunavut. 6G/09,10 Scale 1:50,000 ing, bulk sampling, environmental ap and trenching for 2005. The be approved each year as results

Effective January 1, 2004

Effective January 1, 2004

-Sludge for the drill will be accumulated in one place and will gradually be diluted with precipitation to the point where it will be allowed to be released back to the environment. The same will happen to the brine from the end of the drilling program when it is placed in the designated site for sludge. The water will gradually lose the salt concentration and be allowed to be released into the environment. -Buried ash from kitchen waste and combustible material: This material will be buried under the tundra and opening the tundra to accept the ash would give the permafrost the opportunity to start melting. Care has to be used in making sure that when permafrost is exposed that enough cover is replace to refreeze both the introduced waste as well as the existing permafrost. Fuel spills: -Continued fuel spills can create a great deal of material to be re-mediated. By mixing some sand in the re-mediated soil can grow in size until there is additional amounts available for picking up contaminated material and replacing it right away with material that already has be through the process. A layer of oil sponge can be spread over the site prior to re-contouring, as the oil sponge will react with any oil left. During warm weather, when the microbes in the oil sponge will eat (any residue) that may be missed while digging. The microbes will continue being active removing oil until all the remaining hydrocarbons are all rendered harmless.				
NIRB Screening Yes X_ No If no, date expected				
11. INUIT WATER RIGHTS				
Will the project or activity substantially affect the quality, quantity, or flow of water flowing through Inuit Owned Lands and the rights of Inuit under Article 20 of the Nunavut Land Claims Agreement? With the capture of the Greywater into a sump and the sludge and water from diamond drilling being held in a designated holing area there will not be any waste water allowed to flow onto Inuit owned lands, until treated or filtered. No.				
11. (Continued)				
If yes, has the applicant entered into an agreement with the Designated Inuit organization to pay compensation for any loss or damage that may be caused by the alteration? If no compensation agreement has been made, how will compensation be determined?				
12. CONTRACTORS AND SUB-CONTRACTORS (name, address and functions) Discovery Mining Services (Logistics) P.O. Box 2248 Yellowknife, N.W.T. X1A 2P7 Bradley Brothers (Diamond Drilling) P.O.Box 2369 Rouyn-Noranda, Quebec J9X 5AP KitNuna (Logistics) P.O.Box 92 Cambridge Bay, Nunavut X0E 0C0 Golder Associates (Weather station) 300, 10525-170st Edmonton, Alberta, T5P 4W2				
13. STUDIES UNDERTAKEN TO DATE (list and attach copies of studies, reports, research, etc.) None currently ongoing.				
THE FOLLOWING DOCUMENTS MUST BE INCLUDED WITH THE ADDITION TO THE				
14. THE FOLLOWING DOCUMENTS <u>MUST</u> BE INCLUDED WITH THE APPLICATION FOR THE REGULATORY PROCESS TO BEGIN				
Supplementary Questionnaire (where applicable: see section 5) X Yes No If no, date expected				
Inuktitut/English Summary of Project X_Yes No If no, date expected				
Application fee \$30.00 (Payee Receiver General for Canada) X_Yes No If no, date expected				

Effective January 1, 2004

Water Use fee (see Section 9 of the NWT Waters Regulations; Payee Receiver General for Canada) X Yes No If no, date expected					
15. PROPOSED TIM					
Annual (or) <u>X</u> Start Date: 01-Jan-05		ompletion Date: 31-Dec-30 Item 18(1)A			
Name (Print)	VP Exacana 710 V Title (Print)	Signature	Nav14/04 Date		
For Nunavut Water Board use of APPLICATION FEE	Amount: \$	Pay ID No.:			
WATER USE DEPOSIT	Amount: \$	Pay ID No.:			

Item 8. Waste handling

Greywater: generate about 8 cubic metres per day, which will be piped into a sump. At the end of each season the sump will be covered with lime.

Sewage: generate about 3 cubic metres per day, which will be incinerated with electric toilets. The remains will be buried on site along with the burned kitchen wastes.

Sludges: generated about 58 cubic metres from diamond drilling. The wastewater from drilling will be left in the hole at the completion of each hole drilled and the remainder re-circulated through a heated recovery tank. At the end of the drilling program the remaining water with the drilling salt in it will be disposed of in the designated disposal site for sludge and wastewater.

Scrape metals: this consists mainly of ruined diamond drill rods. These rods will be bundled and removed south for sale as scrape or other uses.

Waste Oil: Very little generated. The only waste oil is from he diesel engines in the equipment and the diamond drills. It will be mixed with the heating oil and burned on site.

