



Nunavut Government
Department of Health and Social Services

healthy

Kitikmeot Regional Office

Box 83, Cambridge Bay, Nunavut X0B 0C0 Tel: (867) 983-4086 Fax: (867) 983-4088

July 12, 2001

Andrea Carter
A/Licensing Administrator
Nunavut Water Board
P.O. Box 119
Gjoa Haven, NU

Re: File No. NWB2G00

I have reviewed the application for a water licence renewal from Kinross Gold relative to public health and have the following comments to offer...

- Raw water taken from the lake for the purposes of drinking, dishwashing and cooking must be treated by chlorination, ozonation, ultra-violet radiation, or boiling as per the Public Health Act of Nunavut;
- This office has no objection to the wetland treatment of grey water provided the disposal area is at least 30 meters from the camp, and it does not impact on any water course; and
- It would be prudent for me to inspect this camp for other public health issues such as food hygiene and camp sanitation, however, the logistics of getting into the site are problematic. Any suggestions?

Should you have any questions regarding this matter, please do not hesitate to contact me at (867) 983-4086.

Robert D. Phelps

Robert Phillips, CPHI(C)
Environmental Health Officer

Nunavut Water
Board

JUL 13 2008

Industry

INTERNAL	
PC	
LA	RB