



MSDS

Sheets





Poly-Drill Drilling Systems

1824 - 104 Avenue, S.W.
Calgary, Alberta, Canada
T2W-0A8
(403) 259-5112 FAX (403) 255-7185

MATERIAL SAFETY DATA SHEET/FICHE SIGNALÉTIQUE

Section 1—PRODUCT IDENTIFICATION

PRODUCT TRADE NAME(S): Poly Drill 133X/1330

PRODUCT DESCRIPTION: Latex
polyelectrolyte

SECTION 2—COMPOSITION

A liquid polymer: Evaluation of the ingredient(s) has found no ingredient(s) hazardous as per WHMIS regulations.

SECTION 3—PHYSICAL DATA

Boiling Point: Not available
Solubility in Water: Solubility limited by solution viscosity.
Density (g/ml): 1.08 at 25° C
Appearance and Odor: Blue. Odor slight.

Specific Gravity (@ 25 Deg.C.): 1.09
pH: 8.1 (1.0% solution)
Physical State: Liquid

SECTION 4—FIRE AND EXPLOSION DATA

Flash Point (method used): (PMCC) >100 C
Conditions of flammability: Intense heat, open flame.
Hazardous combustion products: Products of incomplete hydrocarbon combustion.
Upper and Lower flammable limits: Not available
Extinguishing media: Use water spray, foam, dry chemical, or carbon dioxide.

SECTION 5—REACTIVITY

Chemical stability: Stable under normal conditions.
Hazardous Polymerization: Will not occur
Incompatible substances: Avoid strong oxidizing and reducing agents.
Hazardous decomposition products: Carbon monoxide, carbon dioxide, and products of incomplete hydrocarbon combustion.

SECTION 6—HEALTH HAZARD DATA

TOXICITY RATING: Practically non-harmful.

Routes of Exposure and Effects:

SKIN: Slight irritant: prolonged contact may cause skin irritation or dermatitis in some individuals

EYE: No effects of exposure expected with the exception of possible irritation.

INHALATION: If misted, no effects of exposure are expected.

Exposure limits: TLV-TWA: Mineral oil, mist 5 mg/m³

Carcinogenicity: None of the components of this product are listed as carcinogens by IARC and ACGIH

Sensitization of product: Not suspected to be a sensitizer.

Teratogenicity: Not available.

Mutagenicity: Not available.

.....

SECTION 7—EMERGENCY AND FIRST AID PROCEDURES

SKIN: Wash exposed area with soap and water. If irritation or abnormalities persist, call a physician.

EYE: Immediately flush eyes with water for 15 minutes, if irritation or abnormalities persist, call a physician.

INHALATION: Remove to fresh air. If breathing becomes difficult, give oxygen and call a physician.

INGESTION: Do not induce vomiting. Call a physician immediately.

SECTION 8—HANDLING AND USE PRECTIONS

Storage requirements: keep container closed when not in use. Store in a cool dry location away from oxidizing and reducing agents.

Waste Disposal: product should be disposed of in accordance with applicable local, Provincial and Federal regulations.

Steps must be taken if product is released or spilled: clean spill areas thoroughly to avoid hazardous slippery conditions.

SECTION 9—INDUSTRIAL HYGIENE CONTROL MEASURES

Respiratory Protection: None normally required.

Ventilation: If mist and/or vapors are present, use air purifying respirator or self-contained breathing apparatus, but this is rarely required.

Eye Protection: Safety glasses, if personally preferred

Gloves: Generally not necessary. Personal preference.

SECTION 10—TOXICOLOGICAL PROPERTIES

Environmental Effects: Not known to be harmful to aquatic life at low concentrations.

Freshwater aquatic toxicity rating: 96 hour LC50 Rainbow Trout = 160 mg/L

96 hour LC50 Salmon = 160 mg/L

SECTION 11—DEPARTMENT OF TRANSPORTATION INFORMATION

Shipping Name: Drilling Mud

Hazard Class: Not hazardous

Hazardous Substances: None

Cautionary Labeling: None required