



Environmental Division

Certificate of Analysis

HOPE BAY MINING LTD

ATTN: JILL TURK

300, 889 HARBOURSIDE DRIVE

NORTH VANCOUVER BC V7P 3S1

Report Date: 28-JAN-10 16:12 (MT)

Version: FINAL

Lab Work Order #: L856731

Date Received: 25-JAN-10

Project P.O. #: H00288

Job Reference: COMPLIANCE WATER SAMPLES

Legal Site Desc:

CofC Numbers:

Other Information:

Comments: detection limits were adjusted due to sample matrix effect.

Sean Whitaker

THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN AUTHORITY OF THE LABORATORY.
ALL SAMPLES WILL BE DISPOSED OF AFTER 30 DAYS FOLLOWING ANALYSIS. PLEASE CONTACT THE LAB IF YOU
REQUIRE ADDITIONAL SAMPLE STORAGE TIME.

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L856731-1 ORBIT 21 10TDD691 209M Sampled By: JT on 22-JAN-10 Matrix: WATER Total Metals - CCME Mercury (Hg) - Total Mercury (Hg)-Total	<0.00010		0.00010	mg/L		26-JAN-10	R1142378
Total Metals in Water by ICPMS (Low) Aluminum (Al)-Total	0.107		0.010	mg/L		26-JAN-10	R1142375
Antimony (Sb)-Total	<0.00040		0.00040	mg/L		26-JAN-10	R1142375
Arsenic (As)-Total	0.00046		0.00040	mg/L		26-JAN-10	R1142375
Barium (Ba)-Total	0.0035		0.0030	mg/L		26-JAN-10	R1142375
Beryllium (Be)-Total	<0.0010		0.0010	mg/L		26-JAN-10	R1142375
Boron (B)-Total	<0.050		0.050	mg/L		26-JAN-10	R1142375
Cadmium (Cd)-Total	<0.000050		0.000050	mg/L		26-JAN-10	R1142375
Chromium (Cr)-Total	<0.0050		0.0050	mg/L		26-JAN-10	R1142375
Cobalt (Co)-Total	<0.0020		0.0020	mg/L		26-JAN-10	R1142375
Copper (Cu)-Total	0.0051		0.0010	mg/L		26-JAN-10	R1142375
Lead (Pb)-Total	0.00095		0.00010	mg/L		26-JAN-10	R1142375
Lithium (Li)-Total	<0.010		0.010	mg/L		26-JAN-10	R1142375
Molybdenum (Mo)-Total	<0.0050		0.0050	mg/L		26-JAN-10	R1142375
Nickel (Ni)-Total	0.0021		0.0020	mg/L		26-JAN-10	R1142375
Selenium (Se)-Total	<0.00080	DLM	0.00080	mg/L		26-JAN-10	R1142375
Silver (Ag)-Total	<0.00010		0.00010	mg/L		26-JAN-10	R1142375
Thallium (Tl)-Total	<0.00010		0.00010	mg/L		26-JAN-10	R1142375
Tin (Sn)-Total	<0.050		0.050	mg/L		26-JAN-10	R1142375
Titanium (Ti)-Total	0.0028		0.0010	mg/L		26-JAN-10	R1142375
Uranium (U)-Total	<0.00010		0.00010	mg/L		26-JAN-10	R1142375
Vanadium (V)-Total	<0.0010		0.0010	mg/L		26-JAN-10	R1142375
Zinc (Zn)-Total	0.0415	RRVAP	0.0040	mg/L		26-JAN-10	R1142375
Total Metals in Water by ICPOES (Low) Calcium (Ca)-Total	12.6		0.50	mg/L		27-JAN-10	R1142606
Iron (Fe)-Total	1.26		0.010	mg/L		27-JAN-10	R1142606
Magnesium (Mg)-Total	10.4		0.10	mg/L		27-JAN-10	R1142606
Manganese (Mn)-Total	0.0126		0.0020	mg/L		27-JAN-10	R1142606
Potassium (K)-Total	3.64		0.10	mg/L		27-JAN-10	R1142606
Sodium (Na)-Total	48.8		1.0	mg/L		27-JAN-10	R1142606
Miscellaneous Parameters Ammonia-N	0.073		0.050	mg/L		26-JAN-10	R1141803
Phosphorus, Total	0.048		0.020	mg/L	26-JAN-10	27-JAN-10	R1143485
Total Organic Carbon	7.9		1.0	mg/L		26-JAN-10	R1136985
Total Suspended Solids	6.0		3.0	mg/L		26-JAN-10	R1142198
Routine Water: Major Ions, Fluoride Chloride by IC Chloride (Cl)	76.5		0.50	mg/L		26-JAN-10	R1142566
Dissolved Metals in Water by ICPOES Calcium (Ca)-Dissolved	10.2		0.50	mg/L		27-JAN-10	R1144012
Magnesium (Mg)-Dissolved	7.92		0.10	mg/L		27-JAN-10	R1144012
Potassium (K)-Dissolved	2.86		0.50	mg/L		27-JAN-10	R1144012
Sodium (Na)-Dissolved	38.5		1.0	mg/L		27-JAN-10	R1144012
Fluoride by IC Fluoride (F)	0.060		0.050	mg/L		26-JAN-10	R1142566
Ion Balance Calculation Ion Balance	99.4			%		28-JAN-10	
TDS (Calculated)	160			mg/L		28-JAN-10	
Hardness (as CaCO3)	58.1			mg/L		28-JAN-10	

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L856731-3 ORBIT 23 10TDD693 258M Sampled By: JT on 22-JAN-10 @ 15:00 Matrix: WATER							
Total Metals in Water by ICPMS (Low)							
Chromium (Cr)-Total	0.0072	DLM	0.0050	mg/L		27-JAN-10	R1144056
Cobalt (Co)-Total	<0.0020	DLM	0.0020	mg/L		27-JAN-10	R1144056
Copper (Cu)-Total	0.0143	DLM	0.0040	mg/L		27-JAN-10	R1144056
Lead (Pb)-Total	0.00930	DLM	0.00040	mg/L		27-JAN-10	R1144056
Lithium (Li)-Total	<0.024	DLM	0.024	mg/L		27-JAN-10	R1144056
Molybdenum (Mo)-Total	0.0290	DLM	0.0050	mg/L		27-JAN-10	R1144056
Nickel (Ni)-Total	0.0076	DLM	0.0020	mg/L		27-JAN-10	R1144056
Selenium (Se)-Total	<0.0016	DLM	0.0016	mg/L		27-JAN-10	R1144056
Silver (Ag)-Total	<0.0020	DLM	0.0020	mg/L		27-JAN-10	R1144056
Thallium (Tl)-Total	<0.00040	DLM	0.00040	mg/L		27-JAN-10	R1144056
Tin (Sn)-Total	<0.050	DLM	0.050	mg/L		27-JAN-10	R1144056
Titanium (Ti)-Total	0.0426	DLM	0.0024	mg/L		27-JAN-10	R1144056
Uranium (U)-Total	<0.00040	DLM	0.00040	mg/L		27-JAN-10	R1144056
Vanadium (V)-Total	0.0040	DLM	0.0020	mg/L		27-JAN-10	R1144056
Zinc (Zn)-Total	0.109	DLM	0.016	mg/L		27-JAN-10	R1144056
Total Metals in Water by ICPOES (Low)							
Calcium (Ca)-Total	53.8		0.50	mg/L		27-JAN-10	R1142606
Iron (Fe)-Total	11.7		0.010	mg/L		27-JAN-10	R1142606
Magnesium (Mg)-Total	44.6		0.10	mg/L		27-JAN-10	R1142606
Manganese (Mn)-Total	0.153		0.0020	mg/L		27-JAN-10	R1142606
Potassium (K)-Total	10.1		0.10	mg/L		27-JAN-10	R1142606
Sodium (Na)-Total	251		1.0	mg/L		27-JAN-10	R1142606
Miscellaneous Parameters							
Ammonia-N	0.527		0.050	mg/L		26-JAN-10	R1141803
Phosphorus, Total	0.059		0.020	mg/L	26-JAN-10	27-JAN-10	R1143485
Total Organic Carbon	31.5		1.0	mg/L		26-JAN-10	R1136985
Total Suspended Solids	42.0		3.0	mg/L		26-JAN-10	R1142198
Total Nitrogen							
Nitrogen, Total							
Nitrogen, Total	6.11		0.20	mg/L		27-JAN-10	
Total Kjeldahl Nitrogen							
Total Kjeldahl Nitrogen	6.11		0.20	mg/L	26-JAN-10	26-JAN-10	R1142275
Routine Water: Major Ions, Fluoride							
Chloride by IC							
Chloride (Cl)	452		0.50	mg/L		26-JAN-10	R1142566
Dissolved Metals in Water by ICPOES							
Calcium (Ca)-Dissolved	46.1		0.50	mg/L		28-JAN-10	R1144227
Magnesium (Mg)-Dissolved	36.3		0.10	mg/L		28-JAN-10	R1144227
Potassium (K)-Dissolved	9.14		0.50	mg/L		28-JAN-10	R1144227
Sodium (Na)-Dissolved	252		1.0	mg/L		28-JAN-10	R1144227
Fluoride by IC							
Fluoride (F)	0.088		0.050	mg/L		26-JAN-10	R1142566
Ion Balance Calculation							
Ion Balance	105			%		28-JAN-10	
TDS (Calculated)	924			mg/L		28-JAN-10	
Hardness (as CaCO3)	265			mg/L		28-JAN-10	
Nitrate as N by IC							
Nitrate (as N)	<0.050		0.050	mg/L		26-JAN-10	R1142566
Nitrate+Nitrite							
Nitrate and Nitrite as N	<0.071		0.071	mg/L		27-JAN-10	
Nitrite as N by IC							
Nitrite (as N)	<0.050		0.050	mg/L		26-JAN-10	R1142566

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L856731-3 ORBIT 23 10TDD693 258M Sampled By: JT on 22-JAN-10 @ 15:00 Matrix: WATER Sulfate by IC Sulfate (SO4)	102		0.50	mg/L		26-JAN-10	R1142566
pH, Conductivity and Total Alkalinity pH	7.74		0.10	pH		26-JAN-10	R1142069
Conductivity (EC)	1770		0.20	uS/cm		26-JAN-10	R1142069
Bicarbonate (HCO3)	52.9		5.0	mg/L		26-JAN-10	R1142069
Carbonate (CO3)	<5.0		5.0	mg/L		26-JAN-10	R1142069
Hydroxide (OH)	<5.0		5.0	mg/L		26-JAN-10	R1142069
Alkalinity, Total (as CaCO3)	43.3		5.0	mg/L		26-JAN-10	R1142069
L856731-4 ORBIT 24 10TDD690 412M Sampled By: JT on 23-JAN-10 @ 01:00 Matrix: WATER Total Metals - CCME Mercury (Hg) - Total Mercury (Hg)-Total	<0.00010		0.00010	mg/L		26-JAN-10	R1142378
Total Metals in Water by ICPMS (Low) Aluminum (Al)-Total	29.7	DLM	0.20	mg/L		27-JAN-10	R1144056
Antimony (Sb)-Total	<0.0080	DLM	0.0080	mg/L		27-JAN-10	R1144056
Arsenic (As)-Total	<0.0080	DLM	0.0080	mg/L		27-JAN-10	R1144056
Barium (Ba)-Total	0.464	DLM	0.0040	mg/L		27-JAN-10	R1144056
Beryllium (Be)-Total	<0.020	DLM	0.020	mg/L		27-JAN-10	R1144056
Boron (B)-Total	0.229	DLM	0.080	mg/L		27-JAN-10	R1144056
Cadmium (Cd)-Total	<0.0010	DLM	0.0010	mg/L		27-JAN-10	R1144056
Chromium (Cr)-Total	0.061	DLM	0.016	mg/L		27-JAN-10	R1144056
Cobalt (Co)-Total	0.0272	DLM	0.0040	mg/L		27-JAN-10	R1144056
Copper (Cu)-Total	0.279	DLM	0.020	mg/L		27-JAN-10	R1144056
Lead (Pb)-Total	0.0160	DLM	0.0020	mg/L		27-JAN-10	R1144056
Lithium (Li)-Total	<0.12	DLM	0.12	mg/L		27-JAN-10	R1144056
Molybdenum (Mo)-Total	0.0477	DLM	0.0050	mg/L		27-JAN-10	R1144056
Nickel (Ni)-Total	0.0394	DLM	0.0040	mg/L		27-JAN-10	R1144056
Selenium (Se)-Total	0.0091	DLM	0.0080	mg/L		27-JAN-10	R1144056
Silver (Ag)-Total	<0.010	DLM	0.010	mg/L		27-JAN-10	R1144056
Thallium (Tl)-Total	<0.0020	DLM	0.0020	mg/L		27-JAN-10	R1144056
Tin (Sn)-Total	<0.050	DLM	0.050	mg/L		27-JAN-10	R1144056
Titanium (Ti)-Total	0.900	DLM	0.012	mg/L		27-JAN-10	R1144056
Uranium (U)-Total	<0.0020	DLM	0.0020	mg/L		27-JAN-10	R1144056
Vanadium (V)-Total	0.102	DLM	0.010	mg/L		27-JAN-10	R1144056
Zinc (Zn)-Total	0.096	DLM	0.080	mg/L		27-JAN-10	R1144056
Total Metals in Water by ICPOES (Low) Calcium (Ca)-Total	124		0.50	mg/L		27-JAN-10	R1142606
Iron (Fe)-Total	78.2		0.010	mg/L		27-JAN-10	R1142606
Magnesium (Mg)-Total	97.8		0.10	mg/L		27-JAN-10	R1142606
Manganese (Mn)-Total	1.13		0.0020	mg/L		27-JAN-10	R1142606
Potassium (K)-Total	27.3		0.10	mg/L		27-JAN-10	R1142606
Sodium (Na)-Total	578		1.0	mg/L		27-JAN-10	R1142606
Miscellaneous Parameters Ammonia-N	1.55		0.050	mg/L		26-JAN-10	R1141803
Phosphorus, Total	1.40		0.020	mg/L	26-JAN-10	27-JAN-10	R1143485
Total Organic Carbon	23.2		1.0	mg/L		26-JAN-10	R1136985
Total Suspended Solids	3040		3.0	mg/L		26-JAN-10	R1142198
Total Nitrogen Nitrogen, Total							

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

ALS LABORATORY GROUP ANALYTICAL REPORT

Sample Details/Parameters		Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
L856731-4 ORBIT 24 10TDD690 412M								
Sampled By: JT on 23-JAN-10 @ 01:00								
Matrix: WATER								
Nitrogen, Total								
Nitrogen, Total		9.50		0.20	mg/L		27-JAN-10	
Total Kjeldahl Nitrogen								
Total Kjeldahl Nitrogen		9.44		0.20	mg/L	26-JAN-10	26-JAN-10	R1142275
Routine Water: Major Ions, Fluoride								
Chloride by IC								
Chloride (Cl)		841		0.50	mg/L		26-JAN-10	R1142566
Dissolved Metals in Water by ICPOES								
Calcium (Ca)-Dissolved		67.3	DLM	5.0	mg/L		28-JAN-10	R1144227
Magnesium (Mg)-Dissolved		60.2	DLM	1.0	mg/L		28-JAN-10	R1144227
Potassium (K)-Dissolved		18.7	DLM	5.0	mg/L		28-JAN-10	R1144227
Sodium (Na)-Dissolved		443	DLM	10	mg/L		28-JAN-10	R1144227
Fluoride by IC								
Fluoride (F)		0.149		0.050	mg/L		26-JAN-10	R1142566
Ion Balance Calculation								
Ion Balance		102			%		28-JAN-10	
TDS (Calculated)		1580			mg/L		28-JAN-10	
Hardness (as CaCO3)		416			mg/L		28-JAN-10	
Nitrate as N by IC								
Nitrate (as N)		0.065		0.050	mg/L		26-JAN-10	R1142566
Nitrate+Nitrite								
Nitrate and Nitrite as N		<0.071		0.071	mg/L		27-JAN-10	
Nitrite as N by IC								
Nitrite (as N)		<0.050		0.050	mg/L		26-JAN-10	R1142566
Sulfate by IC								
Sulfate (SO4)		84.0		0.50	mg/L		26-JAN-10	R1142566
pH, Conductivity and Total Alkalinity								
pH		7.89		0.10	pH		26-JAN-10	R1142069
Conductivity (EC)		3000		0.20	uS/cm		26-JAN-10	R1142069
Bicarbonate (HCO3)		126		5.0	mg/L		26-JAN-10	R1142069
Carbonate (CO3)		<5.0		5.0	mg/L		26-JAN-10	R1142069
Hydroxide (OH)		<5.0		5.0	mg/L		26-JAN-10	R1142069
Alkalinity, Total (as CaCO3)		104		5.0	mg/L		26-JAN-10	R1142069

* Refer to Referenced Information for Qualifiers (if any) and Methodology.

Reference Information

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Matrix Spike	Chloride (Cl)	MS-B	L856731-1, -2, -3, -4

Sample Parameter Qualifier Key:

Qualifier	Description
DLA	Detection Limit Adjusted For required dilution
DLM	Detection Limit Adjustment For Sample Matrix Effects
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.
RRVAP	Reported Result Verified by Alternate Process

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
C-TOT-ORG-ED	Water	Total Organic Carbon	APHA 5310 B-Instrumental
CL-IC-ED	Water	Chloride by IC	APHA 4110 B-ION CHROMATOGRAPHY
ETL-N-TOT-CALC-ED	Water	Nitrogen, Total	APHA 4500 N-Calculated
F-IC-ED	Water	Fluoride by IC	APHA 4110 B-ION CHROMATOGRAPHY
HG-T-CVAA-ED	Water	Mercury (Hg) - Total	EPA 245.7 / EPA 245.1
IONBALANCE-ED	Water	Ion Balance Calculation	APHA 1030E
MET-D-ICP-ED	Water	Dissolved Metals in Water by ICPOES	APHA 3120 B-ICP-OES
MET-T-L-ICP-ED	Water	Total Metals in Water by ICPOES (Low)	APHA 3120 B-ICP-OES
MET-T-L-MS-ED	Water	Total Metals in Water by ICPMS (Low)	SW 846 - 6020-ICPMS
N-TOTKJ-ED	Water	Total Kjeldahl Nitrogen	APHA 4500N-C -Dig.-Auto-Colorimetry
NH4-ED	Water	Ammonia-N	APHA4500NH3F Colorimetry
NO2+NO3-CALC-ED	Water	Nitrate+Nitrite	CALCULATION
NO2-IC-ED	Water	Nitrite as N by IC	APHA 4110 B-ION CHROMATOGRAPHY
NO3-IC-ED	Water	Nitrate as N by IC	APHA 4110 B-ION CHROMATOGRAPHY
P-TOTAL-ED	Water	Phosphorus, Total	APHA 4500 P B,E-Auto-Colorimetry
PH/EC/ALK-ED	Water	pH, Conductivity and Total Alkalinity	APHA 4500-H, 2510, 2320
SO4-IC-ED	Water	Sulfate by IC	APHA 4110 B-ION CHROMATOGRAPHY
SOLIDS-TOTSUS-ED	Water	Total Suspended Solids	APHA 2540 D-Gravimetric

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
ED	ALS LABORATORY GROUP - EDMONTON, ALBERTA, CANADA

Chain of Custody Numbers:

Reference Information

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
---------------	--------	------------------	--------------------

GLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample
mk/kg wwt - milligrams per kilogram based on wet weight of sample
mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight
mg/L - unit of concentration based on volume, parts per million.

< - Less than.
D.L. - The reporting limit.
N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.
UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.
Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

SEND REPORT TO:

PAGE 1 OF 1

FORM 0040A - Revision 1



www.alsenviro.com

Vancouver BC, 1988 Inupiat Street, V5L 1K5, Tel: 604-253-4188 Toll Free: 1-800-665-4245 Fax: 604-253-4191
 Fort St. John BC, Box 256, 9831 - 98A Avenue, V1J 6W7, Tel: 250-261-5517 Fax: 250-261-5587
 Grand Prairie AB, 9505 - 111 Street, T6V 5W1, Tel: 780-539-5196 Toll Free: 1-800-668-9878 Fax: 780-513-2191
 Fort McMurray AB, Bay 1, 245 MacDonald Cr, T9H 4B5, Tel: 780-791-1524 Fax: 780-791-1586
 Edmonton AB, 9936 - 67th Avenue, T6E 0P5, Tel: 780-413-5227 Toll Free: 1-800-668-9878 Fax: 780-437-2311
 Calgary AB, Bay 7, 1313 - 44th Avenue NE, T2E 6L5, Tel: 403-291-9897 Toll Free: 1-800-668-9878 Fax: 403-291-0298
 Saskatoon SK, 819 - 58th Street East, S7K 6X5, Tel: 306-668-8370 Toll Free: 1-800-667-7645 Fax: 306-668-8383

L856731

CHAIN OF CUSTODY FORM

PAGE 1 OF 1

SEND REPORT TO:				CHAIN OF CUSTODY FORM												PAGE 1 OF 1													
COMPANY:		Hope Bay Mining Limited		ATTN:		Sr. Env. Co-ordinator		ANALYSIS REQUESTED:																					
ADDRESS:		300-889 Habourside Drive																											
CITY:		North Vancouver		PROV:		British Columbia		POSTAL CODE:		V7P 3S1																			
TEL:		1-604-985-2572		FAX:		1-604-980-0731		SAMPLER:		J. Turk																			
PROJECT NAME AND NO.:		Compliance Water Samples		QUOTE NO.:																									
PO NO.:		H00288		ALS CONTACT:		Jessica Spira																							
REPORT FORMAT:		☐ HARDCOPY ☒ EMAIL - ADDRESS: Jill.Turk@Newmont.com																											
		☐ FAX ☒ EXCEL ☒ PDF ☐ OTHER:																											
WO#		SAMPLE IDENTIFICATION		DATE / TIME COLLECTED		MATRIX																							
				YYYY-MM-DD		TIME																							
FOR LAB USE ONLY		Orbit 24 10TDD690 412m		2010-01-23		1:00am		water		X																			
		Orbit 24 10TDD690 412m		2010-01-23		1:00am		water				X																	
		Orbit 24 10TDD690 412m		2010-01-23		1:00am		water				X																	
		Orbit 24 10TDD690 412m		2010-01-23		1:00am		water						X															
		Orbit 24 10TDD690 412m		2010-01-23		1:00am		water								X													
		Orbit 24 10TDD690 412m		2010-01-23		1:00am		water										X											
TURN AROUND REQUIRED:		☐ ROUTINE ☒ RUSH SPECIFY DATE: _____ (surcharge may apply)		RELINQUISHED BY:		DATE:		Jan 23/10		RECEIVED BY:		DATE:																	
SEND INVOICE TO:		☒ SAME AS REPORT ☐ DIFFERENT FROM REPORT (provide details below)		J. Turk		TIME:		12:00pm				TIME:																	
INVOICE FORMAT:		☒ HARDCOPY ☒ PDF ☐ FAX		RELINQUISHED BY:		DATE:				RECEIVED BY:		DATE:																	
SPECIAL INSTRUCTIONS:		Please send invoice to Attention: HBML Accounting Section using the above address: Please quote this PO #: H00288 Electronic results to: Jill.Turk@Newmont.com and MHBLEnvironmental@Newmont.com		RELINQUISHED BY:		DATE:				RECEIVED BY:		DATE:																	
				COOLER SEAL INTACT?		SAMPLE TEMPERATURE: _____ °C		COOLING METHOD?		ICEPACKS		ICE																	
				Yes No N/A		Frozen? Yes No		None																					