



95 Wellington Street W  
Suite 1010  
P.O. Box 44  
Toronto, Ontario  
M5J 2N7  
416-628-0216

November 30, 2015

Phyllis Beaulieu,  
Manager of Licensing  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU  
X0B 1J0

**Re: October 2015 – Monthly Monitoring Report for Water Licence 2BE-HOP1222**

---

This report is comprised of monitoring requirements as set out in Part J, Items 2 through 8, and 10 of water licence 2BE-HOP1222. Some monitoring requirements stipulated in this Part refer to facilities that have not been constructed, facilities that no longer exist, or facilities where activity is seasonal. Water levels in Windy Lake will be monitored in accordance with Part J, Item 9 during open water season. Sampling locations monitored under this licence (seasonally or when facilities are operational) are provided in Figure 1.

During the period of this report the focus of current activities under the Windy Regional Exploration licence was surface exploration drilling, water management and environmental compliance.

**Part I Conditions Applying to Abandonment and Restoration**

No abandonment or restoration work was conducted during the month.

**Part J Items 2, 3, 4, 5, 6, 10: Sewage Treatment Effluent, Bulk Fuel Containments, and Quarries**

Windy Camp has been closed for operations since October 23, 2008; therefore the licence requirements relating to the WWTF (HOP-2 and HOP-3) are not applicable. HOP-5 (Bulk Fuel Storage – Windy Camp) and HOP-6 (Bulk Fuel Storage Facility – Patch Lake) were dismantled in 2012. HOP-8 (Bulk Fuel Storage Facility at New Windy Camp) has not been constructed. Water quality sampling and management was not required at HOP-7A, B or D (quarries A, B and D) as no water accumulated in these areas this month.

**Part J Item 7: Under-Ice Drilling Samples**

The 2015 winter ice drilling program concluded on May 18, 2015. No under-ice water quality sampling was conducted this month.

**Part J Item 8: Water Use Volumes**

This month, water was extracted from Windy Lake for domestic use. Surface drilling was conducted in the licence area during the month of October, and water was extracted from Doris and Windy Lakes in support of the Regional Exploration program. No water was used for dust suppression purposes this month. Geographical locations for all water sources and usage is maintained on file. All usage from water sources during the month were metered at the source or measured by truck haul load. Daily water usage for the month is presented in Table 1.

Table 1: Daily water usage in cubic meters, October 2015.

Date	Dust Suppression (m <sup>3</sup> )	Regional Drill Water Usage Metered (m <sup>3</sup> )	Regional Drill Water Usage Trucked (m <sup>3</sup> )	Regional Drill Water Usage Total (m <sup>3</sup> )	Domestic Water Consumption at Doris (m <sup>3</sup> )	Total Daily Usage (m <sup>3</sup> )
Oct-01	0	0	8	8	0	8
Oct-02	0	0	0	0	20	20
Oct-03	0	0	13	13	20	33
Oct-04	0	0	0	0	20	20
Oct-05	0	0	9	9	20	29
Oct-06	0	0	21	21	10	31
Oct-07	0	0	5	5	20	25
Oct-08	0	0	0	0	15	15
Oct-09	0	0	8	8	20	28
Oct-10	0	0	4	4	20	24
Oct-11	0	0	2	2	10	12
Oct-12	0	0	3	3	20	23
Oct-13	0	0	3	3	10	13
Oct-14	0	0	3	3	30	33
Oct-15	0	0	0	0	21	21
Oct-16	0	0	2	2	20	22
Oct-17	0	0	4	4	16	20
Oct-18	0	0	0	0	20	20
Oct-19	0	0	0	0	15	15
Oct-20	0	0	0	0	20	20
Oct-21	0	0	0	0	10	10
Oct-22	0	0	0	0	16	16
Oct-23	0	0	0	0	15	15
Oct-24	0	0	0	0	10	10
Oct-25	0	0	0	0	10	10
Oct-26	0	0	0	0	20	20
Oct-27	0	0	0	0	20	20
Oct-28	0	0	0	0	20	20
Oct-29	0	0	0	0	10	10
Oct-30	0	0	0	0	20	20
Oct-31	0	0	0	0	20	20

Water quality monitoring results from licence 2AM-DOH1323, Schedule J for Station ST-7A, freshwater pumped from the Windy Lake freshwater intake, are presented in the monthly monitoring report for 2AM-DOH1323.

**Environmental Incident Reporting**

No incidents pertaining to this licence occurred this month.

Should there be any questions regarding this monthly report, please contact John Roberts at [John.Roberts@tmacresources.com](mailto:John.Roberts@tmacresources.com).

Yours sincerely,

M. John Roberts  
 Vice President, Environmental Affairs  
 Hope Bay Project  
 (416) 628-0216

cc. Eva Paul, Water Resources Officer, AANDC

Figure 1. 2BE-HOP1222 SNP Monitoring Locations

