



145 King Street East, Suite 400  
Toronto, Ontario M5C 2Y7  
416-947-1212

**Sent by Email**

**May 31, 2022**

Licensing  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU  
X0B 1J0

**Re: April 2022 – Monthly Monitoring Report for Water Licence 2BE-HOP1222**

---

This report is comprised of monitoring requirements as set out in Part J, Items 2 through 8, and 10 of water licence 2BE-HOP1222. Some monitoring requirements stipulated in this Part refer to facilities that have not been constructed, facilities that no longer exist, or facilities where activity is seasonal. Water levels in Windy Lake will be monitored in accordance with Part J, Item 9 during open water season. Sampling locations monitored under this licence (seasonally or when facilities are operational) are provided in Figure 1 at the end of this report.

On February 2, 2021 TMAC was purchased by Agnico Eagle Mines Limited (Agnico Eagle) and became a wholly owned subsidiary of Agnico Eagle. Effective as of January 1st, 2022, Agnico Eagle and TMAC amalgamated and continued under the Agnico Eagle name. Accordingly, by operation of law and without any further acts or steps necessary, TMAC ceased to exist and continued as Agnico Eagle, and Agnico Eagle possessed all of the property, rights, privileges and franchises and is subject to all liabilities, including civil, criminal and quasi-criminal, and all contracts, disabilities and debts of TMAC.

During the period of this report, the focus of activities under the Windy Regional Exploration licence was on-land surface exploration drilling, water management and environmental compliance.

**Part I Conditions Applying to Abandonment and Restoration**

No abandonment or restoration work was conducted during the month.

**Part J Items 2, 3, 4, 5, 6, 10: Sewage Treatment Effluent, Bulk Fuel Containments, and Quarries**

Windy Camp has been closed for operations since October 23, 2008 and New Windy Camp has not been constructed. Therefore, the licence requirements relating to the Wastewater Treatment Facility (HOP-2 and HOP-3) are not applicable at this time. HOP-5 (Bulk Fuel Storage – Windy Camp) and HOP-6 (Bulk Fuel Storage Facility – Patch Lake) were dismantled in 2012. HOP-8 (Bulk Fuel Storage Facility at New Windy Camp) has not been constructed.

Water quality sampling and management was not required at HOP-7A, B or D (quarries A, B and D) as no discharge of water occurred from these areas this month.

**Part J Item 7: Under-Ice Drilling Samples**

No under-ice water quality sampling was conducted this month as no on-ice surface exploration drilling was conducted in the licence area.

**Part J Item 8: Water Use Volumes**

No water was used under this licence in March. Geographical locations for all water sources and usage is maintained on file. All usage from water sources during the month were metered at the source. Daily water usage for the month is presented in Table 1.

**Table 1: Daily water usage in cubic meters, April 2022.**

<b>Date</b>	<b>Dust Suppression (m<sup>3</sup>)</b>	<b>Regional Drill Water Usage (m<sup>3</sup>)</b>	<b>Total Daily Usage (m<sup>3</sup>)</b>
01-Apr	0.0	6.9	0.0
02-Apr	0.0	12.1	0.0
03-Apr	0.0	10.1	0.0
04-Apr	0.0	8.1	0.0
05-Apr	0.0	7.9	0.0
06-Apr	0.0	5.8	0.0
07-Apr	0.0	9.9	0.0
08-Apr	0.0	12.1	0.0
09-Apr	0.0	11.5	0.0
10-Apr	0.0	4.7	0.0
11-Apr	0.0	7.0	0.0
12-Apr	0.0	15.9	0.0
13-Apr	0.0	7.5	0.0
14-Apr	0.0	3.9	0.0
15-Apr	0.0	9.4	0.0
16-Apr	0.0	18.2	0.0
17-Apr	0.0	8.1	0.0
18-Apr	0.0	8.0	0.0
19-Apr	0.0	17.4	0.0
20-Apr	0.0	4.0	0.0
21-Apr	0.0	15.3	0.0
22-Apr	0.0	30.4	0.0
23-Apr	0.0	10.7	0.0
24-Apr	0.0	13.6	0.0
25-Apr	0.0	31.8	0.0
26-Apr	0.0	19.8	0.0
27-Apr	0.0	25.5	0.0
28-Apr	0.0	18.3	0.0
29-Apr	0.0	13.1	0.0
30-Apr	0.0	14.1	0.0
Monthly Total	0.0	380.9	0.0
Annual Total	0.0	380.9	0.0

Water consumption for the 13<sup>th</sup> of April through the 30<sup>th</sup> was estimated. We were not able to collect the water consumption from one of the drills. The average of the three remaining drill's water consumption for the day was used to estimate the consumption of this drill rig. This problem was corrected on May 20, 2022.

Water quality monitoring results and volumes extracted from the Windy Lake freshwater intake (HOP-1) for domestic, industrial, winter track and surface exploration use are presented in the monthly monitoring report for licence 2AM-DOH1335, Schedule I for Station ST-7A.

**Incident Reporting**

No incidents pertaining to this licence occurred this month.

Should there be any questions regarding this monthly report, please contact me at [guillaume.dumont-vandewinkel@agnicoeagle.com](mailto:guillaume.dumont-vandewinkel@agnicoeagle.com).

Yours sincerely,



Guillaume Dumont-Vandewinkel  
Environmental Coordinator  
Hope Bay Project  
(867) 988-6882 ext. 101

Cc:

Omer Pasalic, Water Resources Officer, CIRNAC  
Eric Steinmetzer, General Manager – Hope Bay, Agnico Eagle  
Nancy Duquet-Harvey, Environmental Superintendent – Hope Bay, Agnico Eagle

Figure 1. 2BE-HOP1222 SNP Monitoring Locations

