



145 King Street East, Suite 400
Toronto, Ontario M5C 2Y7
416-947-1212

Sent by Email

June 26, 2025

Licensing
Nunavut Water Board
P.O. Box 119
Gjoa Haven, NU
X0B 1J0

Re: May 2025 – Monthly Monitoring Report for Water License 2BE-HOP2232

This report is comprised of monitoring requirements as set out in Part J, Items 2 through 8, and 10 of water license 2BE-HOP2232. Some monitoring requirements stipulated in this license refer to facilities that have not been constructed, facilities that no longer exist, or facilities where activity is seasonal. Water levels in Windy Lake will be monitored in accordance with Part J, Item 9 during the open water season. Sampling locations monitored under this license (seasonally or when facilities are operational) are provided in Figure 1 at the end of this report.

During the period of this report, the focus of activities under the Windy Regional Exploration license was on-land or on-ice surface exploration drilling, water management and environmental compliance.

Part I Conditions Applying to Abandonment and Restoration

No abandonment or restoration work was conducted during the month.

Part J Items 2, 3, 4, 5, 6, 10: Sewage Treatment Effluent, Bulk Fuel Containments, and Quarries

Windy Camp has been closed for operations since October 23, 2008 and New Windy Camp has not been constructed. Therefore, the license requirements relating to the Wastewater Treatment Facility (HOP-2 and HOP-3) are not applicable at this time. HOP-5 (Bulk Fuel Storage – Windy Camp) and HOP-6 (Bulk Fuel Storage Facility – Patch Lake) were dismantled in 2012. HOP-8 (Bulk Fuel Storage Facility at New Windy Camp) has not been constructed.

Water quality sampling and management was not required at HOP-7A, B or D (quarries A, B and D) as no discharge of water occurred from these areas this month.

Part J Item 7: Under-Ice Drilling Samples

Under-ice water quality sampling was conducted this month prior to on-ice surface exploration drilling. Results for the monitoring samples are provided in Appendix B, submitted with this report.

Part J Item 8: Water Use Volumes

Geographical locations for all water sources and usage are maintained on file. All usage from water sources during the month were metered at the source. Daily water usage for the month is presented in Table 1.

Table 1: Daily water usage in cubic meters, May 2025.

Date	Regional Water Usage (m3)
1-May	29.11
2-May	42.33
3-May	14.22
4-May	18.69
5-May	10.01
6-May	9.99
7-May	11.98
8-May	16.42
9-May	16.71
10-May	45.09
11-May	16.52
12-May	12.15
13-May	10.63
14-May	36.09
15-May	20.65
16-May	10.91
17-May	8.97
18-May	28.49
19-May	7.72
20-May	9.15
21-May	12.08
22-May	18.22
23-May	24.43
24-May	33.53
25-May	26.72
26-May	11.15
27-May	8.85
28-May	59.57
29-May	18.57
30-May	9.72
31-May	5.63
Monthly Total	604.27
Annual Total	12625.00

Water quality monitoring results and volumes extracted from the Windy Lake freshwater intake (HOP-1) for domestic, industrial, dust suppression and winter tracks are presented in the monthly monitoring report for license 2AM-DOH1335, Schedule I for Station ST-7A.

Incident Reporting

No incidence occurred in May 2025.

Should there be any questions regarding this monthly report, please contact me at Brett.Fairbairn@agnicoeagle.com

Yours sincerely,



Brett Fairbairn - Environment Coordinator
Hope Bay Project
(819) 759-3555 ext. 4600101

Cc:

Jonathan Mesher, Water Resources Officer, CIRNAC
Eric Steinmetzer, General Manager – Hope Bay, Agnico Eagle
Cyril Jenkins, Environment Superintendent – Hope Bay, Agnico Eagle
Guy Dufour, Environment General Supervisor – Hope Bay, Agnico Eagle

Figure 1. 2BE-HOP2232 SNP Monitoring Locations

