



## Application for Water Licence Renewal

Document Date: April 2013

Application Submission Date:

**May/30/2022**  
Month/Day/Year

P.O. BOX 119  
GJOA HAVEN, NUNAVUT  
XOB 1J0  
TEL: (867) 360-6338  
FAX: (867) 360-6369

kNK5 wmoEp5 vtmpq  
NUNAVUT IMALIRIYIN KATIMAYIT  
NUNAVUT WATER BOARD  
OFFICE DES EAUX DU NUNAVUT

## DOCUMENT MANAGEMENT

Original Document Date: April 2010

### DOCUMENT AMENDMENTS

	Description	Date
(1)	Updated for public distribution as separate document from NWB Guide 7	June 2010
(2)	Updated NWB logos and reformatted table to allow rows to break across page	May 2011
(3)	New NWB logo and request for background information	April 2013
(4)		
(5)		
(6)		
(7)		
(8)		
(9)		
(10)		



P.O. Box 119

GJOA HAVEN, NU X0B 1J0

TEL: (867) 360-6338

FAX: (867) 360-6369

kNK5 wmoEp5 vtmp5

NUNAVUT WATER BOARD

NUNAVUT IMALIRIYIN KATIMAYIT

OFFICE DES EAUX DU NUNAVUT

### APPLICATION FOR WATER LICENCE RENEWAL

Your application may be classified as a **renewal** only if all operations remain the same as previously licensed and only the term of the licence requires change. If your application contemplates:

- a change to the volume of water authorized for use;
- a new activity related to water use or waste disposal;
- a new component related to water use or waste disposal;
- a change in predicted environmental impacts(s); and/or
- a change to any term or condition of the original licence

your application is **NOT** classified as a renewal but rather an amendment and will require submission of an Application for Water Licence Amendment. Licensees applying for combined renewal / amendment are also referred to the Application for Water Licence Amendment.

The applicant is referred to the NWB's Guide 7: Licensee Requirements Following the Issuance of a Water Licence for more information about this application form.

Where possible, provide background information regarding the original licence application or attach previously submitted information.

EXISTING LICENCE NO: 2BE-KDP1722

**1. LICENSEE CONTACT INFORMATION**

Is the licensee the same as that referred to on the existing licence?

☒ Yes ☐ No

If No, a licence assignment must be completed and approved by the NWB. **A renewal will only be issued in the name of the current licensee in the absence of assignment of the licence.**

If the licensee is the same, but the name of the licensee has changed, attach a certificate of name change.  
*See attached "870112 - DVI Certificate of Incorporation" and "200401 - DVI Certificate of Name Change to KDK."*

Name: [Kodiak Copper Corp. \(formerly Dunnedin Ventures Inc.\)](#)

Address: [Suite 1020-800 West Pender Str, Vancouver, BC, V6C 2V6](#)

Phone: [\(604\) 646-8351](#)

Fax:

e-mail: [jward@kodiakcoppercorp.com](mailto:jward@kodiakcoppercorp.com)

**2. LICENSEE REPRESENTATIVE CONTACT INFORMATION – If different from Block 1.**

Name: [Tara Gunson, APEX Geoscience Ltd.](#)

Address: [100, 11450 160 Street NW  
Edmonton, Alberta, T5M 3Y7](#)

Phone: [780-467-3532](#)

e-mail: [tgunson@apexgeoscience.com](mailto:tgunson@apexgeoscience.com)

(Attach authorization letter.)

*See attached "20220530 - APEX Kahuna Diamond Project Permitting Authorization."*

**3. NAME OF PROJECT**

Is the name of the project the same as that considered in the existing water licence?

☒ Yes ☐ No

Indicate the name of the project including the name of the location: [Kahuna Diamond Property](#)

#### 4. LOCATION OF UNDERTAKING

Is the location of the undertaking the same as that considered in the existing water licence?

☒ Yes ☐ No

##### Project Extents

NW:	Latitude: (63° 15' 30" N)	Longitude: (91° 48' 45" W)
NE:	Latitude: (63° 14' 45" N)	Longitude: (90° 43' 45" W)
SE:	Latitude: (62° 58' 45" N)	Longitude: (90° 45' 00" W)
SW:	Latitude: (62° 59' 30" N)	Longitude: (91° 49' 00" W)

##### Camp Location(s)

Latitude: (63° 02' 22" N) Longitude: (91° 29' 52" W)

#### 5. MAP

Are the locations of the main components of the undertaking the same as those considered in the existing licence?

☒ Yes ☐ No

Attach a topographical map, indicating the main components of the undertaking.

NTS Map Sheet No.: 055O/02	Map Name: Fairway Island	Map Scale: 1:50,000
NTS Map Sheet No.: 055O/03	Map Name:	Map Scale: 1:50,000
NTS Map Sheet No.: 055O/04	Map Name: Parallel Lake	Map Scale: 1:50,000
NTS Map Sheet No.: 055J/14	Map Name: Scarab Point	Map Scale: 1:50,000

Please see figures in the attached "Kodiak Kahuna Diamond 2022 Work Plan 20211101."

## 6. NATURE OF INTEREST IN THE LAND

Is the nature of the interest in the land the same as that considered in the existing water licence?

☒ Yes ☐ No

Check any of the following that are applicable to the proposed undertaking (at least one box under the 'Surface' header must be checked).

### Sub-surface

☐ Mineral Lease from Nunavut Tunngavik Incorporated (NTI)  
Date (expected date) of issuance: \_\_\_\_\_ Date of expiry: \_\_\_\_\_

☐ Mineral Lease from Indian and Northern Affairs Canada (INAC)  
Date (expected date) of issuance: \_\_\_\_\_ Date of expiry: \_\_\_\_\_

### Surface

☒ Crown Land Use Authorization from Indian and Northern Affairs Canada (INAC)  
Date (expected date) of issuance: **November 1, 2018** Date of expiry: **October 31, 2023**

☐ Inuit Owned Land (IOL) Authorization from Kitikmeot Inuit Association (KIA)  
Date (expected date) of issuance: \_\_\_\_\_ Date of expiry: \_\_\_\_\_

☒ IOL Authorization from Kivalliq Inuit Association (KivIA)  
Date (expected date) of issuance: **July 13, 2017** Date of expiry: **November 1, 2023**

☐ IOL Authorization from Qikiqtani Inuit Association (QIA)  
Date (expected date) of issuance: \_\_\_\_\_ Date of expiry: \_\_\_\_\_

☐ Commissioner's Land Use Authorization  
Date (expected date) of issuance: \_\_\_\_\_ Date of expiry: \_\_\_\_\_

☐ Other \_\_\_\_\_  
Date (expected date) of issuance: \_\_\_\_\_ Date of expiry: \_\_\_\_\_

Is the name of the entity(s) holding authorizations the same as that considered in the existing water licence?

☒ Yes ☐ No

If No, a licence assignment must be completed and approved by the NWB.

Name of entity(s) holding authorizations:

Water License 2BE-KDP1722 issued to Dunnedin Ventures Inc. (now Kodiak Copper Corp.)  
Kivalliq Inuit Association KVL315B01 issued to Kodiak Cooper Corp.  
Kivalliq Inuit Association KVR16F01 issued to Kodiak Cooper Corp.  
Crown-Indigenous Relations and Northern Affairs Canada (CIRNAC) permit #N2018C0022 issued to Kodiak Copper Corp.

## 7. NUNAVUT PLANNING COMMISSION (NPC) DETERMINATION

Is the undertaking located in the same land use planning area as that considered in the existing licence?

☒ Yes ☐ No

Indicate the land use planning area in which the project is located.

☐ North Baffin ☒ Keewatin  
☐ South Baffin ☐ Sanikiluaq  
☐ Akunnig ☐ West Kitikmeot

Was a land use plan conformity determination required from NPC prior to the issuance of the existing water licence?

☒ Yes ☐ No

If Yes, indicate date issued and attach copy. [November 20, 2017](#) \_\_\_\_\_

Does the proposed renewal change the original NPC conformity determination or the need to obtain one?

☐ Yes ☒ No

If Yes, indicate date issued (or expected) and attach a copy. \_\_\_\_\_  
If No, provide written confirmation from NPC confirming that a land use plan conformity review is not required.

*See attached "160107 - KDK Kahuna Diamond NPC Conformity Determination File #148166", "161109 - KDK Kahuna Diamond NPC Conformity Determination File #148367", "171120 - KDK Kahuna Diamond NPC Conformity Determination File #148649" and "210907 - KDK Kahuna Diamond NPC Conformity Determination File #149595."*

## 8. NUNAVUT IMPACT REVIEW BOARD (NIRB) DETERMINATION

Was a screening determination required from NIRB prior to the issuance of the existing water licence?

☒ Yes ☐ No

If Yes, indicate date issued and attach copy. [February 28, 2017](#)

*See "Kodiak Kahuna Diamond Water Licence 2BE-KDP1722-NIRB Screen Decision Report 15EN028 - 20180302"*

Does the proposed renewal change the original NIRB screening determination or the need to obtain one?

☐ Yes ☒ No

If Yes, indicate date issued (or expected) and attach a copy. \_\_\_\_\_  
If No, provide written confirmation from NIRB confirming that a screening determination is not required.

*See attached "20170228 - KDK Kahuna Diamond NIRB Screening Decision Report 15EN028" and "20180302 - KDK Kahuna Diamond NIRB Screening Decision Report 15EN028."*

## 9. DESCRIPTION OF UNDERTAKING

Is the description of the undertaking the same as that considered in the existing water licence?

☒ Yes ☐ No

List and attach plans and drawings or project proposal.

220530 - KDK Kahuna Diamond Water License 2BE-KDP1722 Renewal Application  
220530 - KDK Kahuna Diamond Remote Camp Questionnaire  
220530 - KDK Kahuna Diamond Non-Technical Summary 20220530 – English  
220530 - KDK Kahuna Diamond Non-Technical Summary 20220530 – Inuktitut  
160107 - KDK Kahuna Diamond NPC Conformity Determination File #148166  
161109 - KDK Kahuna Diamond NPC Conformity Determination File #148367  
171120 - KDK Kahuna Diamond NPC Conformity Determination File #148649  
210907 - KDK Kahuna Diamond NPC Conformity Determination File #149595  
170228 - KDK Kahuna Diamond NIRB Screening Decision Report 15EN028  
180302 - KDK Kahuna Diamond NIRB Screening Decision Report 15EN028  
220530 - KDK Kahuna Diamond Spill Prevention and Response Plan  
220530 - KDK Kahuna Diamond Fuel Management Plan  
220530 - KDK Kahuna Diamond Environmental and Wildlife Monitoring Plan  
220530 - KDK Kahuna Diamond Abandonment and Restoration Plan  
220530 - KDK Kahuna Diamond Emergency Response Plan  
220530 - KDK Kahuna Diamond Waste Management Plan  
210901- KDK Kahuna Diamond Community Consultation Log  
220527 - KDK Financial Statement  
870112 - DVI Certificate of Incorporation  
200401 - DVI Certificate of Name Change to KDK  
220411 - KDK Kahuna Diamond Water Licence 2BE-KDP1722 Compliance Assessment Status Report  
220411 - KDK Kahuna Diamond Water Licence 2BE-KDP1722 Compliance Assessment  
211101 - KDK Kahuna Diamond 2022 Work Plan

## 10. OPTIONS

Are the alternative methods and locations that were considered to carry out the project the same as those considered in the existing water licence?

☒ Yes ☐ No

Provide a brief explanation of the alternative methods or locations that were considered to carry out the project.

Exact drill hole locations have yet to be determined as additional analysis of the reconnaissance work needs to be conducted to properly delineate the targets. Diamond drilling will only be conducted in areas that have sufficient historical data and/or preliminary exploration work to reduce the risk of unnecessary disturbances. Once the specific targets have been identified there are no other options available to test the subsurface.



## 11. CLASSIFICATION OF PRIMARY UNDERTAKING

Is the primary undertaking the same as that considered in the existing water licence?

☒ Yes ☐ No

Indicate the primary classification of undertaking by checking one of the following boxes.

- |  |  |
|--|--|
| <input type="checkbox"/> Industrial  | <input type="checkbox"/> Agricultural                    |
| <input checked="" type="checkbox"/> Mining and Milling (includes exploration/drilling/exploration camps) |  |
| <input type="checkbox"/> Conservation  | <input type="checkbox"/> Recreational                    |
| <input type="checkbox"/> Municipal (includes camps/lodges)   | <input type="checkbox"/> Miscellaneous (describe below): |
| <input type="checkbox"/> Power   |  |

See Schedule II of the *Northwest Territories Waters Regulations* for Description of Undertakings.

## 12. WATER USE

Is the type(s) of water use(s) the same as that considered in the existing water licence?

☒ Yes ☐ No

Check the appropriate box(s) to indicate the type(s) of water use(s) being applied for.

- |  |   |
|--|---|
| <input checked="" type="checkbox"/> To obtain water for camp/ municipal purposes |   |
| <input type="checkbox"/> To obtain water for industrial purposes                 | <input type="checkbox"/> To divert a watercourse                    |
| <input type="checkbox"/> To cross a watercourse                                  | <input type="checkbox"/> To modify the bed or bank of a watercourse |
| <input type="checkbox"/> To alter the flow of, or store water                    | <input type="checkbox"/> Flood control                              |
| <input checked="" type="checkbox"/> Other: <a href="#">Diamond Drilling</a>      |   |

### 13. QUANTITY OF WATER INVOLVED

Is the source of water the same as that considered in the existing licence? ☒ Yes ☐ No

Name of water source(s): Kahuna Camp water is collected from an unnamed lake located at 576125mE, 6991510mN UTM Nad83 Zone 15. Drill water will be sourced from unnamed lakes proximal to the drill hole locations.

(show location(s) on map)

Is the quality of the water source and its available capacity the same as that considered in the existing licence?

☒ Yes ☐ No

Describe the quality of the water source(s) and the available capacity(s): water quality will be pristine. Care will be taken to ensure that water is drawn from bodies with sufficient capacity in order to avoid impact on lake levels or flow.

Is the overall estimated quantity of water to be used the same as that considered in the existing licence?

☒ Yes ☐ No

Provide the overall estimated quantity of water to be used: Diamond drilling 97 m<sup>3</sup>/day, Camp 3m<sup>3</sup>/day

Are the quantity(s) of water to be used from each source the same as those considered in the existing licence?

☒ Yes ☐ No

Provide the estimated quantity(s) of water to be used from each source: The current permit is for 100 m<sup>3</sup>/day. 97 m<sup>3</sup>/day for drilling activities and 3 m<sup>3</sup>/day for camp.

Are the quantity(s) of water to be used for each purpose the same as those considered in the existing licence?

☒ Yes ☐ No

Provide the estimated quantities to be used for each purpose (camp, drilling, etc.): The current permit is for 100 m<sup>3</sup>/day. 97 m<sup>3</sup>/day for drilling activities and 3 m<sup>3</sup>/day for camp.

Are the method(s) of extraction the same as those considered in the existing licence? ☒ Yes ☐ No

Describe the method(s) of extraction: 15 gal/min electric pump. The drill pumps use a 1" diameter suction hose on an electric pump with a fine screen on the foot valve. For drilling, a fiberglass window screen with a nominal opening size of less than 1/16" opening is generally wrapped around the foot valve to prevent the intake of silt and sand into the pump. In addition, it is common practice to place the foot valve of the intake hose in a perforated 20 litre pail which further protects against harmful materials and fish being entrained into the water intake hose. For camp use, a portable gasoline-powered water pump will be used to pump water to a camp storage tank. The pump will be operational for approximately 15 minutes per day. When operating the pump will be staged on a containment platform adjacent to the water source. When not operating the pump will be staged within secondary containment no less than 31m from the high-water mark of the water source. Water intake valves will be properly placed and screened in accordance with the "Freshwater Intake End-of-Pipe Screen Guideline" (DFO).

Are the quantity(s) of water returned to source(s) the same as those considered in the existing licence?

☒ Yes ☐ No

Estimated quantity(s) of water returned to source(s): 0 m<sup>3</sup>/day

☒ Yes ☐ No

Describe the quality(s) of water(s) returned to source(s): Water will not be directly returned to its source but directed into a sump for slow infiltration into the soil. The sump will be located at least 31 metres away from the high-water mark of any water body. A grease trap and screens will be installed on kitchen drains to ensure grease and food solids do not enter the waste water sump. The discharge pipe into the sump will be inaccessible to wildlife.

---

#### 14. WASTE

Are the type(s) of waste(s) to be generated and/ or deposited the same as those considered in the existing licence?

☒ Yes ☐ No

Check the appropriate box(s) to indicate the types of waste(s) generated and deposited.

- ☒ Sewage
- ☒ Solid Waste
- ☒ Hazardous
- ☒ Bulky Items/Scrap Metal
- ☐ Animal Waste
- ☐ Other (describe): \_\_\_\_\_

- ☒ Waste oil
- ☒ Greywater
- ☒ Sludges (drill cuttings)
- ☐ Contaminated soil and/or water

For additional information, refer to "220530 - KDK Kahuna Diamond Waste Management Plan."

# 15. QUANTITY AND QUALITY OF WASTE INVOLVED

Are the quantity(s) of the types of wastes involved the same as those considered in the existing licence?

☒ Yes ☐ No

Are the composition(s) of the types of wastes involved the same as those considered in the existing licence?

☒ Yes ☐ No

Are the method(s) of treatment for the types of waste involved the same as those considered in the existing licence?

☒ Yes ☐ No

Are the method(s) of disposal for the types of waste involved the same as those considered in the existing licence?

☒ Yes ☐ No

For each type of waste indicated in Block 14, describe its composition, quantity in cubic meters/day, method of treatment and method of disposal.

Type of Waste	Composition	Quantity Generated	Treatment Method	Disposal Method
Sludges	Drill cuttings	Minimal	Containment in sump or low-lying depression	Sump will be buried upon final reclamation
Solid Waste	Combustibles Non-combustibles/plastics	~ 0.1 m <sup>3</sup> /day	Containment	205L ash drums & bulk bag of plastics shipped off site to authorized facility
Waste Oil	Oils from drill equipment, generators, helicopters	~ 0.001 m <sup>3</sup> /day	Containment	205L drums & shipped off site to authorized facility
Grey water	Shower/sink water	<3m <sup>3</sup> /day	Containment in sump	Containment in sump
Hazardous	Solvents, batteries, sorbents, light bulbs	Minimal	Collect in original container	Shipped off site to authorized facility
Sewage	Human Waste	~ 0.05 m <sup>3</sup> /day (<20 people for 6 months)	Bags incinerated.	Pacto toilet bags incinerated and ash collected for proper disposal.
Empty Drums	Fuel drums: diesel, jet fuel, propane, gasoline	Up to 10 drums/day	Drained, air dried	Shipped off site to the supplier or accredited recycling facility
Bulky Items	Scrap metal, mechanical equipment, electronics	Unknown	Collected in designated area	Shipped off site for proper disposal

**16. OTHER AUTHORIZATIONS**

In addition to the sub-surface and surface land use authorizations provided in Block 6, are the same authorizations required as considered in the existing licence?

☐ Yes ☒ No

For each provide the following:

Authorization: \_\_\_\_\_

Administering Agency: \_\_\_\_\_

Project Activity: \_\_\_\_\_

Date (expected date) of issuance: \_\_\_\_\_ Date of expiry: \_\_\_\_\_

**17. PREDICTED ENVIRONMENTAL IMPACTS OF UNDERTAKING AND PROPOSED MITIGATION MEASURES**

Are predicted environmental impacts of the undertaking and proposed mitigation measures the same as those considered in the existing water licence?

☒ Yes    ☐ No

Describe direct, indirect, and cumulative impacts related to water and waste.

Early stage exploration programs are low-impact and occur over a short period of time. The effects of these programs are expected to be minor and mitigable.

Changes in flow, quantity and the quality of groundwater and surface water will not be impacted by the exploration program. The proposed camp requires <3m<sup>3</sup>/day and will operate seasonally. Water will be sourced from water bodies with sufficient capacity to accommodate the proposed usage quantity without impact to lake level or flow rates.

Waterlines for domestic use will be placed to minimize disturbance to the shoreline/riparian zones and substrate. Water and aquatic life are protected. Waterlines will be screened in accordance with the "Freshwater Intake End-of-Pipe Screen Guideline" prepared by the Department of Fisheries and Oceans. A copy of this guideline document is kept at the head office in Vancouver and at the camp field office.

Mitigation measures are in place to minimize the environmental impacts of potential spills. All spills will be treated as per the "Spill Prevention and Response Plan". Approved mitigations and SOPs for water use and waste water management will be applied at Kodiak's Kahuna Diamond Property.

No wastes will enter any water bodies or drainage courses. This includes discharge from the camp grey water sump. The grey water sump will be located at least 31 meters from the high water mark of a water body and will be inspected regularly. Digging of the grey water sump may alter the permafrost layer; however, upon final closure the sump will be backfilled and restored to the pre-existing natural contours of the land. Water use for the domestic camp water will be recorded daily.

The Kahuna Property is not expected to impact fish or fish habitats.

A water quality monitoring program will be established to generate baseline water quality data in areas of active exploration. Sample sites will be chosen on representative water bodies that focus on exploration targets and camp infrastructure locations.

In addition to the mitigation measures outlined above, the exploration program will not have an effect on the following environmental topics: Geologic structures, vegetation species composition and abundance, non-native species introduction, benthic invertebrates or plankton.

With the mitigation measures and SOPs in place there are no significant impacts or cumulative effects anticipated as a result of Kodiak's water use and waste water management at the Kahuna Property. Refer to the "Waste Management Plan", "Fuel Management Plan" and "Abandonment and Restoration Plan" for additional information.

Predicted environmental and wildlife impacts and proposed mitigation measures are outlined in detail in the "Environmental and Wildlife Management Plan."

**18. WATER RIGHTS OF EXISTING AND OTHER WATER USERS**

Are the effects of the undertaking on any known persons or property including those that hold licences for water use in precedence to the application, domestic users, in-stream users, authorized waste depositors, owners of property, occupiers of property, and/or holders of outfitting concessions, registered trapline holders, and holders of other rights of a similar nature, the same as those considered in the existing water licence?

☒ Yes ☐ No

Provide the names, addresses and nature of use for any known persons or properties that may be adversely affected by the proposed undertaking, including those that hold licences for water use in precedent to the application, domestic users, in-stream users, authorized waste depositors, owners of property, occupiers of property, and/or holders of outfitting concessions, registered trapline holders, and holders of other rights of a similar nature.

Advise the Board if compensation has been paid and/or agreement(s) for compensation have been reached with any existing or other users.

**19. INUIT WATER RIGHTS**

Are the effects of the undertaking on the quality, quantity or flow of waters flowing through Inuit Owned Land (IOL) the same as those considered in the existing water licence?

☒ Yes ☐ No

Advise the Board of any substantial affect of the quality, quantity or flow of waters flowing through Inuit Owned Land (IOL), and advise the Board if negotiations have commenced or an agreement to pay compensation for any loss or damage has been reached with one or more Designated Inuit Organization (DIO).

The project will not affect the rights of the Inuit or the quality, quantity and flow of water flowing through Inuit Owned Land parcel CI-15 or RI-01.

Kodiak Copper Corp. has placed a reclamation bond with Kivalliq Inuit Association.

**20. CONSULTATION** - Provide a summary of any consultation meetings including when the meetings were held, where and with whom. Include a list of concerns expressed and measures to address concerns.

Please refer to the attached "210901- KDK Kahuna Diamond Community Consultation Log."

**21. SECURITY INFORMATION**

Is the financial security assessment the same as that considered in the existing water licence?

☒ Yes    ☐ No

Is the estimate of the total financial security for final reclamation the same as that considered in the existing water licence?

☒ Yes    ☐ No

Provide an estimate of the total financial security for final reclamation equal to the total outstanding reclamation liability for land and water combined sufficient to cover the highest liability over the life of the undertaking. Estimates of reclamation costs must be based on the cost of having the necessary reclamation work done by a third party contractor if the operator defaults. The estimate must also include contingency factors appropriate to the particular work to be undertaken.

Where applicable, the financial security assessment should be prepared in a manner consistent with the principals respecting mine site reclamation and implementation found in the *Mine Site Reclamation Policy for Nunavut*, Indian and Northern Affairs Canada, 2002.

Upon final abandonment and restoration, the temporary field camp will be dismantled and fully reclaimed. The cost to reclaim the camp by a third-party contractor is estimated to be \$50,000 which includes a \$5,000 contingency.



## 22. FINANCIAL INFORMATION

Is the statement of financial security the same as that considered in the existing water licence?

☐ Yes    ☒ No

Provide an updated statement of financial security.

See "220527 - KDK Financial Statement."

If the applicant is a business entity please answer the questions below:

Is the list of the officers of the company the same as those considered in the existing water licence?

☐ Yes    ☒ No

Provide a list of the officers of the company.

Current Officers of Kodiak Copper Corp.:  
Claudia Tornquist, CEO, President & Director  
Christopher Taylor, Chairman  
Chad Ulansky, Director  
Kevin Tomlinson, Director  
Steven Krause, Director  
Anthony (Tony) Ricci, CFO & Director  
Lana Eagle, Director  
John Robins, Advisor  
Jim Paterson, Advisor  
Tom McCandless, Technical Advisor  
Jeff Ward, Vice President Exploration  
Andrew Berry, Vice President Operations  
Nancy Curry, VP Corporate Development

Is the Certificate of Incorporation or evidence of registration of the company name the same?

☒ Yes    ☐ No

Attach a copy of the Certificate of Incorporation or evidence of registration of the company name.

See "870112 - DVI Certificate of Incorporation" and "200401 - DVI Certificate of Name Change to KDK."

**23. STUDIES UNDERTAKEN TO DATE**

List and attach updated studies, reports, research etc.

*No studies have been performed on the Kahuna Property to date.*

Provide a compliance assessment and status report including a response to any inspector's reports. The licensee must contact the NWB for licence specific direction in completing the assessment and report.

If in non-compliance, a licence may not be issued until compliance is achieved. If in non-compliance, attach plans/reports for consideration. Application will not be processed if significant issues of non-compliance exist.

*See "220411 - KDK Kahuna Diamond Water Licence 2BE-KDP1722 Compliance Assessment Status Report" and "220411 - KDK Kahuna Diamond Water Licence 2BE-KDP1722 Compliance Assessment."*

## 24. PROPOSED TIME SCHEDULE

Is the time schedule for all phases of development (construction, operations, closure and post closure) the same as that considered in the existing licence?

☒ Yes ☐ No

Indicate the proposed start and completion dates for each applicable phase of development (construction, operation, closure, and post closure).

Construction (Re-establishment of Kahuna Camp)

Proposed Start Date: March 2022 Proposed Completion Date: April/ 2022  
(month/year) (month/year)

Operation

Proposed Start Date: March/2022 (annually) Proposed Completion Date: September/2022 (annually)  
(month/year) (month/year)

Closure

Proposed Start Date: TBD Proposed Completion Date: Unknown  
(month/year) (month/year)

Post - Closure

Proposed Start Date: Unknown Proposed Completion Date: Unknown  
(month/year) (month/year)

For each applicable phase of development indicate which season(s) activities occur.

Construction

☒ Winter ☒ Spring ☐ Summer ☐ Fall ☐ All season

Operation

☒ Winter ☒ Spring ☒ Summer ☒ Fall ☐ All season

Closure

☐ Winter ☐ Spring ☐ Summer ☒ Fall ☐ All season

Post – Closure

☐ Winter ☐ Spring ☐ Summer ☐ Fall ☐ All season

To be determined

## 25. PROPOSED TERM OF LICENCE

On what date does the existing licence expire? May 30, 2022

Indicate the proposed term of the renewal (maximum of 25 years): 5 years

Requested date of renewal issuance: May/2022 Requested Expiry Date: May/2027  
(month/year) (month/year)

(The requested date of renewal issuance must be at least three (3) months from the date of application for a type B water licence and at least one (1) year from the date of application for a type A water licence, to allow for processing of the water licence application. These timeframes are approximate and do not account for the time to complete any pre-licensing land use planning or development impact requirements, time for the applicant to prepare and submit a water licence application in accordance with any project specific guidelines issued by the NWB, or the time for the applicant to respond to requests for additional information. See the NWB's *Guide 5: Processing Water Licence Applications* for more information)

## 26. ANNUAL REPORTING

Is the annual report template expected to be the same as that considered in the existing licence?

☒ Yes ☐ No

If not using the NWB's *Standardized Form for Annual Reporting*, provide details regarding the content of annual reports and a proposed outline or template of the annual report.

## 27. CHECKLIST

The following must be included with the application for renewal for the water licensing process to begin.

Completed Application for Water Licence Renewal form.

✓ Yes ☐ No If no, date expected \_\_\_\_\_

Updated plans, including designs and reports (see Block 23).

✓ Yes ☐ No If no, date expected \_\_\_\_\_

Updated security assessment (see Block 21).

✓ Yes ☐ No If no, date expected \_\_\_\_\_

Updated financial statement (see Block 22).

✓ Yes ☐ No If no, date expected \_\_\_\_\_

Compliance Assessment / Status Report (see Block 23).

✓ Yes ☐ No If no, date expected \_\_\_\_\_

English Summary of Renewal Application.

✓ Yes ☐ No If no, date expected \_\_\_\_\_

Inuktitut and/or Inuinnaqtun Summary of Renewal Application.

✓ Yes ☐ No If no, date expected \_\_\_\_\_

Application fee of \$30.00 CDN (Payee Receiver General for Canada).

☐ Yes ☐ No If no, date expected \_\_\_\_\_

Water Use Fee Deposit of \$30.00 CDN (Payee Receiver General for Canada). The actual water use fee will be calculated by the NWB based upon the amount of water authorized for use in accordance with the Regulations at the time of issuance of the licence.

☐ Yes ☐ No If no, date expected \_\_\_\_\_

## 28. SIGNATURE

I, [Tara Gunson](#)

certify that the application requires no changes to water use or waste disposal as previously authorized and that the information given on this form is, to the best of my knowledge, correct and complete.



[April 5, 2022](#)

Signature

Date