

From: "Searcy Tina (AREVA Resources Canada)" <Tina.Searcy@areva.ca>  
Subject: RE: Contact  
Date: Mon, March 23, 2009 4:14 pm  
To: [licensingadmin@nunavutwaterboard.org](mailto:licensingadmin@nunavutwaterboard.org), "Sarauer Kim (AREVA Resources Canada)" <Kim.Sarauer@areva.ca>

---

Richard,

Thank you that is correct. I was covering while we sought a replacement for Mark Warbanski and will continue to be involved while Kim becomes accustomed with the process.

Tina Searcy  
Regulatory Coordinator  
Regulatory and Legal Affairs  
AREVA Resources Canada Inc.  
(306) 343-4525  
[tina.searcy@areva.ca](mailto:tina.searcy@areva.ca)  
AREVA Group

-----Original Message-----

From: [licensingadmin@nunavutwaterboard.org](mailto:licensingadmin@nunavutwaterboard.org)  
[mailto:[licensingadmin@nunavutwaterboard.org](mailto:licensingadmin@nunavutwaterboard.org)]  
Sent: March 23, 2009 2:13 PM  
To: Searcy Tina (AREVA Resources Canada); Sarauer Kim (AREVA Resources Canada)  
Subject: Contact

Good afternoon;

I'm to consider you both as the contact people for anything relating to water licences?

Regards

--

Richard Dwyer  
Licensing Administrator  
Nunavut Water Board  
PH: (867) 360-6338 ext. 29  
FX: (867) 360-6369

----- Original Message -----

Subject: RE:  
From: "MANN Caren (AREVA Resources Canada)" <[Caren.Mann@areva.ca](mailto:Caren.Mann@areva.ca)>  
Date: Mon, March 23, 2009 1:12 pm  
To: [licensingadmin@nunavutwaterboard.org](mailto:licensingadmin@nunavutwaterboard.org)

---

--

Sorry, I forgot to add that the contact person is: Kim Sarauer. Her email address is [kim.sarauer@areva.ca](mailto:kim.sarauer@areva.ca)  
Caren

Caren Mann

Administrative Assistant, Kiggavik Project

AREVA Resources Canada Inc.

Tel: (306) 343-4676

Fax: (306) 343-4044

[caren.mann@areva.ca](mailto:caren.mann@areva.ca)

AREVA GROUP

-----Original Message-----

From: [licensingadmin@nunavutwaterboard.org](mailto:licensingadmin@nunavutwaterboard.org)  
[mailto:[licensingadmin@nunavutwaterboard.org](mailto:licensingadmin@nunavutwaterboard.org)]  
Sent: Monday, March 23, 2009 11:12 AM  
To: MANN Caren (AREVA Resources Canada)  
Subject: RE:

Thanks Caren will you be the contact person for areva in regard to nwb water licence?

--

Richard Dwyer  
Licensing Administrator  
Nunavut Water Board  
PH: (867) 360-6338 ext. 29  
FX: (867) 360-6369

> Sorry Mark no longer works for us so I will forward your request onto  
> the appreciate person.  
> Caren

>  
> Caren Mann  
>  
> Administrative Assistant, Kiggavik Project  
>  
> AREVA Resources Canada Inc.

>  
> Tel: (306) 343-4676

>  
> Fax: (306) 343-4044

>  
> [caren.mann@areva.ca](mailto:caren.mann@areva.ca)

>  
> AREVA GROUP

>  
> -----Original Message-----

> From: [licensingadmin@nunavutwaterboard.org](mailto:licensingadmin@nunavutwaterboard.org)  
> [mailto:[licensingadmin@nunavutwaterboard.org](mailto:licensingadmin@nunavutwaterboard.org)]  
> Sent: Monday, March 23, 2009 10:45 AM  
> To: MANN Caren (AREVA Resources Canada)  
> Subject:

>  
> Good morning Caren;

>  
> I'm not sure if I have Mr. Warbanski's correct e-mail. The Nunavut  
> Water  
> Board is looking for signed signature page of the application for the  
to

> continue processing amendment application. Please have faxed to  
> **867-360-6369** .  
>  
> Regards,  
>  
> Richard Dwyer  
> Licensing Administrator  
> Nunavut Water Board  
> PH: **867-360-6338** ext.29  
> FX: 867-360-6369  
>  
> From: Richard Dwyer [mailto:[licensingadmin@nunavutwaterboard.org](mailto:licensingadmin@nunavutwaterboard.org)]  
> Sent: Wednesday, March 18, 2009 2:09 AM  
> To: '[mark.warbanski@areva.ca](mailto:mark.warbanski@areva.ca)'  
> Subject: 2BE-KIG Signature page  
>  
> Good afternoon Mark;  
>  
> We are in the final stages of completing application for amendment  
> before  
> we can continue we will require a signed signature page of the  
> application. Please have faxed at **867-360-6369** .  
>  
> Regards,  
>  
> Richard Dwyer  
> Licensing Administrator  
> Nunavut Water Board  
> PH: **867-360-6338** ext.29  
> FX: 867-360-6369  
>  
>  
>  
>

---