

## Phyllis Beaulieu

---

**From:** Bobby Suluk [bsuluk@npc.nunavut.ca]  
**Sent:** Thursday, July 03, 2008 12:44 PM  
**To:** 'Phyllis Beaulieu'  
**Cc:** Brian Aglukark; Leslie Payette; tina.hessdorfer@areva.ca  
**Subject:** RE: 2BE-KIG0812 Request for Conformity

Good afternoon,

In regards to the Kiggavik file, conformity determination is not necessary for the application. NPC does not do conformity for requests for increasing of water consumption.

If you have any more questions, do not hesitate to contact our office.

Bobby Suluk  
Co-ordinator, Regional Planning  
Nunavut Planning Commission  
P.O. Box 419  
Arviat, Nunavut  
(867) 857-2242  
bsuluk@npc.nunavut.ca

-----Original Message-----

From: Phyllis Beaulieu [mailto:licensing@nunavutwaterboard.org]  
Sent: Wednesday, July 02, 2008 5:01 PM  
To: 'Bobby Suluk'  
Subject: RE: 2BE-KIG0812 Request for Conformity  
Importance: High

Thank you Bobby - we did receive the conformity on April 29, 2008. However, since that date we have received another amendment request from the company to increase the amount of water to be used from 110 cubic meters per day to 300 cubic meters per day. Is there a requirement for NPC to review the file again or is the April 29, 2008 conformity valid for this amendment??  
Regards,

---

Phyllis Beaulieu  
Manager of Licensing  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU X0B 1J0  
Phone: (867) 360-6338, Ext. 26  
Fax: (867) 360-6369  
E-mail: licensing@nunavutwaterboard.org

Visit our Web Page: [www.nunavutwaterboard.org](http://www.nunavutwaterboard.org) -----Original Message-----  
From: Bobby Suluk [mailto:bsuluk@npc.nunavut.ca]

Sent: Wednesday, July 02, 2008 2:39 PM  
To: 'Phyllis Beaulieu'  
Cc: Brian Aglukark  
Subject: RE: 2BE-KIG0812 Request for Conformity

According to our files, the conformity process was completed April 29, 2008.

Bobby Suluk  
Co-ordinator, Regional Planning  
Nunavut Planning Commission  
P.O. Box 419  
Arviat, Nunavut  
(867) 857-2242  
bsuluk@npc.nunavut.ca

-----Original Message-----

From: Phyllis Beaulieu [mailto:licensing@nunavutwaterboard.org]  
Sent: Wednesday, July 02, 2008 12:22 PM  
To: Annie Ollie; Bobby Suluk ; Brian Aglukark; Tommy Owlijoot  
Subject: 2BE-KIG0812 Request for Conformity  
Importance: High

The attached was forwarded to you on June 19, 2008. Please advise when we can expect a response so that we can get this file out for review. Thank you.

Regards,

---

Phyllis Beaulieu  
Manager of Licensing  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU X0B 1J0  
Phone: (867) 360-6338, Ext. 26  
Fax: (867) 360-6369  
E-mail: licensing@nunavutwaterboard.org  
Visit our Web Page: [www.nunavutwaterboard.org](http://www.nunavutwaterboard.org)

No virus found in this incoming message.

Checked by AVG.

Version: 7.5.524 / Virus Database: 270.4.3/1528 - Release Date: 7/1/2008  
7:26 AM

No virus found in this outgoing message.

Checked by AVG.

Version: 7.5.524 / Virus Database: 270.4.3/1528 - Release Date: 7/1/2008  
7:26 AM

No virus found in this incoming message.

Checked by AVG.

Version: 7.5.524 / Virus Database: 270.4.3/1528 - Release Date: 7/1/2008

7:26 AM

No virus found in this outgoing message.

Checked by AVG.

Version: 7.5.524 / Virus Database: 270.4.3/1528 - Release Date: 7/1/2008

7:26 AM