RECEIVED

By Manager of Licensing at 9:07 am, Apr 27, 2011



Pitquhiliqiyikkut

Department of Culture, Language, Elders and Youth

Ministère de la Culture, de la Langue, des Aînés et de la Jeunesse

April 27, 2011

Phyllis Beaulieu Manager of Licensing Nunavut Water Board P.O. Box 119 Gjoa Haven, NU X0B 1J0

Re: Nunavut Water Board License 2BE-KIG0812/ Kiggavik Project Drilling within 30 meters of Ordinary High

(Kim Sarauer, Areva Resources Canada Inc.)

Due Date: May 21, 2011

Dear Phyllis Beaulieu:

At your request, the Department of Culture, Language Elders and Youth (CLEY), Government of Nunavut, has reviewed the above-noted application. Our recommendations are limited to CLEY's mandate and follow.

The Department of Culture, Language, Elders and Youth does not object to drilling within 30m of the high water mark of Andrew Lake area and Mushroom Lake if these areas have been subject to an archaeological assessment. Three Nunavut Archaeologist Permits have been issued todate and one is currently under review in association with this project. However, CLEY is requiring specific terms and conditions be attached to this approval. The terms and conditions CLEY is requiring are as follows:

- 1) The permittee/proponent shall have a professional archaeologist perform the Functions associated with the specific Types of Development outlined in attached Terms and Conditions.
- 2) If there are recorded sites within the project area as indicated by Attachment #1 these sites must be avoided, until such time as specific mitigation measures are established. Attachment #1 is provided solely for the purpose of the proponent's land use activities as described in the land use application, and must otherwise be treated confidentially.
- 3) If an archaeological site is encountered or disturbed in the course of the land use activity methods of site protection and restoration must be followed by the applicant.

Sincerely,

set by email

Julie Ross Territorial Archaeologist Department of Culture, Language, Elders and Youth