From:	JACKSON Kimberly (AREVA Resources Canada)
To:	Sean Joseph
Cc:	licensing@nunavutwaterboard.org; ROBBINS John (AREVA Resources Canada); FORSEILLE Stephanie (AREVA Resources Canada)
Subject:	RE: Licence 2BE-KIG0812
Date:	Friday, November 02, 2012 2:12:46 PM
Attachments:	3 Water License Inspection form 2BE-KIG-2012.pdf 4 RE_ Areva Information.pdf Kiggavik Project Sept. 20 Spill (367 KB).msg 1 INTRODUCTION-2BE-KIG-2012.pdf 2 Re_ 2012 Kiggavik Inspection.pdf Use of Hamlet Waste Facility 02-Feb-07 .pdf Uranium Exploration Plan.pdf Waste Management Plan.pdf Wildlife Mitigation and Monitoring Plan.pdf Abandonment and Restoration Plan Rev.pdf Noise Abatement Plan.pdf Radiation Protection Plan.pdf Spill Contingency Plan.pdf

---

Hi Sean,

As per your request, here is the correspondance regarding the 2011 and 2012 AANDC inspection reports (numbered 1-4) and authorization from the Hamlet of Baker Lake for the use of the hamlet's waste disposal facilities.

Also attached are the Radiation Protection, Spill Contingency, Uranium Exploration, Waste Management, Wildlife Mitigation and Monitoring, Abandonment and Restoration and Noise Abatement Plans to be included in the NWB Licence Renewal application submitted October 22, 2012.

If you have any further questions or require any other information please don't hesitate to give me a call.

Take care,

Kim Jackson
Environment & Radiation Protection Supervisor
Kiggavik Project, AREVA Resources Canada Inc.
kim.jackson@areva.ca
Ph:(306) 343-4043

This email communication is private. If you are not the intended recipient, please notify me at the telephone number shown above or by return email and delete this communication and any copy immediately. Do not Forward it. Thank you.

From: Sean Joseph [mailto:sjoseph@nunavutwaterboard.org]
Sent: November 2, 2012 12:14 PM
To: JACKSON Kimberly (AREVA Resources Canada)
Cc: licensing@nunavutwaterboard.org
Subject: Licence 2BE-KIG0812

Hello Kim,

As a follow-up to our conversation, the Nunavut Water Board (NWB) requests that the following information be provided:

1. AREVA Resources Canada Inc. response(s) to the issues identified in Aboriginal Affairs and Northern Development Canada's (AANDC) 2011 and 2012 inspection reports;
2. Spill report filed for the spill that occurred in September 2011 (*This is not required as I was able to locate a copy on file)*;
3. Confirmation that documented authorization has been provided by the Hamlet of Baker Lake for the backhauling of waste to the hamlet's waste disposal facilities (*I neglected to mention this item this morning*);

Should you have any questions, please do contact me at your earliest convenience.

Regards,
Sean

Sean Joseph
Technical Advisor

Nunavut Water Board ᓄᓇᕗᑦ ᐃᒪᓕᕆᔨᑦ ᑲᑎᒪᔨᑦ NUNAVUT IMALIRIYIN KATIMAYIT Office Des Eaux Du Nunavut
P.O. Box 119 Gjoa Haven, NU X0B 1J0 Tel. 867.360.6338 Fax. 867.360.6369

Phone: (604) 321-8185
Email: sjoseph@nunavutwaterboard.org
Website: www.nunavutwaterboard.org

This e-mail transmission is confidential and may contain proprietary information for the expressed use of the intended recipient. Any use, distribution or copying of this transmission, other than by the intended recipient, is strictly prohibited. If you are not the intended recipient, please notify the sender and delete all copies. Electronic media is susceptible to unauthorized modification, deterioration, and incompatibility. Accordingly, the electronic media version of any work product may not be relied upon.