



Legend

- Drill Hole
- 0.0 - 0.3 μSv
- 0.3 - 0.6 μSv
- 0.6 - 1.0 μSv
- 1.0 - 2.5 μSv
- > 2.5 μSv



END-11-05
Pre Gamma Survey
Point Count: 1154
Min-Max: 0.000 - 0.055 μSv




END-11-05
Post Gamma Survey
Point Count: 1445
Min-Max: 0.069 - 0.193 μSv




Legend

- Drill Hole
- 0.0 - 0.3 μSv
- 0.3 - 0.6 μSv
- 0.6 - 1.0 μSv
- 1.0 - 2.5 μSv
- > 2.5 μSv



END-11-06
Pre Gamma Survey
 Point Count: 1486
 Min-Max: 0.008 - 0.186 μSv




END-11-06
Post Gamma Survey
 Point Count: 993
 Min-Max: 0.001 - 0.088 μSv




Legend

- Drill Hole
- 0.0 - 0.3 μSv
- 0.3 - 0.6 μSv
- 0.6 - 1.0 μSv
- 1.0 - 2.5 μSv
- > 2.5 μSv



**END-11-02 and END-11-04
Pre Gamma Survey**

Point Count: 1267
Min-Max: 0.012 - 0.070 μSv




**END-11-02 and END-11-04
Post Gamma Survey**

Point Count: 1389
Min-Max: 0.000 - 0.179 μSv




Legend

- Drill Hole
- 0.0 - 0.3 μSv
- 0.3 - 0.6 μSv
- 0.6 - 1.0 μSv
- 1.0 - 2.5 μSv
- > 2.5 μSv



GW-11-01
Pre Gamma Survey
Point Count: 1620
Min-Max: 0.000 - 0.079 μSv




GW-11-01
Post Gamma Survey
Point Count: 1410
Min-Max: 0.026 - 0.052 μSv




Legend

- Drill Hole
- 0.0 - 0.3 μSv
- 0.3 - 0.6 μSv
- 0.6 - 1.0 μSv
- 1.0 - 2.5 μSv
- > 2.5 μSv








GW-11-02
Pre Gamma Survey
 Point Count: 1073
 Min-Max: 0.048 - 0.091 μSv




GW-11-02
Post Gamma Survey
 Point Count: 1916
 Min-Max: 0.000 - 0.111 μSv




Legend

-  Drill Hole
-  0.0 - 0.3 µSv
-  0.3 - 0.6 µSv
-  0.6 - 1.0 µSv
-  1.0 - 2.5 µSv
-  > 2.5 µSv



SLEK-10
Pre Gamma Survey
Point Count: 1050
Min-Max: 0.050 - 0.094 µSv




SLEK-10
Post Gamma Survey
Point Count: 1255
Min-Max: 0.055 - 0.097 µSv




Legend

- Drill Hole
- 0.0 - 0.3 μSv
- 0.3 - 0.6 μSv
- 0.6 - 1.0 μSv
- 1.0 - 2.5 μSv
- > 2.5 μSv



SLEK-11
Pre Gamma Survey
Point Count: 1228
Min-Max: 0.007 - 0.100 μSv




SLEK-11
Post Gamma Survey
Point Count: 1233
Min-Max: 0.000 - 0.099 μSv




Legend

- Drill Hole
- 0.0 - 0.3 μSv
- 0.3 - 0.6 μSv
- 0.6 - 1.0 μSv
- 1.0 - 2.5 μSv
- > 2.5 μSv



SLEK-12
Pre Gamma Survey
 Point Count: 1399
 Min-Max: 0.054 - 0.113 μSv



SLEK-12
Post Gamma Survey
 Point Count: 1377
 Min-Max: 0.057 - 0.102 μSv

