



NWB Tools

Phyllis Beaulieu &lt;phyllis.beaulieu@nwb-oen.ca&gt;

**140724 2BE-KIG1318 Notices of Artesian Flow-OMLE**

1 message

Phyllis Beaulieu &lt;phyllis.beaulieu@nwb-oen.ca&gt;

Thu, Jul 24, 2014 at 2:33 PM

To: Curtis Rhinas &lt;curtis.rhinas@areva.com&gt;

Cc: Technical Department &lt;technical@nwb-oen.ca&gt;

The Nunavut Water Board acknowledges receipt, on July 19 and July 23, 2014 of notices of artesian flow at the Kiggavik Project. This information has been filed to our public registry and uploaded to our ftp site.

Regards,



Phyllis Beaulieu- ᐱᕐᕐᕐ ᐸᕐᕐ

Manager of Licensing- Responsable des Permis

ᐱᕐᕐᕐ ᐸᕐᕐ ᐸᕐᕐ ᐸᕐᕐ- Maniyauyuq Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᐱᕐᕐᕐ ᐸᕐᕐ ᐸᕐᕐ ᐸᕐᕐ - NUNAVUT IMALIRIYIN KATIMAYINGI

[www.nwb-oen.ca](http://www.nwb-oen.ca)

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

ᐱᕐᕐᕐᕐᕐᕐ 119

ᐸᕐᕐᕐᕐᕐ, ᐱᕐᕐᕐᕐ X0B 1J0

Titigaqaqvia 119

Uquququq, NU, X0B 1J0

Tel / Téléphone / ᐸᕐᕐᕐᕐᕐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐸᕐᕐᕐᕐᕐ / Fax-kut: (867) 360-6369  
Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email