



NWB Tools

Ida Porter <ida.porter@nwb-oen.ca>

Fwd: 2BE-KLG1116 - Followup on required submissions

Cynthia Ene <cynthia.ene@nwb-oen.ca>

Tue, Jan 17, 2017 at 2:49 PM

To: Ida Porter <ida.porter@nwb-oen.ca>, Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

Can you please upload the below communication email sent by Ms. Brown to the ftp site for 2BE-KLG1116.

Thanks.



Cynthia Ene, MBA, P.Eng.- ٲٲٲٲ ٲٲٲٲ

Technical Advisor- Conseillère Technique

ᐱᓗᑦᑐᑦ ᑦᑐᑦᕈᑦ ᐱᓂᑦᕈᑦ ᐃᔭᑦᑐᑦ- Piliuaqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪ ᐱᓚᓕᓂᓪ ᓐᑎᓚᓪᓴᓯ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjøa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

၂၂၆၆၆၆ ၁၁၁

▷ ၂၁၅၁, ၂၁၅၂ X013 1J0

Litigacqvia 119

Upholding, NU, X013 110

Tel / Téléphone / ᐱᐸᐅᐸᐸ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐸᐸᐸᐸ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᑭᑦᑐᑦᐸᓂᐸᓂᐸ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Olivia Brown** <olivia@ooleepeeka.com>

Date: Tue, Jan 17, 2017 at 2:28 PM

Subject: RE: 2BE-KLG1116 - Followup on required submissions

To: Cynthia Ene <cynthia.ene@nwb-oen.ca>, jpaterson@northernemp.ca

Cc: cpennimpede@gmail.com, John Bevilacqua <info@acquacapitalgroup.com>

Hello Cynthia,

Thank you for this information. We will update the Spill Prevention and Response Plan to include the requirements you have listed.

Yours truly,

Olivia

Ooleepeeka Consulting Ltd.

Suite 001 - 1290 Homer Street

Vancouver, BC V6B 2Y5

(778) 895-8055

olivia@ooleepeeka.com

From: Cynthia Ene [mailto:cynthia.ene@nwb-oen.ca]
Sent: January-17-17 7:34 AM
To: olivia@ooleepeeka.com; jpaterson@northernemp.ca
Subject: 2BE-KLG1116 - Followup on required submissions

Good Morning,

Thank you for your submission on January 10, 2017 of the Spill Prevention and Response Plan Appendix (1 to 5). These have now been uploaded to the NWB's ftp site. In order to complete the detailed technical review of your application, the following information and plan revisions are still required:

1. Update the Demobilization Plan and the Spill Prevention and Response Plan (SPRP) to reference the Northern Empire Resources Corp.
2. Section 3.1 of the Spill Prevention and Response Plan (SPRP) refers to a fuel truck on site. Additional information should be provided to clarify if it can be utilized in the event of an onsite spill.
3. Update the Kiyuk Demobilization Plan submitted on October 12, 2016, to include responses to the following:
 - how fuel and hazardous materials will be removed from site; and
 - in 2015, fuel spills were noted and reported to the Enforcement Branch Environment Canada. Include a schedule and plan of when and how contaminated soils from spills 15-379 and 15-382 will be re mediated.
 - remove the discussion on salvage value
4. Update the Environmental Restoration Costs – Complete Removal of Kiyuk Camp, submitted by Northern Empire Resources on October 12, 2016
 - the revised restoration cost estimate should be revised to include the labor and equipment cost for the cat train, and for the contaminated soil remediation activities required.

If you have any further questions please email me back and I will endeavor to respond.



Technical Advisor- Conseillère Technique

ᐱᓗᑦᑐᐅᑦᑐᑕᐲᓂᑦᐭᑦ ᐃᑲᑦᑲᐱ- Piliuaqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓴᑦ ᐃᐭᓕᓂᓴᑦ ᑲᓂᐭᓴᓴᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
 ၂၀၁၆ ခုနှစ် ၁၁၉

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

No virus found in this message.

Checked by AVG - www.avg.com

Version: 2016.0.7996 / Virus Database: 4749/13780 - Release Date: 01/16/17