

# SCREENING PART 2 FORM PROJECT SPECIFIC INFORMATION REQUIREMENTS (PSIR)

#### 1. SUBMISSIONS

The Proponent must submit all information pertaining to the Project as a whole. The information requirements below are designed for the purpose of environmental assessment and are not limited to the scope of a single permit or license application.

**IMPORTANT:** Please be advised of the following:

- 1. NIRB does not accept references to an ftp or web sites as a submission.
- 2. The Proponent must provide NIRB with 1 (one) electronic copy and 1 (one) hardcopy of the required information in English.
- All maps should be shapefiles, be legible, and should include grids, be of appropriate scale, indicate the scale, include latitude and longitude references, NTS Maps numbers, title, legend and a north arrow. To the extent possible, avoid hand-drawn demarcations and faxed maps; and,
- 4. Please complete all required information in each section below. If the required information is not applicable to the project proposal, please indicate this in the response with "n/a". If the request has been provided in a different section or report, please note the section or report where the response can be found.

#### 2. GENERAL PROJECT INFORMATION REQUIREMENTS

#### **Project Coordinates and Maps**

- 1. The preferred method for submitting project coordinates information is through the use of a Geographic Information System (GIS) compatible digital file. Although an ESRI ArcView 3.x shape file (in decimal degrees) is the preferred interchange format, the NIRB has the capacity to receive over 100 GIS and CAD related formats, including MapInfo and AutoCAD, provided proper format and projection metadata is also submitted. The NIRB requires coordinates for the project proposal which reflect the entire project area as defined by:
  - Area/sites of investigation;
     See attached map.
  - Boundaries of the foreseen land use permit/right-of-way area(s) to be applied for;

See attached maps. A Right of Way permit is being applied for to support the overland haul of supplies to the site.

Location of any proposed infrastructure or activity(s); and,

See attached map of planned drilling, there will be no camp built.

 Boundaries of the mineral claim block(s) where proposed activities will be undertaken.

The project boundaries are N: 60°28'41' S: 60°23'15" W: 100° 29'58" E: 100° 16'51"

2. Map of the project site within a regional context indicating the distance to the closest communities.

See attached map

3. Map of any camp site including locations of camp facilities.

4. Map of the project site indicating existing and/or proposed infrastructure, proximity to water bodies and proximity to wildlife and wildlife habitat.

See attached map

## **Project General Information**

5. Discuss the need and purpose of the proposed project.

This project is designed to evaluate the mineral potential for gold within the claim area

6. Discuss alternatives to the project and alternative methods of carrying out the project, including the no-go alternative. Provide justification for the chosen option(s).

There are no alternatives to the proposed project activities. The exploration is low impact and every effort will be made to minimize any impacts on the environment. Activities will be conducted in such a manner to avoid disturbance to wildlife. Any archaeological sites that are discovered will be left undisturbed and their location will be recorded and submitted to the GN and the KIA.

7. Provide a schedule for all project activities.

See attached Project Description

8. List the acts, regulations and guidelines that apply to project activities.

Article 13 - Nunavut Land Claims Agreement

NWB - Water Licensing in Nunavut - Interim Procedures and Information Guide

for Applicants

**NWTWB** - Guidelines for Contingency Planning

DFO - Freshwater Intake End of Pipe Fish Screen Guideline

Fisheries Act - s.35

GN - Environment Protection- Spill Contingency Regulations

Canadian Drinking Water Quality Guidelines

Public Health Act Camp Sanitation Regulations

Public Health Act Water Supply Regulations

Nunavut Waters and Nunavut Surface Rights Tribunal Act

Territorial Land Use Act and Regulations

9. List the approvals, permits and licenses required to conduct the project.

INAC Class B Land Use Permit application

NWB Type B Water Licence Application

NIRB Screening Decision

#### **DFO Operational Statement (OS) Conformity**

P.O. Box 1360 Cambridge Bay, NU, X0B 0C0 • PHONE: 867-983-4600 • TOLL FREE: 1-866-233-3033 • FAX: 867-983-2574

Updated July 23, 2010

2 of 23

- 10. Indicate whether any of the following Department of Fisheries and Oceans (DFO) Operational Statement (OS) activities apply to the project proposal:
  - Bridge Maintenance
  - Clear Span Bridge
  - Culvert Maintenance
  - Ice Bridge
  - Routine Maintenance Dredging
  - Installation of Moorings

Please see DFO's OS for specific definitions of these activities available from DFO's web-site at http://www.dfo-mpo.gc.ca/regions/central/habitat/os-eo/index-eng.htm

11. If any of the DFO's OS apply to the project proposal, does the Proponent agree to meet the conditions and incorporate the measures to protect fish and fish habitat as outlined in the applicable OS? If yes, provide a signed statement of confirmation.

## **Transportation**

12. Describe how the project site will be accessed and how supplies will be brought to site. Provide a map showing access route(s).

See attached map. During the snow covered months, the camp will be accessed overland to haul equipment using a tractor and Bravo skidoos. The primary means of transportation to the drill site will be fixed wing aircraft and a helicopter. See attached map of winter trail access.

13. If a previous airstrip is being used, provide a description of the type of airstrip (ice-strip/all-weather), including its location. Describe dust management procedures (if applicable) and provide a map showing location of airstrip.

An airstrip will be used on Kiyuk Lake, it's exact location will be determined upon arrival at Kiyuk Lake.

- 14. If an airstrip is being constructed, provide the following information:
  - a. Discuss design considerations for permafrost
  - b. Discuss construction techniques
  - Describe the construction materials, type and sources, and the acid rock drainage (ARD) and metal leaching (ML) characteristics (if rock material is required for airstrip bed).
  - d. Describe dust management procedures.
  - e. Provide a map showing location of proposed airstrip.
- 15. Describe expected flight altitudes, frequency of flights and anticipated flight routes.

#### Camp Site

- 16. Describe all existing and proposed camp structures and infrastructure
- 17. Describe the type of camp:
  - a. Mobile
  - b. Temporary
  - c. Seasonal
  - d. Permanent
  - e. Other
- 18. Describe the maximum number of personnel expected on site, including the timing for those personnel involved with the project.

The maximum number of people at the drill site will be two per shift with regular trips by the drill foreman and the project geologist.

Updated July 23, 2010 3 of 23

# **Equipment**

19. Provide a list of equipment required for the project and discuss the uses for the equipment.

See attached Project Description

20. If possible, provide digital photos of equipment.

#### Water

21. Describe the location of water source(s), the water intake methods, and all methods employed to prevent fish entrapment. Provide a map showing the water intake locations.

Water for drill will be drawn from lakes near the drill for land based targets. There will be no targets drilled from ice. A mesh screen will cover the water intake line to prevent fish entrapment.

- 22. Describe the estimated rate of water consumption (m³/day). The drill will use approximately 50m³day.
- 23. Describe how waste water will be managed. If relevant, provide detail regarding location of sumps, including capacity of sumps and monitoring.

Drill water will be pumped to a sump at least 31 metres from the natural high water mark of any water body and such that the waters do not enter any water bodies.

24. If applicable, discuss how surface water and underground water will be managed and monitored.

Sumps will be checked regularly during the drill program to ensure they are functioning properly.

#### Waste Water (Grey water, Sewage, Other)

- 25. Describe the quantities, treatment, storage, transportation, and disposal methods for the following (where relevant):
  - Sewage N/A
  - Camp grey water N/A
  - Combustible solid waste
    - All combustible solid waste will be backhauled to Manitoba.
  - Non-combustible solid waste, including bulky items/scrap metal All non-combustible waste will be back hauled to Manitoba.
  - Hazardous waste or oil

All hazardous waste or oil will be flown to northern Manitoba. A waste manifest will accompany all hazardous wastes being shipped from site to an authorized, licensed disposal facility.

Contaminated soils/snow

Contaminated snow will be collected in empty drums and allowed to melt. Absorbent matting will be used to absorb any hydrocarbon and the water will evaporate over the course of the summer. Contaminated soil will be collected in empty drums and will either be shipped from site.

Empty barrels/ fuel drums

P.O. Box 1360 Cambridge Bay, NU, X0B 0C0 • PHONE: 867-983-4600 • TOLL FREE: 1-866-233-3033 • FAX: 867-983-2574 *Updated July 23, 2010*4 of 23

# Empty drums will backhauled from site on a regular basis.

- Any other waste produced
- 26. If the project proposal includes a landfill or landfarm, indicate the locations on a map, provide the conceptual design parameters, and discuss waste management and contact-water management procedures.

#### Fuel

- 27. Describe the types of fuel, quantities (number of containers, type of containers and capacity of containers), method of storage and containment. Indicate the location on a map where fuel is to be stored, and method of transportation of fuel to project site. Fuel caches will be established to support the drill program.
- 28. Describe any secondary containment measures to be employed, including the type of material or system used. If no secondary containment is to be employed, please provide justification.
  - Fuel will be stored within secondary containment when the volume exceeds 40,000L.
- 29. Describe the method of fuel transfer and the method of refuelling.
  Fuel will be transferred to site in sealed drums. A hand operated pump will be used for refuelling.
- 30. Describe spill control measures in place.
  Please see attached Spill Prevention and Response Plan

Please refer to Environment Canada's fuel storage tank system regulations (*Storage Tank System for Petroleum and Allied Petroleum Products*) website at <a href="http://www.ec.gc.ca/st-rs/">http://www.ec.gc.ca/st-rs/</a> for details on fuel storage requirements.

#### Chemicals and Hazardous Materials\*

\*included but not limited to oils, greases, drill mud, antifreeze, calcium or sodium chloride salt, lead acid batteries and cleaners

31. Describe the types, quantities (number of containers, the type of container and capacity of containers), method of storage and containment. Indicate the location on a map where material is to be stored, and method of transportation of materials to project site.

During the drill program the following materials may be in use., generally in 20L pails with secure lids. The following are typically stored in 20 L pails and stored in camp in northern Manitoba and brought to the drill site as needed :550X Polymer, Linseed Soap, Quik Gel, Fondu Cement, Big Bear Rod Grease, Canola Oil, G-STOP, Poly Drill K-ION, TORQUELESS, Poly Drill PureVis, Z-50, HOLEPLUG 3/8, 15W40 Heavy Duty Engine Oil, Antifreeze, A46 Hydraulic Oil, Diesel Fuel, Gasoline, EP2 Grease, Max-Gear, Ultra Performance Grease, Extra High Yeild Bentonite, Extreme Extra High Yield Gel, GSX-20,WDS-120L, W-OB POLYMER, SUPERSET, Clay Stabilizer, Calcium Chloride Flake, K2, Superpoly, Soda Ash

32. Describe any secondary containment measures to be employed, including the type of material or system used. N/A

Updated July 23, 2010 5 of 23

- 33. Describe the method of chemical transfer. N/A
- 34. Describe spill control measures in place.

Please see attached Spill Prevention and Response Plan

# **Workforce and Human Resources/Socio-Economic Impacts**

- 35. Discuss opportunities for training and employment of local Inuit beneficiaries. Prosperity Goldfields Corp's initial phase will be a small short program and local hiring is not foreseen at this early stage. Pending drill results PGC has predicts future hiring and using local suppliers.
  - 36. Discuss workforce mobilization and schedule, including the duration of work and rotation length, and the transportation of workers to site. N/A at this time
  - 37. Discuss, where relevant, any specific hiring policies for Inuit beneficiaries. N/A at this time

# **Public Involvement/ Traditional Knowledge**

- 38. Indicate which communities, groups, or organizations would be affected by this project proposal.
- Describe any consultation with interested Parties which has occurred regarding the development of the project proposal. Please see attached Community Consultation log.
- 40. Provide a summary of public involvement measures, a summary of concerns expressed, and strategies employed to address any concerns.
- 41. Describe how traditional knowledge was obtained, and how it has been integrated into the project.
- Discuss future consultation plans.
   PGC plans to continue with regular consultation during the life of the project.

#### 3. PROJECT SPECIFIC INFORMATION

The following table identifies the project types identified in Section 3 of the NIRB, Part 1 Form. Please complete all relevant sections.

It is the proponent's responsibility to review all sections in addition to the required sections to ensure a complete application form.

Updated July 23, 2010 6 of 23

Table 1: Project Type and Information Required

Project Type	Type of Project Proposal	Information Request
1	All-Weather Road/Access Trail	Section A-1 and Section A-2
2	Winter Road/Winter Trail	Section A-1 and Section A-3
3	Mineral Exploration	Section B-1 through Section B-4
4	Advanced Mineral Exploration	Section B-1 through Section B-8
5	Mine Development/Bulk Sampling	Section B-1 through Section B-12
6	Pits and Quarries	Section C
7	Offshore Infrastructure(port, break water, dock)	Section D
8	Seismic Survey	Section E
9	Site Cleanup/Remediation	Section F
10	Oil and Natural Gas Exploration/Activities	Section B-3 and Section G
11	Marine Based Activities	Section H
12	Municipal and Industrial Development	Section I

#### SECTION A: Roads/Trails

# A-1. Project Information

- Describe any field investigations and the results of field investigations used in selecting the proposed route (e.g. geotechnical, snow pack).
   Crews have accessed the trails with skidoos and noted an existing route that will require no clearing for access
- 2. Provide a conceptual plan of the road, including example road cross-sections and water crossings. This is a pre existing winter access trail and will be travelled during the periods when the ground is frozen and snow covered.
- 3. Discuss the type and volume of traffic using the road/trail (i.e. type of vehicles and cargo and number of trips annually). Please see attached ROW applications submitted with Land Use application
- Discuss public access to the road.
   This trail is used by community members in northern Manitoba to travel by skidoo to Kiyuk Lake
- Describe maintenance procedures. N/A
- Describe whether any portion of the road will be located outside of the Nunavut Settlement Area and whether any other regulatory requirements must be met (e.g. CEAA). N/A

# A-2. All-Weather Road/Access Trail

- 7. Discuss road design considerations for permafrost.
- 8. Describe the construction materials (type and sources for materials), and the acid rock drainage (ARD) and metal leaching characteristics of the construction materials.

Updated July 23, 2010 7 of 23

- 9. Discuss construction techniques, including timing for construction activities.
- 10. Indicate on a map the locations of designated refuelling areas, water crossings, culverts, and quarries/borrow sources.
- 11. Identify the proposed traffic speed and measures employed to ensure public safety.
- 12. Describe dust management procedures.

#### A-3. Winter Road/Trail

- 13. Describe the surface preparation, including the use of snow berms or compaction, and any flooding. If flooding is to be used, provide the location of the water source on a map. N/A
- 14. Describe the operating time period. The trail would be in sporadic use from March to the end of May.
- 15. Identify the proposed traffic speed and measures employed to ensure public safety. This is a trail that a tractor will be used, it will be moving slowly as it will be pulling supplies and will travel according to trail conditions and safety.
- Discuss whether the selected route traverses any fish-bearing water bodies.
   No.

# **SECTION B: Mineral Exploration /Advanced Exploration /Development**

## **B-1. Project Information**

1. Describe the type of mineral resource under exploration.

The purpose is to evaluate the mineral potential for gold in the claim area.

# **B-2. Exploration Activity**

- 2. Indicate the type of exploration activity:
  - Bulk Sampling (underground or other)
  - Stripping (mining shallow bedded mineral deposits in which the overlying material is stripped off, the mineral removed and the overburden replaced)
  - Trenching
  - Pitting
  - Delineation drilling
  - Preliminary Delineation drilling
  - Exploration drilling The program is expected to begin as soon as permits are received.
  - Geophysical work (indicate ground and/or air)
  - Other
- 3. Describe the exploration activities associated with this project:
  - Satellite remote sensing
  - Aircraft remote sensing
  - Soil sampling
  - Sediment sampling
  - On land drilling (indicate drill type) LF-70 or similar
  - On ice drilling (indicate drill type)

Updated July 23, 2010 8 of 23

- Water based drilling (indicate drill type)
- Overburden removal
- Explosives transportation and storage
- Work within navigable waters
- On site sample processing
- Off site sample processing
- Waste rock storage
- Ore storage
- Tailings disposal
- Portal and underground ramp construction
- Landfilling
- Landfarming
- Other

#### **B-3.** Geosciences

- 4. Indicate the geophysical operation type:
  - a. Seismic (please complete Section E)
  - b. Magnetic
  - c. Gravimetric
  - d. Electromagnetic
  - e. Other (specify)
- 5. Indicate the geological operation type:
  - a. Geological Mapping
  - b. Aerial Photography
  - c. Geotechnical Survey
  - d. Ground Penetrating Survey
  - e. Other (specify)
- 6. Indicate on a map the boundary subject to air and/or ground geophysical work.
- Provide flight altitudes and locations where flight altitudes will be below 610m.

## **B-4.** Drilling

- 8. Provide the number of drill holes and depths (provide estimates and maximums where possible). We estimate 25 holes at a maximum depth of 250 m
- 9. Discuss any drill additives to be used.

Drill mud and salt.

10. Describe method for dealing with drill cuttings.

Please see attached Project Description. Drill cuttings will be sumped.

11. Describe method for dealing with drill water.

Please see Project Description. Drill water will be sumped 31 m from high water mark of surrounding water bodies.

12. Describe how drill equipment will be mobilized.

Drill will be brought into camp overland or mobilised by air from northern Manitoba.

- 13. Describe how drill holes will be abandoned.
  - Please see attached Abandonment and Reclamation Plan.
- 14. If project proposal involves uranium exploration drilling, discuss the potential for radiation exposure and radiation protection measures. Please refer to the Canadian Guidelines for Naturally Occurring Radioactive Materials for more information.

#### B-5. Stripping/ Trenching/ Pit Excavation

Updated July 23, 2010 9 of 23

- 15. Discuss methods employed. (i.e. mechanical, manual, hydraulic, blasting, other)
- 16. Describe expected dimensions of excavation(s) including depth(s).
- 17. Indicate the locations on a map.
- 18. Discuss the expected volume material to be removed.
- 19. Discuss methods used to determine acid rock drainage (ARD) and metal leaching potential and results.

## **B-6. Underground Activities**

- 20. Describe underground access.
- 21. Describe underground workings and provide a conceptual plan.
- 22. Show location of underground workings on a map.
- 23. Describe ventilation system.
- 24. Describe the method for dealing with ground ice, groundwater and mine water when encountered.
- 25. Provide a Mine Rescue Plan.

## B-7. Waste Rock Storage and Tailings Disposal

- 26. Indicate on a map the location and conceptual design of waste rock storage piles and tailings disposal facility.
- 27. Discuss the anticipated volumes of waste rock and tailings.
- 28. Discuss methods used to determine acid rock drainage (ARD) and metal leaching (ML) potential and results.

#### B-8. Stockpiles

- 29. Indicate on a map the location and conceptual design of all stockpiles.
- 30. Describe the types of material to be stockpiled. (i.e. ore, overburden)
- 31. Describe the anticipated volumes of each type of material to be stockpiled.
- 32. Describe any containment measures for stockpiled materials as well as treatment measures for runoff from the stockpile.
- 33. Discuss methods used to determine acid rock drainage (ARD) and metal leaching (ML) potential and results.

#### **B-9. Mine Development Activities**

- 34. Indicate the type(s) of mine development activity(s):
  - Underground
  - Open Pit
  - Strip Mining
  - Other
- 35. Describe mine activities.
  - Mining development plan and methods
  - Site access
  - Site infrastructure (e.g. airstrip, accommodations, offshore infrastructures, mill facilities, fuel storage facilities, site service roads)
  - Milling process

Updated July 23, 2010 10 of 23

- Water source(s) for domestic and industrial uses, required volumes, distribution and management.
- Solid waste, wastewater and sewage management
- Water treatment systems
- Hazardous waste management
- Ore stockpile management
- Tailings containment and management
- Waste rock management
- Site surface water management
- Mine water management
- Pitting and quarrying activities (please complete Section C)
- Explosive use, supply and storage (including on site manufacturing if required)
- Power generation, fuel requirements and storage
- Continuing exploration
- Other
- 36. Describe the explosive type(s), hazard class, volumes, uses, location of storage (show on map), and method of storage.

# B-10. Geology and Mineralogy

37. Describe the physical nature of the ore body, including known dimensions and approximate shape.

No ore body has been defined. The project consists of a series of gold showings hosted in the Kiyuk Lake Basin which trends NE and is approximately 55 km long and 35 km wide.

38. Describe the geology/ mineralogy of the ore deposit.

Gold mineralization is hosted mainly in conglomerates of the Tavani formation and the K1 unit.

39. Describe the host rock in the general vicinity of the ore body.

The gold showings are hosted by strongly albitized sedimentary rocks belonging to the Hurwitz and Kiyuk groups.

- 40. Discuss the predicted rate of production. N/A
- 41. Describe mine rock geochemical test programs which have been or will be performed on the ore, host rock, waste rock and tailings to determine acid generation and contaminant leaching potential. Outline methods and provide results if possible.

  N/A any testing will be off site

#### B-11. Mine

- 42. Discuss the expected life of the mine.
- 43. Describe mine equipment to be used.
- 44. Does the project proposal involve lake and/or pit dewatering? If so, describe the activity as well as the construction of water retention facilities if necessary.
- 45. Discuss the possibility of operational changes occurring during the mine life with consideration for timing. (e.g. open pit to underground)
- 46. If project proposal involves uranium mining, consider the potential for radiation exposure and radiation protection measures. Particular attention should be paid to *The Nuclear Safety and Control Act*.

Updated July 23, 2010 11 of 23

#### B-12. Mill

- 47. If a mill will be operating on the property in conjunction with mining, indicate whether mine-water may be directed to the mill for reuse.
- 48. Describe the proposed capacity of the mill.
- 49. Describe the physical and chemical characteristics of mill waste as best as possible.
- 50. Will or does the mill handle custom lots of ore from other properties or mine sites?

#### **SECTION C: Pits and Quarries**

- 1. Describe all activities included in this project.
  - Pitting
  - Quarrying
  - Overburden removal
  - Road use and/or construction (please complete Section A)
  - Explosives transportation and storage
  - Work within navigable waters
  - Blasting
  - Stockpiling
  - Crushing
  - Washing
  - Other
- 2. Describe any field investigations and the results of field investigations used in determining new extraction sites.
- 3. Identify any carving stone deposits.
- 4. Provide a conceptual design including footprint.
- 5. Describe the type and volume of material to be extracted.
- 6. Describe the depth of overburden.
- 7. Describe any existing and potential for thermokarst development and any thermokarst prevention measures.
- 8. Describe any existing or potential for flooding and any flood control measures.
- 9. Describe any existing or potential for erosion and any erosion control measures.
- 10. Describe any existing or potential for sedimentation and any sedimentation control measures.
- 11. Describe any existing or potential for slumping and any slump control measures.
- 12. Describe the moisture content of the ground.
- 13. Describe any evidence of ice lenses.
- 14. If blasting, describe methods employed.
- 15. Describe the explosive type(s), hazard class, volumes, uses, location of storage (show on map), and method of storage.
- 16. Discuss methods used to determine acid rock drainage (ARD) and metal leaching (ML) potential and results.
- 17. Discuss safety measures for the workforce and the public.

#### **SECTION D: Offshore Infrastructure**

## D-1. Facility

Updated July 23, 2010

- 1. Describe any field investigations and the results of field investigations used in selecting the site (i.e. aerial surveys, bathymetric surveys, tidal processes, shoreline erosion processes, geotechnical foundation conditions)
- 2. Provide a conceptual plan, profile description and drawing(s) indicating shoreline, facility footprint, tidal variations, required vessel draft, keel offset, deck height freeboard
- 3. Discuss how anticipated loads on the seabed foundation and on the offloading platform will be incorporated into the design.
- 4. Describe how vessels will manoeuvre around the facility. (e.g. pull alongside or in front)
- 5. Discuss the anticipated life of the facility.
- 6. Describe whether part of the facility or project will be located outside of the Nunavut Settlement Area and whether any other regulatory requirements must be met (e.g. CEAA).

# **D-2. Facility Construction**

- 7. Describe the types of material used for construction (i.e. granular or rock, steel piling or sheet piling, concrete). If material is granular, consider acid rock drainage potential, metal leaching potential, percentage of fines, size.
- 8. Describe dredging activities.
- 9. Indicate source of granular or rock material used in construction.
- 10. List quantities of the various types of material used in construction.
- 11. Describe construction method(s).
- 12. Indicate whether a site engineer will be on-site to inspect construction.
- 13. If proposed construction method involves dumping of fill into water, discuss measures for mitigating the release of suspended solids.

#### D-3. Facility Operation

- 14. Describe maintenance activities associated with the facility (e.g. dredging, maintenance to account for potential settlement of facility,)
- 15. Discuss whether the public will have access to the facility(s) and describe public safety measures.
- 16. Describe cargo and container handling, transfer and storage facilities.
- 17. Indicate whether fuel will be transferred from barges at this site and describe the method of that fuel transfer.
- 18. Discuss frequency of use.

# D-4. Vessel Use in Offshore Infrastructure

19. Please complete Section H

# **SECTION E:** Seismic Survey

#### E-1. Offshore Seismic Survey

- 1. Indicate whether the survey is 2D or 3D at each site.
- 2. Describe the type of equipment used, including:
  - Type and number of vessels including length, beam, draft, motors, accommodation capacity, operational speeds when towing and when not towing
  - Sound source (type and number of airguns)

Updated July 23, 2010 13 of 23

- Type and number of hydrophones
- Number, length, and spacing of cables/ streamers
- 3. On a map, indicate the grid, number of lines and total distance covered by each line, the distance to nearby community/communities and sensitive areas (e.g., National Parks, National Wildlife Areas, Migratory Bird Sanctuaries, recognized breeding grounds or migratory routes).
- 4. Indicate the discharge volume of the airguns, the depth of airgun discharge, the noise levels of acoustic signal at various distances from the source (e.g.,500 metres,1000 metres), and the frequency and duration of airgun operation at each site.
- 5. Discuss the potential for dielectric oil to be released from the streamer array, and describe proposed mitigation measures.
- 6. Indicate whether additional seismic operations are required for start-up of operations, equipment testing, repeat coverage of areas.
- 7. Indicate whether air gun procedures will include a "ramping up" period and, if so, the proposed rate of ramping up.
- 8. Indicate whether the measures described in the *Statement of Canadian Practice for Mitigation of Noise in the Marine Environment* will be adhered to for this project.
- 9. Describe whether any part of the project will be located outside of the Nunavut Settlement Area and whether any other regulatory requirements must be met (e.g. CEAA).

## E-2. Nearshore/Onshore Seismic Survey

- 10. For each site, indicate whether nearshore and onshore surveys will be conducted during the ice season or once the ice has melted
- 11. Describe how nearshore and onshore areas will be accessed.
- 12. Describe the survey methods to be used (e.g. explosive charge, vibration, air or water qun, other)
- 13. Describe equipment to be used
- 14. If applicable, indicate number, depth and spacing of shot holes
- 15. Describe explosive wastes including characteristics, quantities, treatment, storage, handling, transportation and disposal methods.

## E-3. Vessel Use in Seismic Survey

16. Please complete Section H.

#### **SECTION F:** Site Cleanup/Remediation

- 1. Describe the location, content, and condition of any existing landfills and dumps (indicate locations on a map).
- 2. Identify salvageable equipment, infrastructure and/or supplies.
- 3. Provide a list of all contaminants to be cleaned up, anticipated volumes and a map delineating contaminated areas. This includes buildings, equipment, scrap metal and debris, and barrels as well as soil, water (surface and groundwater) and sediment.
- 4. Describe the degree of pollution/contamination, and list the contaminants and toxicity.
- 5. Describe technologies used for clean-up and/or disposal of contaminated materials. Include a list of all the physical, chemical and biological cleanup/ remediation methods, operational procedures, and the dosage/frequency of reagents and bacterial medium.
- 6. Identify and describe all materials to be disposed of off site, including the proposed off site facilities, method of transport and containment measures.

Updated July 23, 2010 14 of 23

- 7. Discuss the viability of landfarming, given site specific climate and geographic conditions.
- 8. Describe the explosive types, hazard classes, volumes, uses, location of storage (indicate on a map), and method of storage (if applicable).
- 9. If blasting, describe the methods employed.
- 10. Describe all methods of erosion control, dust suppression, and contouring and revegetation of lands.
- 11. Describe **all** activities included in this project.
  - Excavation (please complete Section B-5)
  - Road use and/or construction (please complete Section A)
  - Airstrip use and/or construction
  - Camp use and/or construction
  - Stockpiling of contaminated material
  - Pit and/or quarry (please complete Section C)
  - Work within navigable waters (please complete Section H)
  - Barrel crushing
  - Building Demolition
  - Other

## **SECTION G: Oil and Natural Gas Exploration/Activities**

#### G-1. Well Authorization

- 1. Identify the location(s) of the well centre(s) by latitude and longitude. Attach a map drawn to scale showing locations of existing and proposed wells.
- 2. Indicate if the site contains any known former well sites.
- 3. Include the following information for each well:
  - a. Well name
  - b. Surface location
  - c. Proposed bottomhole location
  - d. Ground elevation (in metres)
  - e. Spacing area (in units)
  - f. Identify the well type:
    - i. Production
    - ii. Injection
    - iii. Disposal
    - iv. Observation
    - v. Storage
    - vi. Experimental
    - vii. Other (specify)
  - g. Identify the well classification:
    - i. Exploratory wildcat
    - ii. Exploratory outpost
    - iii. Development
  - h. Drilling operation (deviation):
    - i. Vertical
    - ii. Directional
    - iii. Horizontal
    - iv. Slant
  - i. Objective Zones (copy chart style below)

Updated July 23, 2010 15 of 23

Objective Formation	Fluid (oil/gas/water)	Depth (mTVD)	Core (Y/N)
-			

- j. Proposed Total Depth in mTDV and mMD.
- k. Formation of Total Depth
- I. Sour well? (yes or no)
  - i. If Yes: Maximum H<sub>2</sub>S concentration in mol/kmol Emergency planning zone radius in km
- m. Blowout Prevention (Well Class I VI)
- n. Deviation Surveys
  - i. Will be run at intervals less than 150m? (yes or no)
- o. Wireline logs
  - i. Will run logs in hole for surface casing? (yes or no)
  - ii. Will run a minimum of 2 porosity measuring logs? (yes or no)

# G-2. On-Land Exploration

- 4. Indicate if the site contains any known:
  - a. Waste Dumps
  - b. Fuel and Chemical Storage Areas
  - c. Sump Areas
  - d. Waste Water Discharge Locations
- 5. Attach maps drawn to scale showing locations of existing and proposed items identified in (2) above, as well as all proposed:
  - a. Sumps
  - b. Water sources
  - c. Fuel and chemical storage facilities
  - d. Drilling mud storage areas
  - e. Transportation routes
- 6. If utilizing fresh water, estimate maximum drawdown and recharge capability of the river or lake from which water will be drawn.
- 7. Indicate if permafrost is expected to be encountered under:
  - a. Camp Facilities
  - b. Well Site
  - c. Access Routes
  - d. Sumps

e	Other:		
<b>C</b> .	Ouici.		

- 8. Indicate any potential for encountering artesian aquifers or lost circulation within the surface hole (to casing depth).
- 9. Will drilling wastes contain detrimental substances (including, but not limited to, oilbased or invert mud and high salinity fluids)? If yes, indicate the substances and estimated volumes.
- 10. Indicate methods for disposal of drilling wastes:
  - a. Sump
  - b. Down Hole (requires NEB approval)
  - c. On-Site Treatment (provide plan)
  - d. Off-Site (give location and method of disposal)
- 11. If a sump is being used, attach the following information:

P.O. Box 1360 Cambridge Bay, NU, X0B 0C0 • PHONE: 867-983-4600 • TOLL FREE: 1-866-233-3033 • FAX: 867-983-2574 Updated July 23, 2010

- a. scale drawings and design of sumps
- b. capacity in cubic metres
- c. berm erosion protection
- d. soil permeability and type
- e. recycling/reclaiming waters
- f. surface drainage controls
- g. abandonment procedures
- 12. Attach the proposed or existing contingency plan which describes the course of action, mitigative measures and equipment available for use in the event of system failures and spills of hazardous materials.
- 13. Attach an outline of planned abandonment and restoration procedures.

# G-3. Off-Shore Exploration

- 14. Will drilling wastes contain detrimental substances (including, but not limited to, oil-based or invert mud and high salinity fluids)? If yes, indicate the substances and estimated volumes.
- 15. Attach the proposed or existing contingency plan which describes the course of action, mitigative measures and equipment available for use in the event of system failures and spills of hazardous materials.
- 16. Attach an outline of planned abandonment and restoration procedures.
- 17. Please complete Section H.

# G-4. Rig

- 18. Type of Rig. Draw works, make and model
- 19. Derrick/Mast make and model
- 20. H.P. available to draw-works

#### **SECTION H: Marine Based Activities**

#### H-1. Vessel Use

- 1. Describe the purpose of vessel operations.
- 2. List classes and sizes of vessels to be used.
- 3. Indicate crew size.
- 4. Indicate operating schedule.
- 5. Provide a description of route to be traveled (include map).
- 6. Indicate whether the vessel will call at any ports. If so, where and why?
- 7. Describe wastes produced or carried onboard including the quantities, storage, treatment, handling and disposal methods for the following:
  - a. Ballast water
  - b. Bilge water
  - c. Deck drainage
  - d. Grey and black water
  - e. Solid waste
  - f. Waste oil
  - g. Hazardous or toxic waste

Updated July 23, 2010 17 of 23

- 8. List all applicable regulations concerning management of wastes and discharges of materials into the marine environment
- 9. Provide detailed Waste Management, Emergency Response and Spill Contingency Plans
- 10. Does the vessel(s) possess an Arctic Pollution Prevention Certificate? If yes, indicate the date of issue and the name of the classification society.
- 11. Describe the source of fresh water and potable water
- 12. Indicate whether ice-breaking will be required, and if so, approximately where and when? Discuss any possible impacts to caribou migration, Inuit harvesting or travel routes, and outline proposed mitigation measures.
- 13. Indicate whether the operation will be conducted within the Outer Land Fast Ice Zone of the East Baffin Coast. For more information on the Outer Land Fast Ice Zone, please see the Nunavut Land Claims Agreement (NLCA), Articles 1 and 16.
- 14. Indicate whether Fisheries or Environmental Observers or any other *Qualified Marine Observer* will be onboard during the proposed project activities. If yes, describe their function and responsibilities.
- 15. Describe all proposed measures for reducing impacts to marine habitat and marine wildlife (including mammals, birds, reptiles, fish, and invertebrates).
- 16. Describe whether any part of the project will be located outside of the Nunavut Settlement Area and whether any other regulatory requirements must be met (e.g. CEAA).

#### H-2. Disposal at Sea

- 17. Provide confirmation you have applied for a *Disposal at Sea* permit with Environment Canada.
- 18. Provide a justification for the disposal at sea.
- 19. Describe the substance to be disposed of, including chemical and physical properties.
- 20. Indicate the location where the disposal is to take place.
- 21. Describe the frequency of disposals (disposals per day/week or month).
- 22. Describe the route to be followed during disposal and indicate on a map.
- 23. Indicate any previous disposal methods and locations.
- 24. Provide an assessment of the potential effects of the disposal substance on living marine resources.
- 25. Provide an assessment of the potential of the disposal substance, once disposed of at sea, to cause long-term physical effects.
- 26. Describe all mitigation measures to be employed to minimize the environmental, health, navigational and aesthetic impacts during loading, transport and disposal.

# **SECTION I:** Municipal and Industrial Development

- 1. Describe the business type, including public, private, limited, unlimited or other.
- 2. Describe the activity (e.g. development of quarry, development of hydroelectric facility, bulk fuel storage, power generation with nuclear fuels or hydro, tannery operations, meat processing and packing, etc.).
- 3. Describe the production process or service provision procedures.
- 4. Describe the raw materials used in this activity, the storage and transportation methods. If hazardous materials are included in raw materials, products or byproducts; include safety regulations methodology.
- 5. Provide detailed information about the structure and/or building in which the activity will be conducted.

Updated July 23, 2010 18 of 23

- 6. List the PPE (personal protective equipment) and tools to be used to protect personal health and safety.
- 7. Describe the firefighting equipment that are or will be installed.
- 8. Describe the noise sources, noise level in work area, technical measurements that will be adopted to abate the noise levels and regulatory requirements for noise abatement and noise levels.
- 9. Describe the type of gaseous emission that will be produced during this activity. Include the allowable thresholds and mitigation measures.
- 10. Describe odours that the activity might release and include corresponding allowable threshold. Describe mitigation measures if thresholds are exceeded.
- 11. Describe radiation sources that might be emitted during the activity. Include type and source and include mitigation measures. Also describe preventative measures for human exposure (i.e. PPE).
- 12. Discuss the employee safety and environment protection training program.
- 13. If the activity involves a bulk fuel storage facility, include drawings showing the bulk fuel storage facility location in proximity to natural water courses, high water marks, etc.
- 14. If the activity involves the development of a new quarry or expansion of an existing quarry, complete Section C.

#### 4. DESCRIPTION OF THE EXISTING ENVIRONMENT

Describe the existing environment, including physical, biological and socioeconomic aspects. Where appropriate, identify local study areas (LSA) and regional study areas (RSA).

Please note that the detail provided in the description of the existing environment should be appropriate for the type of project proposal and its scope.

The following is intended as a guide only.

#### **Physical Environment**

Please note that a description of the physical environment is intended to cover all components of a project, including roads/trails, marine routes, etc. that are in existence at present time.

- Proximity to protected areas, including:
  - i. designated environmental areas, including parks;
  - ii. heritage sites:
  - iii. sensitive areas, including all sensitive marine habitat areas;
  - iv. recreational areas:
  - v. sport and commercial fishing areas;
  - vi. breeding, spawning and nursery areas;
  - vii. known migration routes of terrestrial and marine species;
  - viii. marine resources;
  - ix. areas of natural beauty, cultural or historical history;
  - x. protected wildlife areas; and
  - xi. other protected areas.
- Eskers and other unique landscapes (e.g. sand hills, marshes, wetlands, floodplains).
- Evidence of ground, slope or rock instability, seismicity.

Updated July 23, 2010 19 of 23

- Evidence of thermokarsts.
- Evidence of ice lenses.
- Surface and bedrock geology.
- Topography.
- Permafrost (e.g. stability, depth, thickness, continuity, taliks).
- Sediment and soil quality.
- Hydrology/ limnology (e.g. watershed boundaries, lakes, streams, sediment geochemistry, surface water flow, groundwater flow, flood zones).
- Tidal processes and bathymetry in the project area (if applicable).
- Water quality and quantity.
- Air quality.
- Climate conditions and predicted future climate trends.
- Noise levels.
- Other physical Valued Ecosystem Components (VEC) as determined through community consultation and/or literature review.

The rocks in the Kiyuk Lake area belong to the Hearne Domain of the Western Churchill Province, part of the Precambrian Canadian Shield. At the Kiyuk Property, the Hurwitz and Kiyuk groups dominate the geological setting with minor foliated granite, diabase dykes and a granitic body of the Nueltin suite.

Outcrop is uncommon and geological observations are biased towards resistant units. Faults and some unit contacts are typically interpreted from linear topographic features defined by lakes.

Permafrost is stable in the region with a midsummer depth to the top of the permafrost of one or two metres. Permafrost thickness may be up to 300m thick throughout the area. Soils and sediments comprise a mix of glacial till, younger fluvial deposits, and wind-blown material such as peat and inorganic dust.

Water quality in the area is pristine. Climate conditions are cold winters and cool summers. However, in recent years there has been a warming trend with less snow in the winters. Noise levels in the Arctic are very low. Prosperity Goldfields Corp does not anticipate any impacts to the water quality or climate from this program.

#### **Biological Environment**

- Vegetation (terrestrial as well as freshwater and marine where applicable).
- Wildlife, including habitat and migration patterns.
- Birds, including habitat and migration patterns.
- Species of concern as identified by federal or territorial agencies, including any
  wildlife species listed under the Species at Risk Act (SARA), its critical habitat or
  the residences of individuals of the species.
- Aquatic (freshwater and marine) species, including habitat and migration/spawning patterns.
- Other biological Valued Ecosystem Components (VEC) as determined through community consultation and/or literature review.

Vegetation in the area is characterised by small stands of stunted forest dominated by black spruce, jack pine and lesser birch and poplar. This vegetation is intermixed with open tundra, abundant lakes and widespread bogs.

Wildlife in the area include isolated caribou in the summer months with herds coalescing in September. Migratory birds pass through in Many and June and return south in September. Moose, foxes, wolves, grizzly bears and wolverines also exist in the area.

Updated July 23, 2010 20 of 23

#### Socioeconomic Environment

Proximity to communities.

The Kiyuk Lake Project is 350 km southwest of Arviat, NU and 210 km from Lac Brochet, MB and 225 km from Tadoule Lake, MB.

- Archaeological and culturally significant sites (e.g. pingos, soap stone quarries) in the project (Local Study Area) and adjacent area (Regional Study Area).
- Palaeontological component of surface and bedrock geology.
- Land and resource use in the area, including subsistence harvesting, tourism, trapping and guiding operations.
- Local and regional traffic patterns.
- Human Health, broadly defined as a complete state of wellbeing (including physical, social, psychological, and spiritual aspects).
- Other Valued Socioeconomic Components (VSEC) as determined through community consultation and/or literature review.

Please see attached community consultation logs which include Arviat and northern Manitoba.

# 5. IDENTIFICATION OF IMPACTS AND PROPOSED MITIGATION MEASURES

- Please complete the attached Table 1 Identification of Environmental Impacts, taking into
  consideration the components/activities and project phase(s) identified in Section 4 of this
  document. Identify impacts in Table 1 as either positive (P), negative and mitigable (M),
  negative and non- mitigable (N), or unknown (U).
- 2. Discuss the impacts identified in the above table.
- 3. Discuss potential socioeconomic impacts, including human health.
- 4. Discuss potential for transboundary effects related to the project.
- 5. Identify any potentially adverse effects of the project proposal on species listed under the *Species at Risk Act (SARA)* and their critical habitats or residences, what measures will be taken to avoid or lessen those effects and how the effects will be monitored.
- 6. Discuss proposed measures to mitigate all identified negative impacts.

The majority of the work being proposed is not expected to impact the environment in a negative way.

Positive impacts are related to the employment of local people as field assistants, prospectors, camp personnel, and wildlife monitors.

When a helicopter is on site it will be used to transport crews into the field from camp will be restricted to an altitude of not less than 300 metres, when not actually taking off and landing.

All combustible and non-combustible solid waste and scrap metal will be backhauled out of Nunavut. Empty fuel drums will be sent south on a regular basis for refilling or proper disposal if warranted.

All fuel caches will be supplied with a complete spill kit, including highly absorbent pads and one empty drum, for the highly unlikely event of a fuel spill. Each fuel cache will also be equipped with a fire extinguisher. Small fuel caches in the field are placed in shallow natural depressions which are a minimum of 31 metres from the normal high-water mark of nearby bodies of water.

Used greases and oil will be removed from site to an authorized, licensed disposal facility. All drill water will be treated in sumps to collect cuttings, allowing the water to drain

Updated July 23, 2010 21 of 23

into the surrounding landscape. All sumps will be located a minimum of 31 metres from the normal high-water mark of any water body. All equipment, timbers, hoses, fuel drums, etc. will be removed from the drill site following completion of the drill hole. Casing may or may not be left in the borehole temporarily, depending on whether or not the borehole requires re-entry at a later date; the majority of boreholes will have casing removed after completion. Drill collars will be marked for identification purposes.

6. CUMULATIVE EFFECTS

A cumulative impact (or effect) can be defined as the impact on the environment that results from the incremental impact of the action when added to other past, present and reasonably foreseeable future actions. Cumulative impacts can also result from individually minor but collectively significant actions taking place over a period of time.

Discuss how the effects of this project interact with the effects of relevant past, present and reasonably foreseeable projects in a regional context.

Cumulative effects are not anticipated.

#### 7. SUPPORTING DOCUMENTS

Where relevant, provide the following supporting documents:

- Abandonment and Decommissioning Plan
- Existing site photos with descriptions
- Emergency Response Plan
- Comprehensive Spill Prevention/Plan (must consider hazardous waste and fuel handling, storage, disposal, spill prevention measures, staff training and emergency contacts)
- Waste Management Plan/Program
- Monitoring and Management Plans (e.g. water quality, air pollution, noise control and wildlife protection etc.)
- If project activities are located within Caribou Protection Areas or Schedule 1 Species at Risk known locations, please provide a Wildlife Mitigation and Monitoring Plan

In addition, for Project Type 9 (Site Cleanup/Remediation), please provide the following additional supporting documents:

- Remediation Plan including cleanup criteria and how the criteria were derived.
- Human Health Risk Assessment of the contaminants at the site.

Prosperity Goldfields Corp has submitted a Spill Prevention and Response Plan, a Corporate and Social Responsibility Plan and an Abandonment and Reclamation Plan.

Updated July 23, 2010 22 of 23

# **TABLE 1 - IDENTIFICATION OF ENVIRONMENTAL IMPACTS**

							• 4	\ <b>D</b> L		ישטו י	• • • • •			<b>O</b> .			. 4.17.	-141/	·- ····		. •													
Nunavut Mac Review E Nunavut Kanegilivalianikot Elittohaiyeepletik Ka	OARD Nimayiit	ENVIRONMENTAL COMPONENTS	PHYSICAL	designated environmental areas (ie. Parks, Wildlife Protected areas)	ground stability	permafrost	hydrology/ limnology	water quality	climate conditions	eskers and other unique or fragile landscapes	surface and bedrock geology	sediment and soil quality	tidal processes and bathymetry	air quality	noise levels	other VEC:	other VEC:	other VEC:	BIOLOGICAL	vegetation	wildlife, including habitat and migration patterns	birds, including habitat and migration patterns	aquatic species, incl. habitat and migration/spawning	wildlife protected areas	other VEC:	other VEC:	other VEC:	SOCIO-ECONOMIC	archaeological and cultural historic sites	employment	community wellness	community infrastructure	human health	other VSEC
PROJECT ACTIVITIE	S																																	
_																																		
Ŏ.																																		
CONSTRUCTION																																		
I I																																		
.s																																		
9																																		
																							1											
	Core																			١.,												ı İ		
	drilling							M							N					М	М	М	М							Р				
																				-														
																							+											
																							+											
z																							1											
OPERATION																																		-
R A																							+											-
J PE																																	$\overline{}$	
																																1		
																							1											
(n																							1											
DECOMMISSIONING																																		
0																							$\perp$											
SSI																																		
¥ ¥				-																			1											
00																																		
																							+											
											1										ĺ		1			1	1							

Note: Please indicate in the matrix cell whether the interaction causes an impact and whether the impact is

P = Positive

N = Negative and non-mitigatable

M = Negative and mitigatable

U = Unknown

If no impact is expected please leave the cell blank