



P.O. Box 119  
GJOA HAVEN, NU X0B 1J0  
TEL: (867) 360-6338  
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᓂᓕᓂᓪ  
NUNAVUT IMALIRIYIN KATIMAYINGI  
NUNAVUT WATER BOARD  
OFFICE DES EAUX DU NUNAVUT

**File No: 2BE-KUG0507**

February 27, 2008

Mr. Rory Calhoun, Project Manager  
Coronation Minerals  
Suite 310, 141 Adelaide Street West  
Toronto, ON M5H 3L5  
Email: [jadefalcon@golden.net](mailto:jadefalcon@golden.net)  
[ken@ceinst.org](mailto:ken@ceinst.org)

Subject: Coronation Minerals – Dismal Lake Project - Renewal – Type “B”

Dear Mr. Calhoun:

The Nunavut Water Board (“NWB”) acknowledges receipt of your renewal application for a Type “B” water license on February 7, 2008, for water use and waste disposal associated with exploratory drilling operations for the Dismal Lake Project, in the Kitikmeot region of Nunavut. The application can be obtained from our ftp site at the following link:

<http://nunavutwaterboard.org/ftp/> or by contacting our office. The application includes the following documents:

- cover letter dated January 21, 2008, received February 7, 2008
- water license application form
- supplementary questionnaire
- project description
- project summary in Inuinnaqtun
- application fee, water use fee
- location maps
- Abandonment & Restoration Plan
- Spill Contingency Plan
- MSDS Sheets

We undertook a preliminary review of your application and conclude that it meets the requirements of section 48(1) of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* (“Act”). This said, I must inform you that the NWB reserves the right to request additional information and studies pursuant to sections 48(2) of the Act or, alternatively, issue guidelines for the provision of information pursuant to section 48(3) of the Act.

A NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

This application is within an area where there is no land use plan approved in accordance with Part 5 of Article 11 of the NLCA, and is therefore not subject to the requirements of Section 38 (1) to 38 (5) of the Act.

Finally, by copy of this letter to the distribution list and the enclosed notice of application sent to the council of the municipality or municipalities most affected by your application, we invite interested persons to make representation directly to the NWB **within 30 days from the date of this letter.** Take note that included in the application is a Spill Response Plan as well as an Abandonment and Restoration Plan which require review and comment. The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Sincerely,

*Original signed by:*

Phyllis Beaulieu  
Manager of Licensing

/pab

Enclosure: Notice of Application

Cc: Distribution List - Kitikmeot