

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2BE-LUX1618 2017 Annual Report

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Fri, Apr 20, 2018 at 11:40 AM

Good morning,

The Nunavut Water Board acknowledges receipt March 29, 2018 of 2BE-LUX1618 2017 Annual Report, it has been saved to the public registry and uploaded to the ftp site at the link below:

ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2B/2BE%20-%20Exploration/2BE-LUX1618% 20North%20Arrow/3%20TECH/1%20GENERAL%20(B)/2%20ANNUAL%20RPT/2017/

This report is distributed for information purposes only.

Regards,

Richard



Licence Administrator- Administratrice des permis C△5C∩2 ▷CCO2- Laisaligiyi Aulattiyi

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ወඛ>፡ ΔL ር ሊት ፡ bበLት ዣ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0 C.P. 119 Gjoa Haven (Nunavut), X0B 1J0 በበናዔሌኂ 119 ኦ'ዶንኝ, ፌ.৯ና X0B 1J0 Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ぱぺౢゝ் / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ぺゟ ぱ / Fax-kut: (867) 360-6369 Toll Free / Sans / ◁Рˤ७° \ Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

-

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email