



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᓂᓕᓂᓪ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

NWB: 2BE-MAL----

February 7, 2011

Graham Gill, Consulting Geologist
Uranium North Resources Corp.
1100-1111 Melville St.
Vancouver, BC V6E 3V6
E-mail: g.gill@diamondsnorth.com

Re: New Application Acknowledgement for the Mallery Lake Project

Dear Mr. Gill:

The Nunavut Water Board ("NWB") acknowledges receipt on February 4, 2011 of your new water license application for the Mallery Lake Project, file number 2BE-MAL-----.

We undertook a preliminary administrative review of your application and conclude that, in accordance with approved legislation under the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada* ("NLCA"), it does not contain sufficient information for the NWB to commence processing the file at this time. Specifically, we are asking you to provide the following:

1. The **Item 13** of Licence Application indicates <5 m³/day for estimated Domestic water use, which seems to be right given the number of people, and **60-80 m³/day** for Drilling. The **Item 27** of Supplemental Questionnaire indicates <20 m³/day for estimated Domestic use and <60 m³/day for drilling. These discrepancies should be corrected.
2. The **Item 17** of Licence Application indicates: **The total estimated surface disturbance for all of the drill sites (approximately 20 for each year of the permit) is estimated to be a maximum of 0.02 ha/year.** This should be **0.2 ha/year**.
3. In the **Fuel Spill Contingency Plan**, the contact information for **DIAND Water Resources Inspector** should be updated from (867) 975-4298 to **(867) 975-4295**.

Please call the undersigned at (867) 360-6338 or email at licensingadmin@nunavutwaterboard.org if you have any questions.

Sincerely,

Original signed by:

Richard Dwyer
Licensing Administrator

Cc: Karén Kharatyan, NWB
Brian Aglukark, NPC
NIRB