



P.O. Box 119  
GJOA HAVEN, NU X0B 1J0  
TEL: (867) 360-6338  
FAX: (867) 360-6369

ᓄᓇᓴᓐ ᐃᓕᓕᓴᓐᓐ ᑲᓂᓕᓴᓐ  
NUNAVUT IMALIRIYIN KATIMAYINGI  
NUNAVUT WATER BOARD  
OFFICE DES EAUX DU NUNAVUT

**File No: 2BE-MCG/GA**

May 25, 2006

Latisha Heilman  
Rescan Environmental Services Ltd.  
Sixth Floor, 1111 West Hastings Street  
Vancouver BC V6E 2J3  
Email: [lheilman@rescan.com](mailto:lheilman@rescan.com)

Subject: 5050 Nunavut Limited – McGregor Lake Project - New – Type “B”

Dear Ms. Heilman:

The Nunavut Water Board (“NWB”) acknowledges receipt of your new application for a Type “B” water license on May 16, 2006 for water use and waste disposal associated with exploratory drilling operations, in the Kitikmeot region of Nunavut. All documents received, and pertaining to the application, can be obtained from our ftp site (<http://ftp.nunavut.ca>) in “nwb / 2BE/ 2BE-MCG. They include the following:

- cover letter dated May 11, 2006
- water license application form, received May 16, 2006
- supplementary questionnaire, received May 11, 2006
- project description, received May 11, 2006
- 3 location maps received May 11, 2006
- Abandonment & Restoration Plan received May 11, 2006
- Spill Contingency Plan received May 11, 2006
- MSDS Sheets received May 11, 2006
- Wildlife Sighting & Incident/Accident Form received May 11, 2006
- Daily Wildlife Log received May 11, 2006

We undertook a preliminary review of your application and conclude that it meets the requirements of section 48(1) of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* (“Act”). This said, I must inform you that the NWB reserves the right to request additional information and studies pursuant to sections 48(2) of the Act or, alternatively, issue guidelines for the provision of information pursuant to section 48(3) of the Act.

An NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

This application is within an area where there is no land use plan approved in accordance with Part 5 of Article 11 of the NLCA, and is therefore not subject to the requirements of Section 38 (1) to 38 (5) of the Act.

Finally, by copy of this letter to the distribution list and the enclosed notice of application sent to the council of the municipality or municipalities most affected by your application, we invite interested persons to make representation directly to the NWB **within 30 days from the date of this letter.** Take note that included in the application is a Spill Response Plan as well as an Abandonment and Restoration Plan which require review and comment. The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Sincerely,

*Original signed by:*

Richard Dwyer  
Licensing Trainee

Enclosure: Notice of Application

Cc: Kitikmeot Distribution List