



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

[Licensing] RE: 150515 2BE-MDP---- Distributrion Review - New Application for Muskox Diamond Project - Kitikmeot Region

Brian Aglukark <aglukark@nunavut.ca>

Fri, May 22, 2015 at 7:56 AM

To: Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>, "rlheureux@apexgeoscience.com" <rlheureux@apexgeoscience.com>

Cc: Licensing Department <licensing@nwb-oen.ca>, "info@nirb.ca" <info@nirb.ca>

Good morning,

RE: 2BE-MDP Muskox Diamond Project - Kitikmeot Region

-

Thank you for your email.

The Nunavut Planning Commission (NPC) has reviewed the attached documents and has determined that the project proposal as described is located outside the boundaries of the two approved land use plans currently administered by the NPC.

No further review is required by the NPC at this time.

Please ensure that any change in scope of the proposed project is forwarded to the NPC so as a determination can be made as to whether a conformity review is required.

The Impact Review Board has been copied for their information.

Please contact me should you have any questions.

Mutna,

Brian

From: Robin Ikkutisluk [mailto:robin.ikkutisluk@nwb-oen.ca]

Sent: May-15-15 12:23 PM

To: rlheureux@apexgeoscience.com

Cc: Licensing Department

Subject: 150515 2BE-MDP---- Distributrion Review - New Application for Muskox Diamond Project - Kitikmeot Region

NOTICE TO ALL PARTIES:

DEADLINE FOR COMMENTS IS ON JUNE 15, 2015

The attached acknowledges receipt, on April 30, 2015, of a new application for a Type "B" water license for water use and waste disposal associated with activities in the Kitikmeot region of Nunavut. The application consists of the following documents:

- 931209 Apex Certificate of Incorporation
- APEX Company Officers
- Contwoyto Camp
- Digital File List
- Estimation for 3rd Party Reclamation of Camp
- Figure 2 Proposed General Camp Layout
- Muskox Abandonment Restoration
- Muskox Camp
- Muskox Emergency Response Plan
- Muskox Exploration Remote Camp Questionnaire
- Muskox Fuel Management Plan
- Muskox General Water Licence Application
- Muskox Non-Technical Summary English
- Muskox Non-Technical Summary Inuktitut
- Muskox NWB Water Licence Application Cover Letter
- Muskox Spill Prevention Response Plan Part1
- Muskox Spill Prevention Response Plan Part2
- Muskox Waste Management Plan
- Project Map

The application can be obtained from our ftp site under PRUC with Username: public, Password: registry.

The NWB undertook a preliminary review of your application and concluded that it meets the requirements of section 48(1) of the Nunavut Waters and Nunavut Surface Rights Tribunal Act ("Act"). However, the NWB retains the right to request additional information and studies pursuant to sections 48(2) of the Act or to issue guidelines for the provision of information pursuant to section 48(3) of the Act. A NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

In accordance with S.11.5.10 of the Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada ("NLCA"), prior to the application being fully processed by the NWB the project proposal shall be reviewed by the Nunavut Planning Commission ("NPC"), to determine whether the project proposal is in conformity with an approved land use plan. By copy of this letter, the NWB requests the NPC provide its determination and recommendations to the NWB pursuant to Sections 13.4.2 through 13.4.5 of the NLCA, or written confirmation that the project proposal falls outside the boundaries of an approved land use plan. Also, by copy of this letter to the Nunavut Impact Review Board ("NIRB"), the NWB requests that if the project proposal requires screening, the NIRB provide the NWB with a determination pursuant to Section 13.5.1 of the NLCA. If the project is exempt from screening pursuant to Schedule 12-1 of the NLCA, the NWB requests written confirmation from the NIRB that the project proposal is in fact exempt from screening.

To ensure this application is dealt with in a timely fashion, the NWB forwards notice of all documentation to regulators and council of the municipality(ies) most affected by the project, inviting interested parties to make representation directly to the NWB within 30 days from the date of this letter. The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Subject to Sections 12.10.2 and 13.5.5 of the NLCA, where a review is required pursuant to Article 12, the NWB shall not approve any water application that forms part of that review until Article 12 has been complied with.

Sincerely,

Robin Ikkutisluk

Licensing Administrator Assistant

Enclosure: Notice of Application

Cc: NPC Conformity

NIRB

Distribution List – Kitikmeot

