

File No.: 2BE-MDP1520

June 09, 2020

Tara Gunson APEX Geoscience Ltd. 100, 11450-160 Street NW Edmonton, AB T5M 3Y7 Robert L'Heureux APEX Geoscience Ltd. 100, 11450-160 Street NW Edmonton, AB T5M 3Y7

Email: <u>tgunson@apexgeoscience.com</u> Email: <u>rlheureux@apexgeoscience.com</u>

RE: NWB Technical Review of 2019 Annual Report for the Muskox Property; Water

Licence No: 2BE-MDP1520

Dear Ms. Gunson and Mr. L'Heureux:

The Nunavut Water Board (NWB) has completed a technical review of the 2019 Annual Report. Thank you for notifying that no exploration and drilling work was completed on the property in 2019.

On April 06, 2020, the NWB acknowledged receipt of the 2019 Annual Report and provided them to the Kitikmeot distribution list for information. No comments have been received to date.

The Board has received the updated Spill Contingency Plan and the Abandonment and Restoration Plan and uploaded it to the registry. No outstanding documents remain at this time.

Should you have any questions, please feel free to contact the undersigned, at (867) 360-6338 (extension 33) or ali.shaikh@nwb-oen.ca, at your earliest convenience.

Sincerely,

Mohammad Ali Shaikh Nunavut Water Board, Technical Advisor

Cc: Distribution List – Kitikmeot